


INTERNATIONAL BACCALAUREATE

ANSWERS

**MATHEMATICS
STANDARD LEVEL**



**3RD EDITION
3rd Imprint**


Series editor: **Fabio Cirrito**

Contributing author


Patrick Tobin

EXERCISE 2.1


1. (a)




(d)




(b)



(c)



(e)



(f)

2. (a) $[-2, 7]$ (b) $]9, \infty[$ (c) $]0, 5]$ (d) $]-\infty, 0]$ (e) $]-4, 8[$ (f) $]-\infty, -1[\cup]2, \infty[$

3. (a) $5\sqrt{5}$ (b) $-\sqrt{3}$ (c) $\sqrt{3}$ **4.** (a) 4 (b) $4 + \sqrt{6}$ (c) $6\sqrt{2}$ (d) $31 + 12\sqrt{3}$ **5.** (a) $2 - \sqrt{3}$ (b) $\sqrt{7} + 2$ (c) $2\sqrt{3} + \sqrt{15}$

(d) $-2 - \sqrt{3} - 4\sqrt{5} - 2\sqrt{15}$ (e) $\frac{3 + \sqrt{6} + \sqrt{10} + \sqrt{15}}{-2}$ (f) $3\sqrt{6} + 2\sqrt{15}$ **6.** (a) i. $\frac{3\sqrt{5} + \sqrt{3}}{2}$


ii. $10 + \frac{3\sqrt{15}}{2}$ (b) i. $\frac{14\sqrt{3} + 48}{13}$ ii. $\frac{1344\sqrt{3} + 3230}{169}$ **7.** (a) $\{\pm 3\}$ (b) $\{\pm 10\}$ (c) \emptyset

(d) $\{-4, 2\}$ (e) $\{-12, 8\}$ (f) $\{0, 4\}$


8. (a)




(b)



(c)



(d)



9. (a) $]1, \infty[$ (b) $]4, \infty[$ (c) $]4, 6[$

EXERCISE 2.2.1


1. (a) 4 (b) 3 (c) -6 (d) $-\frac{11}{2}$ (e) $\frac{1}{10}$ (f) $\frac{3}{8}$ **2.** (a) $\frac{17}{5}$ (b) $\frac{4}{3}$ (c) $-\frac{3}{4}$ (d) $\frac{4}{3}$ (e) $\frac{35}{2}$ (f) $\frac{92}{41}$

3. (a) $-\frac{44}{5}$ (b) -39 (c) $-\frac{1}{7}$ (d) -3 (e) 2 (f) 4 **4.** (a) $2b - 2$ (b) $b + 1 + \frac{b}{a}$ (c) $\frac{ab}{a+b}$ (d) $a(a+b)$ (e) ab (f) $\frac{ab}{a-b}$ (g) 0 (h) $\frac{a+b}{a^2+b^2}$ (i) $a+b$ **5.** (a) -4, 4 (b) $-\frac{9}{5}, 3$ (c) -6, 18 (d) $-\frac{11}{2}, \frac{17}{2}$ (e) $-\frac{7}{10}, \frac{1}{10}$ (f) $-\frac{5}{8}, \frac{3}{8}$ (g) $-\frac{7}{5}, \frac{17}{5}$ (h) $\frac{4}{3}, \frac{20}{3}$ (i) -3, 0 (j) $\frac{a-b}{2}, \frac{b-a}{2}, a \geq b$ (k) $\pm b(a-b), a \geq b$ (l) $-\frac{b}{a}, \frac{2b}{a}, b \geq 0$

EXERCISE 2.2.2

1. (a) $x < -4$ (b) $x \leq -\frac{1}{5}$ (c) $x > 1$ (d) $x \leq -6$ (e) $x > \frac{18}{7}$ (f) $x > \frac{3}{8}$ **2.** (a) $x > \frac{52}{11}$ (b) $x \leq 1$ (c) $x \leq \frac{10}{3}$ **3.** (a) $x < 1$ (b) $x < 2 - a$ (c) $x > \frac{2b}{3a}$ (d) $x \geq \frac{2}{(a+1)^2}$ **4.** (a) $-2 \leq x \leq 1$ (b) $-2 \leq x \leq 3$ (c) $-\frac{3}{2} \leq x \leq \frac{5}{2}$ (d) $x = -\frac{1}{2}$ (e) $-7 \leq x \leq 9$ (f) $-5 \leq x \leq 3$ (g) $-4 \leq x \leq 16$ (h) $-28 \leq x \leq 44$ (i) $-\frac{5}{12} \leq x \leq \frac{1}{12}$ **5.** (a) $x < -\frac{3}{2} \cup x > \frac{5}{2}$ (b) $x < \frac{3}{2} \cup x > \frac{7}{2}$ (c) $x \leq -12 \cup x \geq 16$ (d) $x \leq -24 \cup x \geq 6$ (e) $x < \frac{3}{4} \cup x > \frac{9}{4}$ (f) $-6 < x < 14$ (g) $x < -28 \cup x > 44$ (h) $x < -\frac{5}{12} \cup x > \frac{1}{12}$ (i) $x \leq -4 \cup x \geq 16$ **6.** $p < 3$

EXERCISE 2.3.1




2. (a) 2 (b) 3 (c) $\frac{5}{3}$ **3.** (a) $y = 2x - 1$ (b) $y = 3x + 9$ (c) $y = -x - 1$ **4.** (a) $-\frac{1}{2}$ (b) $\frac{1}{3}$ (c) $\frac{3}{2}$


(d) $-\frac{4}{5}$ **5.** $y = 2x$ **6.** $y = -x + 1$ **7.** $y = \frac{x+2}{2}$ **8.** 2 **9.** (a) $y = \frac{5}{2}x$ (b) $y = -\frac{3}{2}x + 3$

(c) $y = \frac{5}{6}x - \frac{1}{2}$ (d) $y = -2x + 1$


10.




(b) Note signs!



(c)



(d)



EXERCISE 2.3.2

- 1.** (i) $x = 1, y = 2$ (ii) $x = 3, y = 5$ (iii) $x = -1, y = 2$ (iv) $x = 0, y = 1$ (v) $x = -2, y = -3$
 (vi) $x = -5, y = 1$ **2.** (i) $x = \frac{13}{11}, y = \frac{17}{11}$ (ii) $x = \frac{9}{14}, y = \frac{3}{14}$ (iii) $x = 0, y = 0$
 (iv) $x = \frac{4}{17}, y = -\frac{22}{17}$ (v) $x = -\frac{16}{7}, y = \frac{78}{7}$ (vi) $x = \frac{5}{42}, y = -\frac{3}{28}$ **3.** (i) -3 (ii) -5 (iii) -1.5

- 4.** (i) $m = 2, a = 8$ (ii) $m = 10, a = 24$ (iii) $m = -6, a = 9$.

- 5.** (a) $x = 1, y = a - b$ (b) $x = -1, y = a + b$ (c) $x = \frac{1}{a}, y = 0$ (d) $x = b, y = 0$
 (e) $x = \frac{a-b}{a+b}, y = \frac{a-b}{a+b}$ (f) $x = a, y = b - a^2$

EXERCISE 2.3.3

- 1.** (a) $x = 4, y = -5, z = 1$ (b) $x = 0, y = 4, z = -2$ (c) $x = 10, y = -7, z = 2$
 (d) $x = 1, y = 2, z = -2$ (e) \emptyset (f) $x = 2t - 1, y = t, z = t, t \in \mathbb{R}$

EXERCISE 2.4.1

1. (a) -5 (b) $4, 6$ (c) $-3, 0$ (d) $1, 3$ (e) $-6, 3$ (f) $-2, 5/3$ (g) 2 (h) $-3, 6$ (i) $-6, 1$ (j) $0, 1.5$

2. (a) -1 (b) $-7, 5$ (c) $-0.4, 3$ (d) $-2, 1$ (e) $-3, 1$ (f) $4, 5$

3. (a) $-1 \pm \sqrt{6}$ (b) $3 \pm \sqrt{5}$ (c) $1 \pm \sqrt{5}$ (d) $\frac{-1 \pm \sqrt{33}}{8}$ (e) $\frac{9 \pm \sqrt{73}}{4}$ (f) $\frac{1 \pm \sqrt{85}}{6}$

4. (a) $\frac{3 \pm \sqrt{37}}{2}$ (b) $\frac{5 \pm \sqrt{33}}{2}$ (c) $\frac{3 \pm \sqrt{33}}{2}$ (d) $\frac{7 \pm \sqrt{57}}{2}$ (e) $\frac{-7 \pm \sqrt{65}}{2}$ (f) $-4, 2$ (g) $-1 \pm 2\sqrt{2}$

(h) $\frac{-5 \pm \sqrt{53}}{2}$ (i) $\frac{3 \pm \sqrt{37}}{2}$ (j) no real solutions (k) $4 \pm \sqrt{7}$ (l) no real solutions (m) $\frac{2 \pm \sqrt{13}}{2}$













(n) $\frac{3 \pm 2\sqrt{11}}{5}$ (o) $\frac{6 \pm \sqrt{31}}{5}$ **5.** (a) $-2 < p < 2$ (b) $p = \pm 2$ (c) $p < -2$ or $p > 2$

6. (a) $m = 1$ (b) $m < 1$ (c) $m > 1$ **7.** (a) $m = \pm 2\sqrt{2}$ (b) $]-\infty, -2\sqrt{2}[\cup]2\sqrt{2}, \infty[$




(c) $]-2\sqrt{2}, 2\sqrt{2}[$ **8.** (a) $k = \pm 6\sqrt{2}$ (b) $]-\infty, -6\sqrt{2}[\cup]6\sqrt{2}, \infty[$ (c) $]-6\sqrt{2}, 6\sqrt{2}[$

EXERCISE 2.4.2

1. Graphs are shown using the ZOOM4 viewing window:




2. Graphs are shown using the ZOOM6 viewing window:




$(-2,0),(-1,0),(0,2)$

$(-2,0),(3,0),(0,-6)$


$(-0.5,0),(3,0),(0,-3)$




$$(-2,0), (2,0), (0,-4)$$




$$(-2.79,0), (1.79,0), (0,-5)$$




$$(-2,0), (3,0), (0,6)$$




$$(-0.62,0), (1.62,0), (0,0)$$




$$(-2.5,0), (1,0), (0,0.5)$$




$$(-3,0), (0.5,0), (0,-3)$$



$$(3,0), (0,3)$$




$$(-2,0), (4,0), (0,0.4)$$




$$(-0.87,0), (1.54,0), (0,-4)$$

3. (a) $x = 1$ (b) $(1, -1)$ (c) i. $\left(\frac{2 \pm \sqrt{2}}{2}, 0\right)$ ii. $(0, 1)$



4. (a) $x = 1$ (b) $(1, 9)$

(c) i. $\left(\frac{2 \pm 3\sqrt{2}}{2}, 0\right)$ ii. $(0, 7)$



5. (a) $k = \frac{9}{4}$ (b) $k < \frac{9}{4}$ (c) $k > \frac{9}{4}$ 6. (a) $k = \frac{25}{8}$

(b) $k < \frac{25}{8}$ (c) $k > \frac{25}{8}$ 7. (a) $k = \pm 1$ (b) $-1 < k < 1$ (c) $k < -1 \cup k > 1$

8. (a) $y = \frac{5}{12}(x-2)(x-6)$ (b) $y = -\frac{3}{8}(x+4)^2$ (c) $y = \frac{3}{4}(x-2)^2 + 1$ (d) $y = 3x^2 - 6x + 7$

9. (a) $y = -\frac{2}{5}x(x-6)$ (b) $y = \frac{3}{4}(x-3)^2$ (c) $y = \frac{7}{9}(x+2)^2 + 3$ (d) $y = -\frac{7}{3}x^2 - 2x + \frac{40}{3}$

EXERCISE 2.4.3

1. (a) $]-\infty, -2[\cup]1, \infty[$ (b) $[-3, 2]$ (c) $]-\infty, 0] \cup [4, \infty[$ (d) $]\frac{1}{3}, 3[$ (e) $]-\infty, -1.5] \cup [-1, \infty[$ (f) $]0.75, 2.5[$


2. (a) $]-\infty, -2[\cup]-1, \infty[$ (b) $]-2, 3[$ (c) $]-\infty, -0.5] \cup [3, \infty[$ (d) $[-2, 2]$ (e) $]-\frac{1-\sqrt{21}}{2}, \frac{-1+\sqrt{21}}{2}[$

(f) $]-\infty, -2] \cup [3, \infty[$ (g) $[\frac{1-\sqrt{5}}{2}, \frac{1+\sqrt{5}}{2}]$ (h) $[-2.5, 1]$ (i) $]-\infty, -3[\cup]0.5, \infty[$ (j) $]1, 3[$ (k) $]-1, 0.5[$ (l) \emptyset

(m) \emptyset (n) $[-1.5, 5]$ (o) $]-\infty, -2[\cup]\frac{1}{3}, \infty[$ 3. (a) $-1 < k < 0$ (b) $-2\sqrt{2} < k < 2\sqrt{2}$ (c) $n \leq -0.5$

4. (a) i. $]-\infty, -1[\cup]2, \infty[$ ii. $[-1, 2]$ (b) i. $]-\infty, 2[\cup]3, \infty[$ ii. $[2, 3]$ (c) i. $]1, 3[$ ii. $]-\infty, 1] \cup [3, \infty[$

(d) i. $]-\frac{2}{3}, 1[$ ii. $]-\infty, -\frac{2}{3}] \cup [1, \infty[$ (e) i. $]-\infty, -2[\cup]2, \infty[$ ii. $[-2, 2]$ (f) i. $]2-\sqrt{3}, 2+\sqrt{3}[$



7. (a) $\{x: x < -3\} \cup \{x: x > 2\}$ (b) $\{x: -1 < x < 4\}$

EXERCISE 2.4.4



1. (a) $(-2, -3)$, $(2, 5)$ (b) $(-2, -1)$, $(1, 2)$ (c) $\left(-\frac{1}{3}, -2\right)$, $(2, 5)$ (d) $\left(-\frac{3}{2}, -\frac{15}{4}\right)$, $(1, 0)$
 (e) $\left(-\frac{9}{2}, -\frac{19}{4}\right)$, $(1, -2)$ (f) $\left(\frac{3 + \sqrt{73}}{4}, \frac{-3 - \sqrt{73}}{8}\right)$, $\left(\frac{3 - \sqrt{73}}{4}, \frac{-3 + \sqrt{73}}{8}\right)$
 (g) $\left(\frac{1 - \sqrt{13}}{2}, 1 - \sqrt{13}\right)$, $\left(\frac{1 + \sqrt{13}}{2}, 1 + \sqrt{13}\right)$ (h) no real solutions
 (i) $\left(\frac{1 - \sqrt{17}}{2}, \frac{5 - 3\sqrt{17}}{2}\right)$, $\left(\frac{1 + \sqrt{17}}{2}, \frac{5 + 3\sqrt{17}}{2}\right)$ (j) $(-2, -3)$, $(2, 1)$ (k) no real solutions
 2. (a) $(1, 4)$, $(-7, 84)$ (b) $\left(\frac{4}{3}, -\frac{56}{9}\right)$, $\left(\frac{3}{4}, -\frac{7}{4}\right)$ (c) $(0, 2)$, $(3, 23)$ (d) $(-a, -a^2)$, $\left(\frac{a}{2}, \frac{a^2}{2}\right)$ (e) \emptyset
 (f) $(2, 8)$ (g) \emptyset (h) $\left(\frac{1}{2}, \frac{23}{4}\right)$ 3. (a) $\pm 2\sqrt{6}$ (b) $m < -2\sqrt{6}$, $m > 2\sqrt{6}$ (c) $-2\sqrt{6} < m < 2\sqrt{6}$
 4. $\sqrt{80}$ 5. 1.75 7. $-\frac{23}{12}$ 8. $c = \frac{a}{m}$ 10. (a) i. $(1, 3)$, $\left(-\frac{14}{3}, \frac{196}{3}\right)$ ii. $(-2, 12)$, $\left(\frac{7}{3}, \frac{49}{3}\right)$
 (c) i. A(1,3), B(-2,2); $3y = x + 8$ ii. 4 sq. units

EXERCISE 3.1.1

1. 8 2. 4, 0.25 3. 8, 18 4. 8 and 11 or -8 and -11 5. 6, -10 6. 2 m 7. 51 kmh^{-1} 8. 11, 13;
 $-11, -13$ 9. 25 days 10. 30 11. (a) 30 (b) \$50 each. 12. 6 kmh^{-1} 13. 16 14. 6 15. 3 hours
 16. 9 17. (a) 15 hrs (b) 10 hrs 18. Chair-one: 20; Chair-two: 24 19. (a) 2 km (b) 2.5 km
 20. 7.5 hrs, 10.5hrs


EXERCISE 3.1.2

1. (a) i. $100 - 2x$ ii. $0 < x < 50$ [Nb: if $x = 0$ or 50 , $A = 0$ and so there is no enclosure]
 (b) i. $A = 2x(50 - x)$, $0 < x < 50$ ii. 10m by 80m or 40m by 20m iii. 1250 m^2 iv. 25m by 50 m
 2. (a) ii. $0 < x < 12$ (b) i. 20 m^2 ii. 32 m^2 iii. 32 m^2 (c) (d) 6 m by 6 m




4. (a) $R(x) = xp = x(40 - 0.0004x)$, $0 \leq x \leq 100,000$ (b) i. \$960,000 ii. 18377 or 81622 [as answer must be integer values] iii. \$1,000,000

- 5.** (a) $y = \frac{4}{3}(50-x)$ (b) i. $A = \frac{8}{3}x(50-x)$ ii. $0 < x < 50$ (c) i. $\frac{5000}{3} \text{ m}^2$
ii. $x = 25, y = \frac{200}{3}$; dimensions 50 m by $\frac{100}{3}$ m. **6.** 35.83 kmh^{-1} **7.** (a) 100%
(b) $t = 0.229$ (first time) then again at $t = 13.104$ (c) (d) i. 42.26% ii. 1.73 weeks




(e) As time increases, oxygen level will be 100%

- 8.** (a) (b) \$95.26



- 9.** B(3254, 1953), C(6146, 3687) units in metres

- 10.** (a)



- 11.** (a) $0 < x < 4$ (b) $A(x) = 3x + 0.25x^2, 0 < x < 4$

- 12.** (a) i. 200 m ii. 320 m

- (b) i. 0.34 sec and 11.66 sec ii. 11.31 sec (c) 12 sec


- (d) 360 m

- 13.** (a) 0.53 sec (on the way up) and 9.47 sec (on the way down)

- (b) 10 sec (c) 500 m (d) 12.07 sec (e) 750 m

- 14.** (a) \$72500 (b) No. (Loss of \$20000) (c) 2500


- 15.** (a)



- (b) i. \$70,000 ii. \$300,000
(c) Fixed cost (e.g., salary, electricity, ...)
(d) See graph in (a)
(e) \$76667 (to nearest dollar)
(f) i. $P(x) = 140x - \frac{1}{30}x^2 - 70000, 0 \leq x \leq 6000$
ii. \$77,000 iii. 2100
(g) i. $0 \leq x \leq 580$ or $3620 \leq x \leq 6000$
ii. $581 \leq x \leq 3619$
(h) See graph in (a)

- 16.** (b) i. $P(x) = -\frac{1}{30}x^2 + 194x - 72000$ ii. $0 \leq x \leq 6000$

- (d) The company will break-even at 399 radios and 5421 radios. Provided the company sells between 399 and 5421 radios they will make a profit. (e) 2910




EXERCISE 3.1.3

1. i. (b) $y = 0.4x + 7.2$ ii. (b) $y = 6 - 2x$ iii. (b) $y = 0.5x + 3.2$ **2.** Second difference = 0.64


3. (b) $y = x^2 + 4x + 2$ **4.** (a) & (c)

(b) $y = 2x^2 - 3x + 7$ **5.** $y = 2x^2 - x + 3$ **6.**



L1	L2	L3	z
5	3	1.11	
10	4	1.46	
15	1	1.81	
20	0	2.16	

L3(5) =			



(c) i. $p = -0.2q + 4$ ii. $p = 0.07q + 0.76$

(d) Optimum scenario: demand = supply. This occurs when $p = 1.60$, $q = 12$.




7. (a) $y = -0.6333x^2 + 8.833x - 19.2$

(b) -40°C at 11 pm.

The model is not valid outside data range. Therefore extrapolation will not necessarily work.

8. Equation of path: $y = -\frac{31}{2400}x^2 + \frac{49}{48}x + 1$. Greatest height: 21.17 m.




9. (a) (b) Linear (c) i. ii. $M = 0, x = 1$. i.e., 1 m



10. (a)


(b) (c) i. parabola

(d)



11. (a) $P(x) = -2x^2 + x + 3$ (b) $P(x) = (1 - k)x^2 + x + k$, $x \in \mathbb{R}$, $k \neq 1$


12. (a) i. $a = 45000$, $b = 500000$ ii. $k_1 = 0$, $k_2 = 4$



13. (a) (b) i. Parabolic

ii. $h(x) = -0.04694x^2 + 0.96518x + 1.7896$

(c) i. 6.75 m ii. 22.27 m




14. (a) $y = -\frac{2}{9}x^2 + \frac{11}{9}x + \frac{9}{2}$, $0 \leq x \leq 5.5$ (b) [BE] : $y = -\frac{11}{9}x + \frac{121}{18}$, $1 \leq x \leq 5.5$,

[BO] : $y = 5.5x$, $0 \leq x \leq 1$ (c) $49^\circ 36'$

15. (a)

(b) second difference is constant = -50



(c) $y = -0.25x^2 + 25x + 580$ (d) \$22500 per car (e) i. \$824,750 ii. \$19750

16. (a) i. & ii. have a constant gradient. iii. results imply quadratic form (b) ii. $p = 10 - 0.001x$, $C(x) = 2x + 7000$,

$$R(x) = -0.001x^2 + 10x .$$

(c) $P(x) = -0.001x^2 + 8x - 7000$, max profit = $P(4000) = 9000$

EXERCISE 4.1.1

1. (a) $b^2 + 2bc + c^2$ (b) $a^3 + 3a^2g + 3ag^2 + g^3$ (c) $1 + 3y + 3y^2 + y^3$

(d) $16 + 32x + 24x^2 + 8x^3 + x^4$ (e) $8 + 24x + 24x^2 + 8x^3$ (f) $8x^3 - 48x^2 + 96x - 64$

(g) $16 + \frac{32}{7}x + \frac{24}{49}x^2 + \frac{8}{343}x^3 + \frac{1}{2401}x^4$ (h) $8x^3 - 60x^2 + 150x - 125$

(i) $27x^3 - 108x^2 + 144x - 64$ (j) $27x^3 - 243x^2 + 729x - 729$ (k) $8x^3 + 72x^2 + 216x + 216$

(l) $b^3 + 9b^2d + 27bd^2 + 27d^3$ (m) $81x^4 + 216x^3y + 216x^2y^2 + 96xy^3 + 16y^4$

(n) $x^5 + 15x^4y + 90x^3y^2 + 270x^2y^3 + 405xy^4 + 243y^5$ (o) $\frac{125}{p^3} + \frac{150}{p} + 60p + 8p^3$

(p) $\frac{16}{x^4} - \frac{32}{x} + 24x^2 - 8x^5 + x^8$ (q) $q^5 + \frac{10q^4}{p^3} + \frac{40q^3}{p^6} + \frac{80q^2}{p^9} + \frac{80q}{p^{12}} + \frac{32}{p^{15}}$ (r) $x^3 + 3x + \frac{3}{x} + \frac{1}{x^3}$

EXERCISE 4.1.2

1. (a) $160x^3$ (b) $21x^5y^2$ (c) $-448x^3$ (d) $-810x^4$ (e) $216p^4$ (f) $-20412p^2q^5$ (g) $-22680p$

2. (a) -1400000 (b) 6000 (c) 540 (d) -240 (e) 81648 (f) 40 **3.** 1.0406 0.0004%

4. i. $64x^6 + 960x^5 + 6000x^4 + 20000x^3 + 37500x^2 + 37500x + 15625$ ii. 19750 iii. 20.6

iv. 0.1% **5.** 19 **6.** $-\frac{63}{8}$ **7.** $\frac{231}{16}$ **8.** $-\frac{130}{27}$ **9.** -20 **10.** $a = \pm 3$ **11.** $n = 5$ **12.** $n = 9$

13. (a) 0 (b) -59 **14.** $a = 3, n = 8$ **15.** $a = \pm 2, b = \pm 1$

EXERCISE 5.1

- 1.** (a) $\text{dom} = \{2, 3, -2\}$, $\text{ran} = \{4, -9, 9\}$ (b) $\text{dom} = \{1, 2, 3, 5, 7, 9\}$, $\text{ran} = \{2, 3, 4, 6, 8, 10\}$
 (c) $\text{dom} = \{0, 1\}$, $\text{ran} = \{1, 2\}$ **2.** (a) $[1, \infty[$ (b) $[0, \infty[$ (c) $]9, \infty[$ (d) $]-\infty, 1]$ (e) $[-3, 3]$
 (f) $]-\infty, \infty[$ (g) $]-1, 0]$ (h) $[0, 4]$ (i) $[0, \infty[$ (j) $[1, 5]$ (k) $]0, 4[$ (l) $]-\infty, -1] \cup [1, \infty[$
3. (a) $r = [-1, \infty[, d = [0, 2[$ (b) $r = \{y : y \geq 0\} \setminus \{4\}$, \mathbb{R} (c) $r = [0, \infty[\setminus \{3\}$, $d = [-4, \infty[\setminus \{0\}$
 (d) $r = [-2, 0[$, $d = [-1, 2[$ (e) $r =]-\infty, \infty[$, $d =]-\infty, -3] \cup [3, \infty[$ (f) $r = [-4, 4]$, $d = [0, 8]$
4. (a) one to many (b) many to one (c) many to one (d) one to one (e) many to many
 (f) one to one **5.** (a) $\mathbb{R} \setminus \{-2\}$ (b) $]-\infty, 9[$ (c) $[-4, 4]$ (d) $]-\infty, -2] \cup [2, \infty[$ (e) $\mathbb{R} \setminus \{0\}$ (f) \mathbb{R}
 (g) $\mathbb{R} \setminus \{-1\}$ (h) $[-a, \infty[$ (i) $[0, \infty[\setminus \{a^2\}$ (j) $]-\infty, -a]$ $\cup [a, \infty[$ (k) \mathbb{R} (l) $\mathbb{R} \setminus \{-a^{-1}\}$
6. (a) $]-\infty, -a[$ (b) $]0, ab]$ (c) $]-\infty, \frac{1}{4}a^3]$ (d) $[\frac{1}{4}a^3, \infty[$ (e) $\mathbb{R} \setminus \{a\}$ (f) $]-\infty, a[$ (g) $[-a, \infty[$ (h) $]-\infty, 0[$

EXERCISE 5.2


Graphs with graphics calculator output have standard viewing window unless otherwise stated.

1. (a) 3, 5 (b) i. $2(x+a) + 3$ ii. $2a$ (c) 3 **2.** (a) 0, $\frac{10}{11}$ (b) $-\frac{5}{4}$ (c) $\left[0, \frac{10}{11}\right]$


3. (a) $-\frac{1}{2}x^2 - x + \frac{3}{2}$, $-\frac{1}{2}x^2 + x + \frac{3}{2}$ (b) $\pm\sqrt{2}$ (c) no solution

4. (a) $x = 0, 1$


5. (a) i. ii.



Window $[-2, 2], [-1, 1]$
Range: $[-12, 4]$



(b) i. $\{2\sqrt{2}, -2\sqrt{2}\}$ ii. $\{3, -2\}$





6. (b), (c), (d), (e) **8.** (a), (d), (e), (f) **10.** (a) $\{y : y > 1\} \cup \{y : y \leq -1.25\}$ (b) 10 **11.** (b) 1

12. (a) only - it is the only one with identical rules & domains.






13. (a) $[-3, \infty[$ (b) $[-3, 0]$ (c) $[3, \infty[$ (d) $[1.5, 3] \cup]3, \infty[$


14. (a) i. $p(x) = 8 + 2\sqrt{16 - x^2}$, $0 < x < 4$

ii. $A(x) = x\sqrt{16 - x^2}$, $0 < x < 4$





EXERCISE 5.3.1






EXERCISE 5.3.2







EXERCISE 5.3.3







- 5.** (a) $[1, 16]$ (b) $[3, 27]$ (c) $[0.25, 16]$ (d) $[0.5, 4]$ (e) $[0.125, 0.25]$ (f) $[0.1, 10]$



EXERCISE 5.3.4









EXERCISE 5.3.5


1. (a)




(b)



(c)




(d)




(e)


(f)




(g)



(h)




2. (a)




(b)


(c)




(d)



3.




4. (a)




i.

ii.


(b)




(c)




(d)



(e)



(f)



EXERCISE 5.4.1

1. (a) i. $f + g: [0, \infty[\rightarrow \mathbb{R}$ where $(f + g)(x) = x^2 + \sqrt{x}$ $[0, \infty[$

ii. $f + g:]0, \infty[\rightarrow \mathbb{R}$ where $(f + g)(x) = \frac{1}{x} + \ln(x)$ $]-\infty, \infty[$

iii. $f + g: [-3, -2] \cup [2, 3] \rightarrow \mathbb{R}$ where $(f + g)(x) = \sqrt{9 - x^2} + \sqrt{x^2 - 4}$ $, [\sqrt{5}, \sqrt{10}]$

(b) i. $fg: [0, \infty[\rightarrow \mathbb{R}$ where $(fg)(x) = x^2 \sqrt{x} = x^{5/2}$

ii. $fg:]0, \infty[\rightarrow \mathbb{R}$ where $(fg)(x) = \frac{\ln(x)}{x}$

iii. $fg: [-3, -2] \cup [2, 3] \rightarrow \mathbb{R}$ where $(fg)(x) = \sqrt{(9 - x^2)(x^2 - 4)}$

2. (a) i. $f - g:]-\infty, \infty[\rightarrow \mathbb{R}$ where $(f - g)(x) = 2e^x - 1$ $,]-1, \infty[$

ii. $f - g:]-1, \infty[\rightarrow \mathbb{R}$ where $(f - g)(x) = (x + 1) - \sqrt{x + 1}$ $,]-0.25, \infty[$

iii. $f - g:]-\infty, \infty[\rightarrow \mathbb{R}$ where $(f - g)(x) = |x - 2| - |x + 2|$ $, [-4, 4]$

(b) i. $f/g: \mathbb{R} \setminus \{0\}, \rightarrow \mathbb{R}$ where $(f/g)(x) = \frac{e^x}{1 - e^x}$

ii. $f/g: [-1, \infty[\rightarrow \mathbb{R}$ where $(f/g)(x) = \sqrt{x+1}$

iii. $f/g: \mathbb{R} \setminus \{-2\} \rightarrow \mathbb{R}$ where $(f/g)(x) = \frac{|x-2|}{|x+2|}$

3. i. (a) $fog(x) = x^3 + 1$, $gof(x) = (x+1)^3$ (b) $[-\infty, \infty[,]-\infty, \infty[$

ii. (a) $fog(x) = x+1$, $x \geq 0$, $gof(x) = \sqrt{x^2+1}$ (b) $[1, \infty[, [1, \infty[$

iii. (a) $fog(x) = x^2$, $gof(x) = (x+2)^2 - 2$ (b) $[0, \infty[, [-2, \infty[$

iv. (a) $fog(x) = x$, $x \neq 0$, $gof(x) = x$, $x \neq 0$ (b) $\mathbb{R} \setminus \{0\}, \mathbb{R} \setminus \{0\}$

v. (a) $fog(x) = x$, $x \geq 0$, $gof(x) = |x|$ (b) $[0, \infty[, [0, \infty[$

vi. (a) $fog(x) = \frac{1}{x^2} - 1$, $x \neq 0$, $gof(x)$ does not exist (b) $[-1, \infty[$

vii (a) $fog(x) = x^2$, $x \neq 0$, $gof(x) = x^2$, $x \neq 0$ (b) $[0, \infty[,]0, \infty[$

viii. (a) $fog(x) = |x| - 4$, $gof(x) = |x-4|$ (b) $[-4, \infty[, [0, \infty[$

ix. (a) $fog(x) = |x+2|^3 - 2$, $gof(x) = |x^3|$ (b) $[-2, \infty[, [0, \infty[$

x. (a) $fog(x)$ does not exist, $gof(x) = (4-x)$, $x \leq 4$ (b) $[0, \infty[$

xi. (a) $fog(x) = \frac{x^2}{x^2+1}$, $gof(x) = \left(\frac{x}{x+1}\right)^2$, $x \neq -1$ (b) $[0, 1[, [0, \infty[$

xii. (a) $fog(x) = x^2 + |x| + 1$, $gof(x) = |x^2 + x + 1|$ (b) $[1, \infty[, [0.75, \infty[$

xiii. (a) $fog(x) = 2^{x^2}$, $gof(x) = 2^{2x}$ (b) $[1, \infty[,]0, \infty[$

xiv. (a) $fog(x)$ does not exist, $gof(x) = \frac{1}{x+1} - 1$, $x \neq -1$ (b) $\mathbb{R} \setminus \{-1\}$

xv. (a) $fog(x)$ does not exist, $gof(x) = \frac{4}{x-1} + 1$ (b) $[1, \infty[$

xvi. (a) $fog(x) = 4^{\sqrt{x}}$, $x \geq 0$, $gof(x) = 4^{0.5x}$ (b) $[1, \infty[,]0, \infty[$


4. (a) $fog(x) = 2x+3$, $x \in \mathbb{R}$ (b) $gof(x) = 2x+2$, $x \in \mathbb{R}$ (c) $fof(x) = 4x+3$, $x \in \mathbb{R}$

5. $g(x) = x^2 + 1$, $x \in \mathbb{R}$ **6.** (a) $fog(x) = \frac{1}{x} + x + 1$, $x \in \mathbb{R} \setminus \{0\}$, $]-\infty, -1] \cup [3, \infty[$

(b) $gof(x)$ does not exist. (c) $gog(x) = x + \frac{1}{x} + \frac{x}{x^2+1}$, $x \neq 0$, $]-\infty, -2.5] \cup [2.5, \infty[$

7. (a) 9 (b) 3 **9.** (a) $x = \pm 1$ (b) $x = 1, -3$ **10.** (a) $\frac{1}{x}$ (b) $\frac{-x}{2x+1}$

11. $hof(x) = \begin{cases} (x-1)^2 + 4, & x \geq 2 \\ 5-x, & x < 2 \end{cases}$



12. (a) $r_f \subseteq d_g$ and $r_{gof} \subseteq d_h$ (b) $g(x) = 4(x+1)^2$, $x \in \mathbb{R}$

13. (a) $fog(x) = x$, $x \in]0, \infty[$ range = $]0, \infty[$



(b) $gof(x) = \frac{1}{2}(\ln(e^{2x-1}) + 1)$, $x \in \mathbb{R}$ ($= x$) range = $]-\infty, \infty[$

(c) $fof(x) = e^{2(e^{2x-1})-1}$, $x \in \mathbb{R}$ range = $]e^{-1}, \infty[$

14. (a) hok does not exist.

(b) $koh(x) = 4\log(4x-1) - 1$, $x > \frac{1}{4}$, \mathbb{R}

15. (a) $S = \mathbb{R} \setminus]-3, 3[$; $T = \mathbb{R}$ (b) $T = \{x : |x| \geq 6, x = 0\}$; $S =]-\infty, -3] \cup [3, \infty[$




17. (a) $\text{Dom } f =]0, \infty[$, $\text{ran } f =]e, \infty[$, $\text{Dom } g =]0, \infty[$, $\text{ran } g = \mathbb{R}$

(b) fog does not exist: $r_g = \mathbb{R} \not\subseteq d_f =]0, \infty[$


gof exists as $r_f =]e, \infty[\subseteq d_g =]0, \infty[$

(c) $gof:]0, \infty[\mapsto \mathbb{R}$, where $gof(x) = (x+1) + \ln 2$


18. $(fog)(x) = |x|, x \in \mathbb{R}$; range $= [0, \infty[$




19. (a)



(c)




20. (a)



21. $d_f = \mathbb{R} \setminus \left\{ \frac{a}{c} \right\}, r_f = \mathbb{R} \setminus \left\{ \frac{a}{c} \right\}, r_f \subseteq d_f, fof(x) = x$

22. (a)



(b) $d_{fog} = [-\sqrt{2}a, \sqrt{2}a], fog = 2a - \frac{x^2}{a}$


(c) $d_{gof} = [-2^{1/4}a, 2^{1/4}a], fog = \frac{1}{a}\sqrt{2a^4 - x^4}, range = [0, \sqrt{2}a]$

EXERCISE 5.4.2


1. (a) $\frac{1}{2}(x-1), x \in \mathbb{R}$ (b) $\sqrt[3]{x}, x \in \mathbb{R}$ (c) $3(x+3), x \in \mathbb{R}$ (d) $\frac{5}{2}(x-2), x \in \mathbb{R}$ (e) $x^2 - 1, x > 0$

(f) $(x-1)^2, x \geq 1$ (g) $\frac{1}{x} - 1, x > 0$ (h) $\frac{1}{(x+1)^2}, x > -1$


2. (a)




(b)




(c)




(d)




(e)




(f)




(g)




(h)




3. (a)




(b)



4.






6. (a) $f^{-1}(x) = \log_3(x-1)$, $x > 1$ (b) $f^{-1}(x) = \log_2(x+5)$, $x > -5$

(c) $f^{-1}(x) = \frac{1}{2}(\log_3 x - 1)$, $x > 0$ (d) $g^{-1}(x) = 1 + \log_{10}(3-x)$, $x < 3$


(e) $h^{-1}(x) = \log_3\left(1 + \frac{2}{x}\right)$, $x \in \mathbb{R} \setminus [-2, 0]$ (f) $g^{-1}(x) = \log_2\left(\frac{1}{x+1}\right)$, $x > -1$



8. (a) $f^{-1}(x) = 2^x - 1$, $x \in \mathbb{R}$ (b) $f^{-1}(x) = \frac{1}{2} \cdot 10^x$, $x \in \mathbb{R}$ (c) $h^{-1}(x) = 2^{1-x}$, $x \in \mathbb{R}$


(d) $g^{-1}(x) = 3^{x+1} + 1$, $x \in \mathbb{R}$ (e) $h^{-1}(x) = 5^{x/2} + 5$, $x \in \mathbb{R}$ (f) $f^{-1}(x) = 1 - 10^{3(2-x)}$, $x \in \mathbb{R}$

9. $f^{-1}(x) = \frac{1}{y} - 1 + \sqrt{x+1}$, $x \geq -1$ **10.** (a) $f^{-1}(x) = a - x$ (b) $h^{-1}(x) = \frac{2}{x-a} + a$



(c) $f^{-1}(x) = \sqrt{a^2 - x^2}$

11. $h^{-1}(x) = \sqrt[3]{2-x}$




dom = $[-1, \infty[$, ran = $[-1, \infty[$


14. (a) Inverse exists as f is one:one

(b) Case 1: $S =]0, \infty[$


$$g^{-1}(x) = \frac{x + \sqrt{x^2 + 4}}{2}$$




15. $f^{-1}(x) = a(x^2 + 1)$, $x \geq 0$ $\{x: f(x) = f^{-1}(x)\} = \emptyset$




16. (a)




(b)




(c)




(d)




17. (a)




(b)




18. gof exists as $r_f \subseteq d_g$. It is one:one so the inverse exists:




19. (a)



(b) i.



ii.




20. (a) i. $tom(x) = e^{\sqrt{x}}$, $x \geq 0$ **ii.** $mot(x) = \sqrt{e^x}$, $x \in \mathbb{R}$ **(b) i.** $(tom)^{-1}(x) = (\ln(x))^2$, $x > 1$

ii. $(mot)^{-1}(x) = \ln x^2$, $x > 0$ **(c) i. & ii.** neither exist


(d) Adjusting domains so that the functions in (c) exist, we have: $t^{-1}om^{-1}(x) = (mot)^{-1}(x)$ & $m^{-1}ot^{-1}(x) = (tom)^{-1}(x)$

(e) Yes as rules of composition OK.

21. (a) 1 **(b)**




0.206



(b) fog exists but is not one:one

(c) i. $B = [\ln 2, \infty[$

ii. $(fog)^{-1}: [0, \infty[\rightarrow \mathbb{R}$ where, $(fog)^{-1}(x) = \ln(x+2)$


















EXERCISE 6.1

1. (a) $y = (x - 4)^2$ (b) $y = (x + 2)^2$ (c) $y = x^2 + 5$ (d) $(x - 2)^2 + y = 2$ (e) $x^2 + y = 4$





(f) $x^2 + y = 0$ (g) $y = \frac{8}{x-4}, x \neq 4$ (h) $y = \frac{8}{x} - 1, x \neq 0$ (i) $(x + 1)^2 + y^2 = 4$


(j) $y^2 = \frac{9}{x-3}, x \neq 3$ (k) $(y + 3)^2 = \frac{9}{x}, x \neq 0$ (l) $x + y^2 = 8$

2.







6. First function in black, second function in blue





7. Note: coordinates were asked for. We have labelled most of these with single numbers.





8. (a) $\begin{pmatrix} 0 \\ 4 \end{pmatrix}$ (b) $\begin{pmatrix} 0 \\ -2 \end{pmatrix}$ (c) $\begin{pmatrix} -1 \\ 0 \end{pmatrix}$ (d) $\begin{pmatrix} 2 \\ 0 \end{pmatrix}$ (e) $\begin{pmatrix} -2 \\ 0 \end{pmatrix}$ (f) $\begin{pmatrix} 0 \\ -4 \end{pmatrix}$ (g) $\begin{pmatrix} 2 \\ -2 \end{pmatrix}$ (h) $\begin{pmatrix} -2 \\ 3 \end{pmatrix}$

(i) $\begin{pmatrix} 4 \\ 2 \end{pmatrix}$ (j) $\begin{pmatrix} 2 \\ 3 \end{pmatrix}$ (k) $\begin{pmatrix} 3 \\ -1 \end{pmatrix}$ (l) $\begin{pmatrix} -k \\ h \end{pmatrix}$ (m) $\begin{pmatrix} -2 \\ 4 \end{pmatrix}$ (n) $\begin{pmatrix} 1 \\ -1 \end{pmatrix}$ (o) $\begin{pmatrix} -1 \\ 2 \end{pmatrix}$

9. (a) $g(x) = f(x - 1) + 1$ (b) $g(x) = f(x + 2) - 4$ (c) $g(x) = f(x - 2)$



(d) $g(x) = f(x - 1) + 1$ (e) $g(x) = f(x - 1) + 3$













11. $y = \begin{cases} f(x+2) + 2, & -3 \leq x \leq -1 \\ f(x+4) + 2, & -5 \leq x \leq -3 \end{cases}$

EXERCISE 6.2







3. (a)









4. i.






ii.




5. (a) $f(x) = |x|$ $y = f(2x) + 1$ (b) $f(x) = x^2$ $y = \frac{1}{2}f(x-2) - 3$

(c) $f(x) = \frac{1}{x}$ $y = \frac{1}{2}f\left(x - \frac{1}{2}\right)$ (d) $f(x) = x^3$ $y = 27f\left(x - \frac{2}{3}\right)$


(e) $f(x) = x^4$ $y = 128f\left(x - \frac{1}{2}\right) - 2$ (f) $f(x) = \sqrt{x}$ $y = \sqrt{2}f(x) + 2$

6.**(b)****(c)****7.**


i. $f(x) = \begin{cases} (x+2)^2 & \text{if } x \geq 0 \\ 4-x & \text{if } x < 0 \end{cases}$



ii. $h(x) = \begin{cases} x^2 - 3 & \text{if } x \geq 2 \\ 3-x & \text{if } x < 2 \end{cases}$




iii. $g(x) = \begin{cases} 2x^2 & \text{if } x \geq 2 \\ 12-2x & \text{if } x < 2 \end{cases}$




iv.

$$k(x) = \begin{cases} 4x^2 & \text{if } x \geq 1 \\ 6-2x & \text{if } x < 1 \end{cases}$$













v.

$$k(x) = \begin{cases} (2x-1)^2 & \text{if } x \geq \frac{3}{2} \\ 7-2x & \text{if } x < \frac{3}{2} \end{cases}$$









vi. $f(x) = \begin{cases} \frac{1}{2}(4x+2)^2 & \text{if } x \geq 0 \\ 2-2x & \text{if } x < 0 \end{cases}$







**8.****9. (a)****(b)****(c)****(d)****10. (a)****(b)**

EXERCISE 6.3

1. i.





ii.




2. (a) $y = -f(x)$ (b) $y = f(-x)$ (c) $y = f(x + 1)$ (d) $y = f(2x)$ (e) $y = 2f(x)$


3. (a)













EXERCISE 6.4





EXERCISE 6.5





EXERCISE 7.1.1

1. (a) $\frac{27y^{15}}{8x^3}$ (b) $\frac{91}{216a^6}$ (c) $2^n + 2$ (d) $\frac{8x^{11}}{27y^2}$ (e) $\frac{3x^2y^2}{8}$ (f) $3^{n+1} + 3$ (g) $4^{n+1} - 4$

(h) $2(4^{n+1} - 4)$ (i) $\frac{1-b^6}{16b^4}$ 2. (a) 64 (b) $\left(\frac{2}{3}\right)^x$ (c) 2^{2y+1} (d) $\frac{1}{b^{2x}}$ (e) $\left(\frac{y}{2}\right)^6$ (f) $\left(\frac{9}{2}\right)^{n+2}$ 3. (a) $\frac{z^2}{xy}$

(b) 3^{7n-2} (c) 5^{n+1} (d) 9 (e) 2^{6n+1} (f) 2^{1-3n} (g) x^{2+4n-n^2} (h) x^{3n^2+n+1} (i) 27 4. $\frac{y^{2m-2}}{x^m}$

5. (a) -81 (b) $-\frac{9x^8}{8y^4}$ (c) $y-x$ (d) $\frac{2x+1}{x+1}$ (e) -1 (f) -b 6. (a) $\frac{1}{x^2y^2}$ (b) $\frac{1}{x^4}$ (c) $-\frac{1}{x(x+h)}$

- (d) $\frac{1}{x-1}$ (e) $\frac{1}{(x+1)(x-1)^5}$ (f) $\frac{1}{x^2}$ **7.** (a) $118 \times 5^{n-2}$ (b) 1 (c) $\frac{b^7}{a^4}$ (d) a^{mn} (e) $\frac{p+q}{pq}$ (f) $\frac{2\sqrt{a}}{a-1}$
 (g) $\frac{7}{8}$ (h) $a^{7/8}$ **8.** (a) $x^{11/12}$ (b) $2a^{3n-2}b^{2n-2}$ (c) 2^n (d) $-\frac{7^{m-n}}{8}$ (e) $\frac{6 \times 5^n}{5^n + 5}$ (f) $x + 1$

EXERCISE 7.1.2

- 1.** (a) 2 (b) -2 (c) $\frac{2}{3}$ (d) 5 (e) 6 (f) -2.5 (g) 2 (h) 1.25 (i) $\frac{1}{3}$ **2.** (a) -6 (b) $-\frac{2}{3}$ (c) -3 (d) 1.5 (e) 0.25
 (f) 0.25 (g) $-\frac{1}{8}$ (h) $-\frac{11}{4}$ (i) -1.25

EXERCISE 7.1.3

- 1.** (a) 3.5 (b) 3.5 (c) -3 (d) 1.5 (e) 3.5 (f) 1.5 (g) 1.8 (h) $-\frac{4}{7}$ (i) 0 **2.** (a) -0.75 (b) -1, 4 (c) 0, 1
 (d) 3, 4 (e) -1, 4 (f) 0, 2 **3.** (a) -1, 1, 2 (b) -3, 1, 3, 4 (c) $\frac{4}{3}, \frac{5}{3}, 2$ (d) -1, 1, 2 (e) 3, 7, $\frac{-1 \pm \sqrt{233}}{2}, \frac{1}{3}$

EXERCISE 7.1.4

- 1.** (a) i. 5.32 ii. 9.99 iii. 2.58 (b) i. 2.26 ii. 3.99 iii. 5.66 (c) i. 3.32 ii. -4.32 iii. -6.32 (d) i. -1.43
 ii. 1.68 iii. -2.86 **2.** (a) 0 (b) 0.54 (c) -0.21 (d) -0.75, 0 (e) 1.13 (f) 0, 0.16



EXERCISE 7.1.5

- 1.** (a) 2 (b) -1 (c) 0.5 (d) 0.5 **2.** (a) 1 (b) 0.6 (c) 0 **3.** (a) 0 (b) $\frac{2}{3}$ **4.** (a) -1, 2 (b) -2, 3 (c) -1
 (d) -6, 1 (e) 0, 1 (f) 1 **5.** (a) 1.3863 (b) 2.1972 (c) 3.2189 (d) \emptyset **6.** (a) 0.4236 (b) 0.4055
 (c) 0.3054 (d) -0.4176 **7.** (a) 0 (b) -0.6733 (c) 0 **9.** 36 **10.** $a = \sqrt{2}e, k = \ln(\sqrt{2})$

EXERCISE 7.2



- 1.** (a) 1000 (b) 1516 (c) 2000 (d) 10 days **2.** (a) 0.0013 (b) 2.061 kg (c) 231.56 yrs
 (d)

- 3.** (a) 0.01398 (b) 52.53% (c) 51.53m (d) 21.53m




- 4.** (a) i. 157 ii. 165 iii. 191 (b) 14.2 yrs (c) 20.1 yrs (d)


- 5.** (a) 50 (b) 0.0222 (c) 17.99 kg (d)




- 6.** (a) $15\ 000^{\circ}\text{C}$ (b) i. $11\ 900^{\circ}\text{C}$ ii. 1500°C (c) 3.01 million yrs (d)



- 7.** (a) 0.0151 (b) 12.50gm (c) 20 years (d)



- 8.** (a) \$2 million (b) \$1.589 mil (c) 30.1 years (d)




- 9.** (b) 0.01761 (c) 199 230 (d) 22.6 years


- 10.** (a) $20\ \text{cm}^2$ (b) $19.72\ \text{cm}^2$ (c) 100 days (d) 332 days

- 11.** (a) 1 (b) i. 512170 ii. 517217 (c) 54.1 early 2014

- 12.** (a) i. \$933.55 ii. \$935.50 (b) 11.95 years (c)



- 13.** (a) 99 (b) $99 \times 2^{0.1394t}$ (c) 684



- 14.** (a)



(b) 38.85°C at \sim midnight

- 15.** (a) 19 (b) 2.63 (c) 100

- 16.** (a) 18 cm (b) 4 cm (c) 1.28 m (d) 36 m (e) i. 21.7yr ii. 27.6yr iii. 34.5yr (f) 36 (g)


- 17.** (a) 5 mg/min (b) 13.51 min (c) i. 2.1, ii. 13.9 iii. 68min

- (d) 19.6 mg (e)



- 18.** (a) i. \$499 ii. \$496 iii. \$467 (c) 15537 (d) i. \$499k ii. \$2.48mil iii. \$4.67mil (f) 12358

- (g) \$5.14mil (b), (e)



EXERCISE 7.3

- 1.** (a) 2 (b) 2 (c) 5 (d) 3 (e) -3 (f) -2 (g) 0 (h) 0 (i) -1 (j) -2 (k) 0.5 (l) -2 **2.** (a) $\log_{10}10000 = 4$

- (b) $\log_{10}0.001 = -3$ (c) $\log_{10}(x+1) = y$ (d) $\log_{10}p = 7$ (e) $\log_2(x-1) = y$

- (f) $\log_2(y-2) = 4x$ **3.** (a) $2^9 = x$ (b) $b^x = y$ (c) $b^{ax} = t$ (d) $10^{x^2} = z$ (e) $10^{1-x} = y$

- (f) $2^y = ax - b$ **4.** (a) 16 (b) 2 (c) 2 (d) 9 (e) $4\sqrt{2}$ (f) 125 (g) 4 (h) 9 (i) $\sqrt[3]{\frac{1}{3}}$ (j) 21 (k) 3 (l) 13

- 5.** (a) 54.5982 (b) 1.3863 (c) 1.6487 (d) 7.3891 (e) 1.6487 (f) 0.3679 (g) 52.5982 (h) 4.7183


- (i) 0.6065

EXERCISE 7.4


- 1.** (a) 5 (b) 2 (c) 2 (d) 1 (e) 2 (f) 1 **2.** (a) $\log a = \log b + \log c$ (b) $\log a = 2\log b + \log c$
 (c) $\log a = -2\log c$ (d) $\log a = \log b + 0.5\log c$ (e) $\log a = 3\log b + 4\log c$
 (f) $\log a = 2\log b - 0.5\log c$ **3.** (a) 0.18 (b) 0.045 (c) -0.09 **4.** (a) $x = yz$ (b) $y = x^2$
 (c) $y = \frac{x+1}{x}$ (d) $x = 2^{y+1}$ (e) $y = \sqrt{x}$ (f) $y^2 = (x+1)^3$ **5.** (a) $\frac{1}{2}$ (b) $\frac{1}{2}$ (c) $\frac{17}{15}$ (d) $\frac{3}{2}$ (e) $\frac{1}{3}$
 (f) no real sol'n (g) 3,7 (h) $\frac{\sqrt{33}-1}{2}$ (i) 4 (j) $\sqrt{10}+3$ (k) $\frac{64}{63}$ (l) $\frac{2}{15}$ **6.** (a) $\log_3 2wx$ (b) $\log_{\frac{1}{4}} \frac{x}{7y}$
 (c) $\log_a [x^2(x+1)^3]$ (d) $\log_a \left[\frac{(x^5)(x+1)^3}{\sqrt{2x-3}} \right]$ (e) $\log_{10} \left(\frac{y^2}{x} \right)$ (f) $\log_2 \left(\frac{y}{x} \right)$ **7.** (a) 1 (b) -2 (c) 3 (d) 9
 (e) 2 (f) 9 **8.** (a) 1,4 (b) $1,3^{\pm\sqrt{3}}$ (c) $1,4^{\sqrt[3]{4}}$ (d) $1,5^{\pm\sqrt[4]{5}}$ **9.** (a) $\frac{\log 14}{\log 2} = 3.81$ (b) $\frac{\log 8}{\log 10} = 0.90$
 (c) $\frac{\log 125}{\log 3} = 4.39$ (d) $\frac{1}{\log 2} \times \log \left(\frac{11}{3} \right) - 2 = -0.13$ (e) $\frac{\log 10 - \log 3}{4 \log 3} = 0.27$ (f) 5.11
 (g) $\frac{-\log 2}{2 \log 10} = -0.15$ (h) 7.37 (i) 0.93 (j) no real solution (k) $\frac{\log 3}{\log 2} - 2 = -0.42$
 (l) $\frac{\log 1.5}{\log 3} = 0.37$ **10.** (a) 0.5,4 (b) 3 (c) -1,4 (d) $10,10^{10}$ (e) 5 (f) 3 **11.** (a) $(4, \log_4 11)$
 (b) $(100, 10)$ (c) $(2, 1)$ **12.** (a) $y = xz$ (b) $y = x^3$ (c) $x = e^{y-1}$ **13.** (a) $\frac{1}{e^4 - 1}$ (b) $\frac{1}{3}$ (c) $\frac{\sqrt{5} - 1}{2}$
 (d) \emptyset **14.** (a) $\ln 21 = 3.0445$ (b) $\ln 10 = 2.3026$ (c) $-\ln 7 = -1.9459$ (d) $\ln 2 = 0.6931$
 (e) $\ln 3 = 1.0986$ (f) $2 \ln \left(\frac{14}{9} \right) = 0.8837$ (g) $e^3 = 20.0855$ (h) $\frac{1}{3} e^2 = 2.4630$
 (i) $\pm \sqrt{e^9} = \pm 90.0171$ (j) \emptyset (k) $e^2 - 4 = 3.3891$ (l) $\sqrt[3]{e^9} = 20.0855$ **15.** (a) 0, $\ln 2$ (b) $\ln 5$
 (c) $\ln 2, \ln 3$ (d) 0 (e) 0, $\ln 5$ (f) $\ln 10$ **16.** (a) 4.5222 (b) 0.2643 (c) 0,0.2619 (d) -1,0.3219
 (e) -1.2925,0.6610 (f) 0,1.8928 (g) 0.25,2 (h) 1 (i) 121.5 (j) 2

EXERCISE 7.5

- 1.** (a) 10 (b) 30 (c) 40 **2.** (a) 31.64 kg (b) 1.65 (c) $W = 2.4 \times 10^{0.8h}$




3. (a) 4.75 (b) $L = L_0 \times 10^{\left(\frac{6-m}{2.5}\right)}$



- 4.** (a) $[0,1[$ (b) i. 2.22 ii. 1.11 iii. 0.74 yrs (c) As c increases, reliability reduces.

(d) $x = 1 - 10^{-ct}$ (e)



5. (a) $I = \frac{a}{n^k}$ **6.** (a) 0.10 (b) $\lambda = \lambda_0 \times 10^{-kx}$ (c) 16.82% (d) $k = -\frac{1}{x} \log\left(\frac{\lambda}{\lambda_0}\right)$

EXERCISE 8.1.1

- 1.** i. (b) 4 (c) $t_n = 4n - 2$ ii. (b) -3 (c) $t_n = -3n + 23$ iii. (b) -5 (c) $t_n = -5n + 6$ iv. (b) 0.5
 (c) $t_n = 0.5n$ v. (b) 2 (c) $t_n = y + 2n - 1$ vi. (b) -2 (c) $t_n = x - 2n + 4$ **2.** -28 **3.** 9,17 **4.** -43
5. 7 **6.** 7 **7.** -5 **8.** 0 **9.** (a) 41 (b) 31st **10.** 2, $\sqrt{3}$ **11.** (a) i. 2 ii. -3 (b) i. 4 ii. 11
12. $x - 8y$ **13.** $t_n = 5 + \frac{10}{3}(n - 1)$ **14.** (a) -1 (b) 0

EXERCISE 8.1.2

- 1.** (a) 145 (b) 300 (c) -170 **2.** (a) -18 (b) 690 (c) 70.4 **3.** (a) -105 (b) 507 (c) 224 **4.** (a) 126
 (b) 3900 (c) 14th week **5.** 855 4. **6.** (a) 420 (b) -210 **7.** $a = 9, b = 7$

EXERCISE 8.1.3

- 1.** 123 **2.** -3, -0.5, 2, 4.5, 7, 9.5, 12 **3.** 3.25 **4.** $a = 3$ $d = -0.05$ **5.** 10 000 **6.** 330 **7.** -20
8. 328 **9.** \$725, 37wks **10.** i. \$55 ii. 2750 **11.** (a) (i) 8m (ii) 40m (b) 84m
 (c) $\text{Dist} = 2n^2 - 2n = 2n(n - 1)$ (d) 8 (e) 26 players, 1300m **12.** (a) 5050 (b) 10200 (c) 4233
13. (a) 145 (b) 390 (c) -1845 **14.** (b) $3n - 2$

EXERCISE 8.2.1

- 1.** (a) $r = 2, u_5 = 48, u_n = 3 \times 2^{n-1}$ (b) $r = \frac{1}{3}, u_5 = \frac{1}{27}, u_n = 3 \times \left(\frac{1}{3}\right)^{n-1}$
 (c) $r = \frac{1}{5}, u_5 = \frac{2}{625}, u_n = 2 \times \left(\frac{1}{5}\right)^{n-1}$ (d) $r = -4, u_5 = -256, u_n = -1 \times (-4)^{n-1}$
 (e) $r = \frac{1}{b}, u_5 = \frac{a}{b^3}, u_n = ab \times \left(\frac{1}{b}\right)^{n-1}$ (f) $r = \frac{b}{a}, u_5 = \frac{b^4}{a^2}, u_n = a^2 \times \left(\frac{b}{a}\right)^{n-1}$ **2.** (a) ± 12
 (b) $\frac{\pm\sqrt{5}}{2}$ **3.** (a) ± 96 (b) 15th **4.** (a) $u_n = 10 \times \left(\frac{5}{6}\right)^{n-1}$ (b) $\frac{15625}{3888} \cong 4.02$ (c) $n = 5$ (4 times)
5. -2, $\frac{4}{3}$ **6.** (a) i. \$4096 ii. \$2097.15 (b) 6.2 yrs **7.** $\left(u_n = \frac{1000}{169} \times \left(\frac{12}{5}\right)^{n-1}\right), \frac{1990656}{4225} \cong 471.16$
8. 2.5, 5, 10 or 10, 5, 2.5 **9.** 53757 **10.** 108 952 **11.** (a) \$56 156 (b) \$299 284

EXERCISE 8.2.2

- 1.** (a) 3 (b) $\frac{1}{3}$ (c) -1 (d) $-\frac{1}{3}$ (e) 1.25 (f) $-\frac{2}{3}$ **2.** (a) 216513 (b) 1.6384×10^{-10} (c) $\frac{256}{729}$
 (d) $\frac{729}{2401}$ (e) $-\frac{81}{1024}$ **3.** (a) 11; 354292 (b) 7; 473 (c) 8; 90.90909 (d) 8; 172.778 (e) 5; 2.256
 (f) 13; 111.111111111 **4.** (a) $\frac{127}{128}$ (b) $\frac{63}{8}$ (c) $\frac{130}{81}$ (d) 60 (e) $\frac{63}{64}$ **5.** 4; 118096 **6.** \$2109.50
7. 9.28cm **8.** (a) $V_n = V_0 \times 0.7^n$ (b) 7 **9.** 54 **10.** 53.5gms; 50 weeks. **11.** 7 **12.** 9
13. -0.5, -0.7797 **14.** $r = 5, 1.8 \times 10^{10}$ **15.** \$8407.35
16. 1.8×10^{19} or about 200 billion tonnes.

EXERCISE 8.2.3

- 1.** Term 9 AP = 180, GP = 256. Sum to 11 terms AP = 1650, GP = 2047. **2.** 18. **3.** 12 **4.** 12, 7
5. 8 weeks (Ken \$220 & Bo-Youn \$255) **6.** (a) week 8 (b) week 12 **7.** (a) 1.618 (b) 121379
 [~121400, depends on rounding errors]

EXERCISE 8.2.4

- 1.** (i) $\frac{81}{2}$ (ii) $\frac{10}{13}$ (iii) 5000 (iv) $\frac{30}{11}$ **2.** $23\frac{23}{99}$ **3.** 6667 fish. [Nb: $t_{43} < 1$. If we use $n = 43$ then ans is 6660 fish]; 20 000 fish. Overfishing means that fewer fish are caught in the long run. [An alternate estimate for the total catch is 1665 fish.] **4.** 27 **5.** 48,12,3 or 16,12,9 **6.** (a) $\frac{11}{30}$ (b) $\frac{37}{99}$
 (c) $\frac{191}{90}$ **7.** 128 cm **8.** $\frac{121}{9}$ **9.** $2 + \frac{4}{3}\sqrt{3}$ **10.** $\frac{1 - (-t)^n}{1 + t}$ **11.** $\frac{1 - (-t^2)^n}{1 + t^2}$

EXERCISE 8.2.5

- 1.** 3, -0.2 **2.** $\frac{2560}{93}$ **3.** $\frac{10}{3}$ **4.** (a) $\frac{43}{18}$ (b) $\frac{458}{99}$ (c) $\frac{413}{990}$ **5.** 9900 **6.** 3275 **7.** 3
8. $t_n = 6n - 14$ **9.** 6 **10.** $-\frac{1}{6}$ **11.** i. 12 ii. 26 **12.** 9, 12 **13.** ± 2 **14.** (5, 5, 5), (5, -10, 20)
15. (a) 2, 7 (b) 2, 5, 8 (c) $3n - 1$ **16.** (a) 5 (b) 2 m

EXERCISE 8.3

- 1.** \$2773.08 **2.** \$4377.63 **3.** \$1781.94 **4.** \$12216 **5.** \$35816.95 **6.** \$40349.37 **7.** \$64006.80
8. \$276971.93, \$281325.41 **9.** \$63762.25 **10.** \$98.62, \$9467.14, interest \$4467.14.
 Flat interest = \$6000 **11.** \$134.41, \$3790.44, 0.602% /month (or 7.22% p.a)

EXERCISE 9.1

1.	a cm	b cm	c cm	A	B	C
1	3.8	4.1	1.6	67°	90°	23°
2	81.5	98.3	55.0	56°	90°	34°
3	32.7	47.1	33.9	44°	90°	46°
4	1.61	30.7	30.7	3°	90°	87°
5	2.3	2.74	1.49	57°	90°	33°
6	48.5	77	59.8	39°	90°	51°
7	44.4	81.6	68.4	33°	90°	57°
8	2.93	13.0	12.7	13°	90°	77°
9	74.4	94.4	58.1	52°	90°	38°
10	71.8	96.5	64.6	48°	90°	42°
11	23.3	34.1	24.9	43°	90°	47°
12	43.1	43.2	2.3	87°	90°	3°
13	71.5	80.2	36.4	63°	90°	27°
14	33.5	34.1	6.5	79°	90°	11°
15	6.1	7.2	3.82	58°	90°	32°
16	29.1	30	7.3	76°	90°	14°
17	29.0	29.1	2.0	86°	90°	4°
18	34.5	88.2	81.2	23°	90°	67°
19	24.0	29.7	17.5	54°	90°	36°
20	41.2	46.2	21.0	63°	90°	27°
21	59.6	72.9	41.8	55°	90°	35°
22	5.43	6.8	4.09	53°	90°	37°

23	13.0	19.8	14.9	41°	90°	49°
24	14.0	21.3	16.1	41°	90°	49°
25	82.4	88.9	33.3	68°	90°	22°

2. (a) $2\sqrt{3}$ (b) $5(1 + \sqrt{3})$ (c) 4 (d) $2(1 + \sqrt{3})$ (e) $\frac{4}{3}(3 + \sqrt{3})$ (f) $\sqrt{106} - 5$ 4. (a) $25(1 + \sqrt{3})$

(b) $\frac{40\sqrt{3}}{3}$

EXERCISE 9.2

1. (a) i. 030°T ii. 330°T iii. 195°T iv. 200°T (b) i. N25°E ii. S iii. S40°W iv. N10°W

2. 37.49m 3. 18.94m 4. $37^\circ 18'$ 5. $\frac{26}{9}$ m/s 6. N58° 33'W, 37.23 km 7. 199.82 m 8. 10.58 m

9. 72.25 m 10. 25.39 km 11. 15.76 m 12. (a) 3.01km N, 3.99km E (b) 2.87km E 0.88km S
(c) 6.86km E 2.13km N (d) 7.19km 253°T 13. 524m

EXERCISE 9.3

1. (a) $39^\circ 48'$ (b) $64^\circ 46'$ 2. (a) 12.81 cm (b) 61.35 cm (c) $77^\circ 57'$ (d) 60.83 cm (e) $80^\circ 32'$

3. (a) $21^\circ 48'$ (b) $42^\circ 2'$ (c) $26^\circ 34'$ 4. (a) 2274 (b) 12.7° 5. 251.29 m 6. (a) 103.5 m (b) 35.26°

(c) 39.23° 7. (b) 53.43 (c) 155.16 m (d) 145.68 m 8. (b) 48.54 m 9. (a) $\sqrt{(b-c)^2 + h^2}$

(b) $\tan^{-1}\left(\frac{h}{a}\right)$ (c) $\tan^{-1}\left(\frac{h}{b-c}\right)$ (d) $2(b+c)\sqrt{h^2 + a^2} + 2a\sqrt{(b-c)^2 + h^2}$ 10. 82.80 m

11. (a) 40.61 m (b) 49.46 m 12. (a) 10.61 cm (b) $75^\circ 58'$ (c) $93^\circ 22'$ 13. (a) 1.44 m (b) $73^\circ 13'$
(c) $62^\circ 11'$

EXERCISE 9.4

1. (a) 1999.2 cm^2 (b) 756.8 cm^2 (c) 3854.8 cm^2 (d) 2704.9 cm^2 (e) 538.0 cm^2 (f) 417.5 cm^2

(g) 549.4 cm^2 (h) 14.2 cm^2 (i) 516.2 cm^2 (j) 281.5 cm^2 (k) 918.8 cm^2 (l) 387.2 cm^2

(m) 139.0 cm^2 (n) 853.7 cm^2 (o) 314.6 cm^2 2. 69345 m^2 3. $100\pi - 6\sqrt{91} \text{ cm}^2$ 4. 17.34 cm

5. (a) 36.77sq units (b) 14.70 sq units (c) 62.53 sq units 6. 52.16 cm^2 7. $27^\circ 2'$

8. $\frac{(b+a \times \tan \theta)^2}{2 \tan \theta}$ 9. Area of $\Delta ACD = 101.78 \text{ cm}^2$, area of $\Delta ABC = 61.38 \text{ cm}^2$

EXERCISE 9.5.1

	a cm	b cm	c cm	A	B	C
1	13.3	37.1	48.2	10°	29°	141°
2	2.7	1.2	2.8	74°	25°	81°
3	11.0	0.7	11.3	60°	3°	117°
4	31.9	39.1	51.7	38°	49°	93°
5	18.5	11.4	19.5	68°	35°	77°
6	14.6	15.0	5.3	75°	84°	21°
7	26.0	7.3	26.4	79°	16°	85°
8	21.6	10.1	28.5	39°	17°	124°
9	0.8	0.2	0.8	82°	16°	82°
10	27.7	7.4	33.3	36°	9°	135°
11	16.4	20.7	14.5	52°	84°	44°
12	21.4	45.6	64.3	11°	24°	145°
13	30.9	27.7	22.6	75°	60°	45°

14	29.3	45.6	59.1	29°	49°	102°
15	9.7	9.8	7.9	65°	67°	48°
16	21.5	36.6	54.2	16°	28°	136°
17	14.8	29.3	27.2	30°	83°	67°
18	10.5	0.7	10.9	52°	3°	125°
19	11.2	6.9	17.0	25°	15°	140°
20	25.8	18.5	40.1	30°	21°	129°

EXERCISE 9.5.2

	<i>a</i>	<i>b</i>	<i>c</i>	<i>A</i> °	<i>B</i> °	<i>C</i> °	<i>c</i> *	<i>B</i> * °	<i>C</i> * °
1	7.40	18.10	21.06	20.00	56.78	103.22	12.95	123.22	36.78
2	13.30	19.50	31.36	14.00	20.77	145.23	6.49	159.23	6.77
3	13.50	17.00	25.90	28.00	36.24	115.76	4.12	143.76	8.24
4	10.20	17.00	25.62	15.00	25.55	139.45	7.22	154.45	10.55
5	7.40	15.20	19.55	20.00	44.63	115.37	9.02	135.37	24.63
6	10.70	14.10	21.41	26.00	35.29	118.71	3.94	144.71	9.29
7	11.50	12.60	22.94	17.00	18.68	144.32	1.16	161.32	1.68
8	8.30	13.70	18.67	24.00	42.17	113.83	6.36	137.83	18.17
9	13.70	17.80	30.28	14.00	18.32	147.68	4.27	161.68	4.32
10	13.40	17.80	26.19	28.00	38.58	113.42	5.24	141.42	10.58
11	12.10	16.80	25.63	23.00	32.85	124.15	5.30	147.15	9.85
12	12.00	14.50	24.35	21.00	25.66	133.34	2.72	154.34	4.66
13	12.10	19.20	29.34	16.00	25.94	138.06	7.57	154.06	9.94
14	7.20	13.10	19.01	15.00	28.09	136.91	6.30	151.91	13.09
15	12.20	17.70	23.73	30.00	46.50	103.50	6.93	133.50	16.50
16	9.20	20.90	27.97	14.00	33.34	132.66	12.59	146.66	19.34
17	10.50	13.30	21.96	20.00	25.67	134.33	3.03	154.33	5.67
18	9.20	19.20	26.29	15.00	32.69	132.31	10.80	147.31	17.69
19	7.20	13.30	18.33	19.00	36.97	124.03	6.82	143.03	17.97
20	13.50	20.40	25.96	31.00	51.10	97.90	9.01	128.90	20.10
21	10.80	20.80	24.48	26.00	57.59	96.41	12.91	122.41	31.59
22	13.00	12.20	23.91	19.00	17.79	143.21	0.84	162.21	1.21
23	13.60	20.40	22.92	36.00	61.85	82.15	10.09	118.15	25.85
24	11.40	12.50	22.88	16.00	17.59	146.41	1.15	162.41	1.59
25	8.00	16.80	23.99	10.00	21.39	148.61	9.10	158.61	11.39
26.	(a-d)	no triangles exist.							

EXERCISE 9.5.3

1. 30.64 km 2. 4.57 m 3. 476.4 m 4. 201°47'T 5. 222.9 m 6. (a) 3.40 m (b) 3.11 m
 7. (b) 1.000 m (c) 1.715 m 8. (a) 51.19 min (b) 1 hr 15.96 min (c) 14.08 km 9. \$4886 10. 906 m

EXERCISE 9.5.4

	<i>a</i> cm	<i>b</i> cm	<i>c</i> cm	<i>A</i>	<i>B</i>	<i>C</i>
1	13.5	9.8	16.7	54°	36°	90°
2	8.9	10.8	15.2	35°	44°	101°
3	22.8	25.6	12.8	63°	87°	30°
4	21.1	4.4	21.0	85°	12°	83°
5	15.9	10.6	15.1	74°	40°	66°
6	8.8	13.6	20.3	20°	32°	128°
7	9.2	9.5	13.2	44°	46°	90°
8	23.4	62.5	58.4	22°	89°	69°

9	10.5	9.6	15.7	41°	37°	102°
10	21.7	36.0	36.2	35°	72°	73°
11	7.6	3.4	9.4	49°	20°	111°
12	7.2	15.2	14.3	28°	83°	69°
13	9.1	12.5	15.8	35°	52°	93°
14	14.9	11.2	16.2	63°	42°	75°
15	2.0	0.7	2.5	38°	13°	129°
16	7.6	3.7	9.0	56°	24°	100°
17	18.5	9.8	24.1	45°	22°	113°
18	20.7	16.3	13.6	87°	52°	41°
19	14.6	22.4	29.9	28°	46°	106°
20	7.0	6.6	9.9	45°	42°	93°
21	21.8	20.8	23.8	58°	54°	68°
22	1.1	1.7	1.3	41°	89°	50°
23	1.2	1.2	0.4	85°	76°	19°
24	23.7	27.2	29.7	49°	60°	71°
25	3.4	4.6	5.2	40°	60°	80°

EXERCISE 9.5.5

- 1.** (a) 10.14 km (b) 121°T **2.** 7° 33' **3.** 4.12 cm **4.** 57.32 m **5.** 315.5 m **6.** (a) 124.3 km
(b) W28° 47' S

EXERCISE 9.5.6

- 1.** 39.60m 52.84m **2.** 30.2m **3.** 54°, 42°, 84° **4.** 37° **5.** 028°T. **6.** 108.1cm **7.** (i) 135° (ii) 136cm
8. 41°, 56°, 83° **9.** (i) 158° left (ii) 43.22km **10.** 264m **11.** 53.33cm **12.** 186m **13.** 50.12cm
14. 5.17cm **15.** (a) 5950m (b) 13341m (c) 160° (d) 243° **17.** (a) 20.70° (b) 2.578 m (c) 1.994 m³
18. (a) 4243 m² (b) 86 m (c) 101 m


EXERCISE 9.6

- 1.** 5.36 cm **2.** 12.3 m **3.** 24 m **4.** 40.3 m, 48.2° **5.** 16.5 min, 8.9° **6.** ~10:49 am

7. (a) i. $\frac{d \sin \phi}{\sin(\phi - \theta)}$ ii. $\frac{d \sin \theta}{\sin(\phi - \theta)}$ (b) $\frac{d \sin \phi \tan \alpha}{\sin(\phi - \theta)}$ or $\frac{d \sin \theta \tan \beta}{\sin(\phi - \theta)}$ (c) $d \left(\frac{\sin \phi \cos \theta}{\sin(\phi - \theta)} - 1 \right)$

EXERCISE 9.7

- 1.** (i) $\frac{169\pi}{150}\text{cm}^2$, $5.2 + \frac{13\pi}{15}\text{cm}$ (ii) $\frac{529\pi}{32}\text{cm}^2$, $23 + \frac{23\pi}{8}\text{cm}$ (iii) $242\pi\text{cm}^2$, $88 + 11\pi\text{cm}$
(iv) $\frac{1156\pi}{75}\text{m}^2$, $13.6 + \frac{68\pi}{15}\text{m}$ (v) $\frac{96\pi}{625}\text{cm}^2$, $1.28 + \frac{12\pi}{25}\text{cm}$ (vi) $\frac{361\pi}{15}\text{cm}^2$, $15.2 + \frac{19\pi}{3}\text{cm}$
(vii) $5248.8\pi\text{m}^2$, $648 + 32.4\pi\text{cm}$ (viii) $\frac{12943\pi}{300}\text{cm}^2$, $17.2 + \frac{301\pi}{30}\text{cm}$
(ix) $\frac{1922\pi}{75}\text{cm}^2$, $12.4 + \frac{124\pi}{15}\text{cm}$ (x) $\frac{15884\pi}{3}\text{cm}^2$, $152 + \frac{418\pi}{3}\text{cm}$ (xi) $12\pi\text{cm}^2$, $24 + 2\pi\text{cm}$
(xii) $\frac{98\pi}{3}\text{cm}^2$, $28 + \frac{14\pi}{3}\text{cm}$ (xiii) $\frac{196\pi}{75}\text{cm}^2$, $5.6 + \frac{28\pi}{15}\text{cm}$ (xiv) $\frac{11532\pi}{25}\text{cm}^2$, $49.6 + \frac{186\pi}{5}\text{cm}$
(xv) $\frac{3\pi}{50}\text{cm}^2$, $2.4 + \frac{\pi}{10}\text{cm}$ **2.** 0.63^c, 36° **3.** 0.0942m³ **4.** 1.64^c **5.** 79cm. **6.** 5.25cm²
7. (a) 31.83m (b) 406.28m (c) 11° **8.** 1.11^c **9.** 0.75^c **10.** (a) 1.85^c (b) i. 37.09 cm ii. 88.57 cm
(c) 370.92cm² **11.** 26.57 cm² **12.** 193.5 cm **13.** (a) 105.22 cm (b) 118.83 cm **14.** (a) 9 cm



EXERCISE 10.1

- 1.** (a) 120° (b) 108° (c) 216° (d) 50° **2.** (a) π^c (b) $\frac{3\pi^c}{2}$ (c) $\frac{7\pi^c}{9}$ (d) $\frac{16\pi^c}{9}$ **3.** (a) $\frac{\sqrt{3}}{2}$ (b) $-\frac{1}{2}$ (c) $-\sqrt{3}$ (d) $-\frac{1}{2}$ (e) $-\frac{\sqrt{3}}{2}$ (f) $\frac{1}{\sqrt{3}}$ (g) $-\frac{1}{\sqrt{2}}$ (h) $-\frac{1}{\sqrt{2}}$ (i) 1 (j) $-\frac{1}{\sqrt{2}}$ (k) $\frac{1}{\sqrt{2}}$ (l) -1 (m) 0 (n) 1 (o) 0 **4.** (a) 0 (b) -1 (c) 0 (d) $\frac{1}{\sqrt{2}}$ (e) $-\frac{1}{\sqrt{2}}$ (f) -1 (g) $-\frac{1}{2}$ (h) $-\frac{\sqrt{3}}{2}$ (i) $\frac{1}{\sqrt{3}}$ (j) $-\frac{\sqrt{3}}{2}$ (k) $\frac{1}{2}$ (l) $-\sqrt{3}$ (m) $-\frac{1}{\sqrt{2}}$ (n) $\frac{1}{\sqrt{2}}$ (o) -1 **5.** (a) $\frac{1}{2}$ (b) $\frac{\sqrt{3}}{2}$ (c) 1 (d) $\frac{1}{2}$ **6.** (a) $-\frac{1}{2}$ (b) $-\frac{1}{\sqrt{2}}$ (c) $\sqrt{3}$ (d) $\frac{1}{2}$ (e) $-\frac{\sqrt{3}}{2}$ (f) $\frac{1}{\sqrt{3}}$ (g) $-\frac{\sqrt{3}}{2}$ **7.** (a) $\left(\frac{1}{2}, \frac{\sqrt{3}}{2}\right)$ (b) $\left(-\frac{1}{2}, \frac{\sqrt{3}}{2}\right)$ (c) $\left(-\frac{1}{\sqrt{2}}, -\frac{1}{\sqrt{2}}\right)$ (d) $\left(\frac{\sqrt{3}}{2}, -\frac{1}{2}\right)$ **8.** (a) 0 (b) $\frac{\sqrt{3}}{2}$ (c) $\frac{1}{\sqrt{3}}$ (d) $\frac{1 + \sqrt{3}}{2\sqrt{2}}$ **10.** (a) $-\frac{2}{3}$ (b) $-\frac{2}{3}$ (c) $-\frac{2}{3}$ **11.** (a) $-\frac{2}{5}$ (b) $\frac{2}{5}$ **12.** (a) k (b) $-\frac{1}{k}$ (c) $-k$ **13.** (a) $\frac{\sqrt{5}}{3}$ (b) $-\frac{\sqrt{5}}{3}$ **14.** (a) $-\frac{3}{5}$ (b) $\frac{3}{4}$ (c) $\frac{4}{5}$ **15.** (a) $\frac{4}{5}$ (b) $\frac{3}{4}$ **16.** (a) $-k$ (b) $-\sqrt{1-k^2}$ **17.** (a) $-\sqrt{1-k^2}$ (b) $k/\sqrt{1-k^2}$ **18.** (a) $\sin \theta$ (b) $\cot \theta$ (c) 1 **19.** (a) $\frac{\pi}{3}, \frac{2\pi}{3}$ (b) $\frac{\pi}{3}, \frac{5\pi}{3}$ (c) $\frac{\pi}{3}, \frac{4\pi}{3}$ (d) $\frac{5\pi}{6}, \frac{7\pi}{6}$ (e) $\frac{5\pi}{6}, \frac{11\pi}{6}$ (f) $\frac{7\pi}{6}, \frac{11\pi}{6}$

EXERCISE 10.2.1


- 3.** (a) $x^2 + y^2 = k^2, -k \leq x \leq k$ (b) $\frac{x^2}{b^2} + \frac{y^2}{a^2} = 1, -b \leq x \leq b$ (c) $(x-1)^2 + (2-y)^2 = 1, 0 \leq x \leq 2$ (d) $\frac{(1-x)^2}{b^2} + \frac{(y-2)^2}{a^2} = 1$ (e) $5x^2 + 5y^2 + 6xy = 16$ **4.** (a) (i) $-\frac{4}{5}$ (ii) $-\frac{5}{3}$ (b) (i) $\frac{4}{\sqrt{7}}$ (ii) $-\frac{\sqrt{7}}{3}$ **5.** (a) $\frac{\pi}{3}, \frac{2\pi}{3}, \frac{4\pi}{3}, \frac{5\pi}{3}$ (b) $\frac{\pi}{2}, \frac{7\pi}{6}, \frac{11\pi}{6}$ (c) $0, \frac{\pi}{6}, \frac{5\pi}{6}, \pi, 2\pi$ (d) $\frac{\pi}{2}, \frac{3\pi}{2}$ **9.** (a) $\frac{2a}{a^2+1}$ (b) $\frac{a^2-1}{a^2+1}$ **10.** (a) i. 1 ii. 1 (b) 1 **11.** (a) $\frac{1 - \sqrt{x^2 - 1}}{x}$ (b) $\frac{1 + \sqrt{x^2 - 1}}{x}$ (c) $\frac{2}{x^2} - 1$ **12.** (a) $5 \leq \cos^2 \theta + 5 \leq 6$ (b) $1 \leq \frac{5}{3\sin^2 \theta + 2} \leq \frac{5}{2}$ (c) $-2 \leq 2\cos^2 \theta + \sin \theta - 1 \leq \frac{9}{8}$ **13.** (a) ± 2 (b) $\frac{\pi}{6} + 2k\pi, k \in \mathbb{Z}$ or $\frac{7\pi}{6} + 2k\pi, k \in \mathbb{Z}$ **14.** (a) $5^{-4} \leq 5^{3\sin \theta - 1} \leq 25$ (b) $3^{-1} \leq 3^{1-2\cos \theta} \leq 27$ **15.** (a) $1 + 2k$ (b) $(1-k)\sqrt{1+2k}$ **16.** (a) $\frac{1-a}{2\sqrt{a}}$ (b) i. $2 + \sqrt{2a-a^2}$ ii. $\frac{-\sqrt{2a-a^2}}{1-a}$ **17.** (a) $\frac{2}{3}$ (b) $0, \pm \frac{2\sqrt{2}}{3}$ **18.** $0, \frac{\pi}{3}, \frac{2\pi}{3}, \pi$


EXERCISE 10.2.2

- 1.** (a) $-\frac{5\sqrt{11}}{18}$ (b) $-\frac{7}{18}$ (c) $\frac{5\sqrt{11}}{7}$ (d) $\frac{35\sqrt{11}}{162}$ **2.** (a) $-\frac{3}{5}$ (b) $-\frac{4}{5}$ (c) $\frac{3}{4}$ (d) $\frac{24}{7}$ **3.** $\frac{(\sqrt{3}-1)\sqrt{2}}{4}$
- 4.** (a) $\frac{2ab}{a^2+b^2}$ (b) $\frac{a^2+b^2}{2ab}$ (c) $\frac{a^4-6a^2b^2+b^4}{(a^2+b^2)^2}$ (d) $\frac{2ab}{b^2-a^2}$ **7.** (a) $0, \frac{\pi}{3}, \pi, \frac{5\pi}{3}, 2\pi$ (b) $\frac{\pi}{6}, \frac{5\pi}{6}, \frac{3\pi}{2}$
- (c) $0, \pi, 2\pi, \alpha, \pi \pm \alpha, 2\pi - \alpha, \alpha = \tan^{-1}\left(\frac{1}{\sqrt{2}}\right)$

EXERCISE 10.3

- 1.** (a) 4π (b) $\frac{2\pi}{3}$ (c) 3π (d) 4π (e) 2 (f) $\frac{\pi}{2}$ **2.** (a) 5 (b) 3 (c) 5 (d) 0.5 **3.** (a) $2\pi, 2$ (b) $6\pi, 3$ (c) π (d) π (e) $\pi, 4$ (f) $\pi, 3$ (g) 6π (h) $\frac{2\pi}{3}, \frac{1}{4}$ (i) 3π (j) $\frac{8\pi}{3}, \frac{2}{3}$





EXERCISE 10.4


- 1.** (a) $\frac{\pi}{4}, \frac{3\pi}{4}$ (b) $\frac{7\pi}{6}, \frac{11\pi}{6}$ (c) $\frac{\pi}{3}, \frac{2\pi}{3}$ (d) $\frac{\pi}{18}, \frac{5\pi}{18}, \frac{13\pi}{18}, \frac{17\pi}{18}, \frac{25\pi}{18}, \frac{29\pi}{18}$ (e) $\frac{\pi}{3}, \frac{5\pi}{3}$ (f) $\frac{5}{4}, \frac{7}{4}, \frac{13}{4}, \frac{15}{4}, \frac{21}{4}, \frac{23}{4}$ **2.** (a) $\frac{\pi}{4}, \frac{7\pi}{4}$ (b) $\frac{2\pi}{3}, \frac{4\pi}{3}$ (c) $\frac{\pi}{6}, \frac{11\pi}{6}$ (d) π (e) $\frac{\pi}{6}, \frac{5\pi}{6}, \frac{7\pi}{6}, \frac{11\pi}{6}$ (f) $\frac{3}{2}, \frac{5}{2}, \frac{11}{2}$ **3.** (a) $\frac{\pi}{6}, \frac{7\pi}{6}$ (b) $\frac{3\pi}{4}, \frac{7\pi}{4}$ (c) $\frac{\pi}{3}, \frac{4\pi}{3}$ (d) $4\tan^{-1}2$ (e) $\frac{\pi}{3}, \frac{5\pi}{6}, \frac{4\pi}{3}, \frac{11\pi}{6}$ (f) 3 **4.** (a) $90^\circ, 330^\circ$ (b) $180^\circ, 240^\circ$ (c) $90^\circ, 270^\circ$ (d) $65^\circ, 155^\circ$ (e) $\frac{\pi}{12}, \frac{5\pi}{12}, \frac{13\pi}{12}, \frac{17\pi}{12}$ (f) $0, \pi, 2\pi$ **5.** (a) $60^\circ, 300^\circ$ (b) $\frac{4\pi}{3}, \frac{5\pi}{3}$ (c) $\frac{\pi}{6}, \frac{7\pi}{6}$ (d) $23^\circ 35', 156^\circ 25'$ (e) $\frac{\pi}{3}, \frac{2\pi}{3}, \frac{4\pi}{3}, \frac{5\pi}{3}$ (f) $\frac{2\pi}{3}, \frac{5\pi}{3}$ (g) $\frac{5\pi}{6}, \frac{9\pi}{6}$ (h) $3.3559^\circ, 5.2105^\circ$ (i) $\frac{\pi}{3}, \frac{4\pi}{3}$ (j) $\frac{\pi}{3}, \frac{2\pi}{3}, \frac{4\pi}{3}, \frac{5\pi}{3}$ (k) $\frac{\pi}{6}, \frac{2\pi}{3}, \frac{7\pi}{6}, \frac{5\pi}{3}$ (l) $68^\circ 12', 248^\circ 12'$ **6.** (a) $-\frac{3\pi}{4}, \frac{\pi}{4}$ (b) $\pm\frac{\pi}{3}$ (c) $-\frac{7\pi}{8}, -\frac{3\pi}{8}, \frac{\pi}{8}, \frac{5\pi}{8}$ (d) $-\frac{\pi}{2}$ (e) $\pm\frac{\pi}{2}$ (f) $\frac{\pi}{8}, \frac{7\pi}{8}, \frac{9\pi}{8}, \frac{15\pi}{8}$ (g) $\frac{\pi}{2}, \frac{3\pi}{2}$ (h) $\frac{\pi}{2}, \frac{3\pi}{2}$ **7.** (a) $\frac{3\pi}{4}, \frac{7\pi}{4}, \tan^{-1}\left(\frac{2}{3}\right), \pi + \tan^{-1}\left(\frac{2}{3}\right)$ (b) $\frac{\pi}{3}, \frac{2\pi}{3}, \frac{3\pi}{4}, \frac{4\pi}{3}, \frac{5\pi}{3}, \frac{7\pi}{4}$ **8.** (a) $\frac{\pi}{12}, \frac{5\pi}{12}, \frac{7\pi}{12}, \frac{11\pi}{12}, \frac{13\pi}{12}, \frac{17\pi}{12}, \frac{19\pi}{12}, \frac{23\pi}{12}$ (b) $\frac{2\pi}{3}, \frac{4\pi}{3}$ (c) 0, 1, 2, 3, 4, 5, 6 **9.** i. $\left(\frac{\pi}{6}, \frac{5\pi}{6}\right) \cup \left(\frac{13\pi}{6}, \frac{17\pi}{6}\right)$ ii. $\left(\pi + \sin^{-1}\left(\frac{1}{\sqrt{3}}\right), 2\pi - \sin^{-1}\left(\frac{1}{\sqrt{3}}\right)\right) \cup \left(3\pi + \sin^{-1}\left(\frac{1}{\sqrt{3}}\right), 4\pi - \sin^{-1}\left(\frac{1}{\sqrt{3}}\right)\right)$

- 10.** (a) ii. $\left[0, \frac{\pi}{4}\right) \cup \left(\frac{5\pi}{4}, 2\pi\right]$ (b) ii. $\left[0, \frac{\pi}{6}\right) \cup \left(\frac{\pi}{2}, \frac{5\pi}{6}\right) \cup \left(\frac{3\pi}{2}, 2\pi\right]$ **11.** (a) $90^\circ, 199^\circ 28', 340^\circ 32'$
 (b) $]199^\circ 28', 340^\circ 32'[$

EXERCISE 10.5

- 1.** (a) 5, 24, 11, 19 (b) $T = 5 \sin\left(\frac{\pi t}{12} - 3\right) + 19$ (c) 23.6° **2.** (a) 3, 4, 2, 2, 7
 (b) $L = 3 \sin\left(\frac{\pi t}{2.1} - 3\right) + 7$ **3.** (a) 5, 11, 0, 7 (b) $V = 5 \sin\left(\frac{2\pi t}{11}\right) + 7$ **4.** (a) 1, 11, 1, 12
 (b) $P = \sin\left(\frac{2\pi}{11}(t - 1)\right) + 12$ **5.** (a) 2.6, 7, 2, 6 (b) $S = 2.6 \sin\frac{2\pi}{7}(t - 2) + 6$ **6.** (a) 0.6, 3.5, 0,
 11
 (b) $P = 0.6 \sin\left(\frac{4\pi t}{7}\right) + 11$ **7.** (a) 0.8, 4.6, 2.7, 11 (b) $D = 0.8 \sin\frac{\pi}{2.3}(t - 2.7) + 11$ **8.** (a) 3000
 (b) 1000, 5000 (c) $\frac{4}{9}$ **9.** (a) 6.5 m, 7.5 m (b) 1.58 sec, 3.42 sec **10.** (a) 750, 1850 (b) 3.44
 (c) Mid-April to End of August

- 11.** (a) 15000 (b) 12 months (c)
 (d) 4 months




- 12.** (a) $\pi, -2, 2$ (b) $\frac{1}{3}$ m (c) $\frac{4}{3}$ m

- 13.(a)**

t	0	0.5	1	1.5	2	2.5	3	3.5	4
$F(t)$	6	8	6	4	6	8	6	4	6
$G(t)$	4	4.0625	4.25	4.5625	5	5.5625	6.25	7.0625	8


- (b)



- (c) 3 (d) 38.45%

- 14.** (a)

- (b) i. 7, 11, 19, 23
 ii. $[0, 7] \cup [11, 19] \cup [23, 24]$



- (c) 14.9m

EXERCISE 11.1.1

1. (i) $\begin{bmatrix} 2 & 8 \\ -2 & 16 \end{bmatrix}$ (ii) $\begin{bmatrix} -2 & 3 \\ 1 & -5 \end{bmatrix}$ (iii) $\begin{bmatrix} 6 & -9 \\ -3 & 15 \end{bmatrix}$ (iv) $\begin{bmatrix} 4 & 5 \\ -3 & 21 \end{bmatrix}$ (v) $\begin{bmatrix} 7 & 6 \\ -5 & 34 \end{bmatrix}$ (vi) $\begin{bmatrix} -2 & -19 \\ 3 & -27 \end{bmatrix}$

2. (i) $\begin{bmatrix} -1 & -1 & -2 \\ 0 & 6 & -9 \end{bmatrix}$ (ii) $\begin{bmatrix} -2 & -2 & -4 \\ 0 & 12 & -18 \end{bmatrix}$ (iii) $\begin{bmatrix} -2 & -5 \\ 2 & 2 \\ 3 & 1 \end{bmatrix}$ (iv) $\begin{bmatrix} 2 & 0 \\ 4 & 2 \\ 0 & -2 \end{bmatrix}$ (v) $\begin{bmatrix} 5 & 5 \\ 4 & 1 \\ -3 & -4 \end{bmatrix}$ (vi) $\begin{bmatrix} -6 & -15 \\ 6 & 6 \\ 9 & 3 \end{bmatrix}$

3. (i) $\begin{bmatrix} 3 & 3 & 6 \\ 0 & 3 & 12 \\ 0 & 6 & 3 \end{bmatrix}$ (ii) $\begin{bmatrix} -2 & -4 & 6 \\ 4 & 0 & 2 \\ 4 & 0 & -8 \end{bmatrix}$ (iii) $\begin{bmatrix} 0 & -1 & 5 \\ 2 & 1 & 5 \\ 2 & 2 & -3 \end{bmatrix}$ (iv) $\begin{bmatrix} 2 & 3 & -1 \\ -2 & 1 & 3 \\ -2 & 2 & 5 \end{bmatrix}$ (v) $\begin{bmatrix} 1 & -1 & 12 \\ 4 & 3 & 14 \\ 4 & 6 & -5 \end{bmatrix}$ (vi) $\begin{bmatrix} -3 & -5 & 4 \\ 4 & -1 & -2 \\ 4 & -2 & -9 \end{bmatrix}$

4. (i) 23 (ii) Nuts (iii) Taps (iv) Week 2 Wednesday - = B3 + I3, = B4 + I4 **5.** 7 by 5 **6.** $\begin{bmatrix} 3a & 3 \\ 0 & 0 \end{bmatrix}$

7. 3 **8.** 2 **9.** (a) $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ (b) $\begin{bmatrix} -\cos 2\theta & 0 \\ 0 & \cos 2\theta \end{bmatrix}$ (c) $\begin{bmatrix} -\cos 2\theta & 0 \\ 0 & \cos 2\theta \end{bmatrix}$ (d) $\begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$ **10.** (a) $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

(b) $\begin{bmatrix} -\cos 2\theta & 2\sin\theta \\ -2\cos\theta & \cos 2\theta \end{bmatrix}$ **11.** $a = 3, b = 4$ **12.** $x = 1$

EXERCISE 11.1.2

1. (i) $\begin{bmatrix} 5 & -4 \\ 2 & -1 \end{bmatrix}$ (ii) $\begin{bmatrix} 6 & -8 \\ -15 & 26 \end{bmatrix}$ (iii) $\begin{bmatrix} -7 & 17 \\ 3 & 3 \end{bmatrix}$ (iv) $\begin{bmatrix} -15 & -10 \\ -10 & -36 \end{bmatrix}$ (v) $\begin{bmatrix} \frac{19}{6} & \frac{89}{3} \\ -\frac{1}{8} & \frac{11}{2} \end{bmatrix}$ (vi) $\begin{bmatrix} 2.6 & 5.5 \\ -8.55 & 0 \end{bmatrix}$

(vii) $\begin{bmatrix} 12 & -4 & 2 \\ 6 & 0 & -3 \end{bmatrix}$ (viii) $\begin{bmatrix} -9 & 3 & 2 \\ 4 & -2 & -2 \end{bmatrix}$ (ix) $\begin{bmatrix} \frac{7}{6} & \frac{3}{2} & \frac{7}{3} \\ \frac{13}{3} & 5 & \frac{29}{3} \end{bmatrix}$ (x) $\begin{bmatrix} 1.6 & -0.7 & 3.8 \\ -3.9 & -4.2 & -5.7 \end{bmatrix}$ (xi) $\begin{bmatrix} 11 & -2 \\ 11 & 3 \\ 1 & -7 \end{bmatrix}$

(xii) $\begin{bmatrix} 7 & 5 \\ 21 & -26 \\ 6 & 4 \end{bmatrix}$ (xiii) $\begin{bmatrix} 12 & 6 & 2 \\ 12 & 1 & 4 \\ 21 & 3 & 6 \end{bmatrix}$ (xiv) $\begin{bmatrix} -5 & 6 & 1 \\ 4 & -4 & -12 \\ -1 & 4 & 2 \end{bmatrix}$ (xv) $\begin{bmatrix} -7 & 2 & 13 \\ 8 & -8 & -17 \\ -4 & -11 & 4 \end{bmatrix}$ (xvi) $\begin{bmatrix} -\frac{25}{2} & -\frac{50}{3} & 4 \\ -\frac{79}{4} & -\frac{83}{6} & \frac{27}{4} \\ -2 & \frac{11}{6} & \frac{3}{4} \end{bmatrix}$

(xvii) $\begin{bmatrix} x+3x^2 & -x^2+1 \\ 2x+5x^2 & -x^2+2 \\ -x^2+5x & -2x \end{bmatrix}$ (xviii) $\begin{bmatrix} a+2x^2-a^2 & 2a+4x-2x^2+2a \\ a-2ax & -2a & 3a+2ax \\ 0 & 2a & -ax-x \end{bmatrix}$

2. (i) $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ (ii) $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$, $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$, $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$ (iii) $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$ if n is odd and $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ if n is even.

3. (i) $\begin{bmatrix} 0 & 3 & 4 & 2 \\ 1 & 0 & 0 & 6 \\ 1 & 2 & 0 & 2 \\ 4 & 3 & 0 & 0 \end{bmatrix}$ (ii) $\begin{bmatrix} 120 \\ 105 \\ 110 \\ 100 \end{bmatrix}$ (iii) Loading costs for each depot. **4.** $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$ $n = 4$.

5. (a) 2×1 (b) – (c) 3×2 (d) – (e) – (f) 1×3 **6.** (a) No (b) Yes (c) $AB = BA$ **7.** $\begin{bmatrix} n \\ \frac{12 - 5n}{4} \end{bmatrix}, n \in \mathbb{R}$

8. $a = -0.4, b = 2$ **9.** B **10.** (a) $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}, S^3 = S$ (b) $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}, S^{2n+1} = S$ (c) $0, \pm 2\pi, \pm 4\pi, \dots$

11. $x = 0 = y, w = z$ **12.** 2, 6 **13.** $A = \begin{bmatrix} 1 & 0 & 1 \\ 1 & -1 & p^2 \\ p & 1 & -(2p + 1) \end{bmatrix}, a = 2p, b = p - 1, c = p$

15. $x = 3, y = -2, a = -9, b = -4$

17. (a) $A^2 = \begin{bmatrix} 2 & 1 \\ 1 & 1 \end{bmatrix}, A^3 = \begin{bmatrix} 3 & 2 \\ 2 & 1 \end{bmatrix}, A^4 = \begin{bmatrix} 5 & 3 \\ 3 & 2 \end{bmatrix}$ (b) $A^n = \begin{bmatrix} F_{n+1} & F_n \\ F_n & F_{n-1} \end{bmatrix}$

EXERCISE 11.2

1. (i) -4 (ii) 9 (iii) 12 (iv) 2 (v) 15 (vi) $\frac{4}{9}$ (vii) 0.5 (viii) 4 (ix) 1 (x) $x^2 - 2$ (xi) 0 (xii) 1

2. (i) $\begin{bmatrix} 0 & 1 \\ 1 & 1 \\ \frac{1}{4} & \frac{1}{2} \end{bmatrix}$ (ii) $\begin{bmatrix} -1 & -1 \\ 2 & \frac{3}{2} \end{bmatrix}$ (iii) $\begin{bmatrix} -\frac{3}{14} & \frac{1}{7} \\ -\frac{2}{7} & -\frac{1}{7} \end{bmatrix}$ (iv) $\begin{bmatrix} 1 & 0 \\ -\frac{1}{2} & -\frac{1}{4} \end{bmatrix}$ (v) $\begin{bmatrix} 0 & 1 \\ -1 & -4 \end{bmatrix}$ (vi) no inverse

(vii) $\begin{bmatrix} -\frac{1}{5} & \frac{1}{5} \\ -\frac{4}{15} & -\frac{1}{15} \end{bmatrix}$ (viii) $\begin{bmatrix} 1 & -\frac{1}{2} \\ 1 & -\frac{3}{4} \end{bmatrix}$ (ix) $\begin{bmatrix} -4 & -1 \\ 1 & -1 \end{bmatrix}$ (x) $\begin{bmatrix} 1 & 3 \\ 1 & 0 \end{bmatrix}$ (xi) $\begin{bmatrix} 2 & 3 \\ 2 & -3 \end{bmatrix}$ (xii) $\begin{bmatrix} 3 & 3 \\ 1 & -2 \end{bmatrix}$ (xiii) $\begin{bmatrix} 3 & -4 \\ -2 & 3 \end{bmatrix}$

(xiv) $\begin{bmatrix} \frac{3}{x} & -\frac{1}{x} \\ -2 & 1 \end{bmatrix}$ (xv) $\begin{bmatrix} -1 & 1 \\ \frac{3}{x} & -\frac{2}{x} \end{bmatrix}$ (xvi) $\frac{x-1}{-x^3+x^2+2x-1} \begin{bmatrix} \frac{1}{x-1} & 1-x \\ -x-1 & x \end{bmatrix}$ **3.** $-2, 2$ **4.** -24 **5.** $-\frac{1}{2}$

6. (a) -29 (b) 80 (c) 0 (d) -11 **7.** (a) $\frac{1}{29} \begin{bmatrix} 5 & -7 & 13 \\ -7 & 4 & 5 \\ 4 & 6 & -7 \end{bmatrix}$ (b) $\frac{1}{80} \begin{bmatrix} 9 & 10 & 7 \\ -1 & -10 & 17 \\ 14 & -20 & 2 \end{bmatrix}$ (c) does not exist.

(d) $\frac{1}{11} \begin{bmatrix} 2 & 3 & -1 \\ 5 & 2 & 3 \\ 4 & 6 & 9 \end{bmatrix}$ **8.** $-5 \frac{1}{5} \begin{bmatrix} 1 & -2 & 4 \\ -1 & 2 & 1 \\ 2 & 1 & -2 \end{bmatrix}$ **9.** $p = 2 \frac{1}{35} \begin{bmatrix} 5 & 4 & 7 \\ 10 & -6 & 7 \\ 5 & 11 & -7 \end{bmatrix}$ **11.** $-\frac{23}{4} \frac{1}{23} \begin{bmatrix} -15 & 6 & -8 \\ 26 & 8 & 20 \\ -4 & -3 & 4 \end{bmatrix}$

12. $x = 1$

13. -2 $\begin{bmatrix} 11 & -9 & -10 \\ -1 & 1 & 1 \\ 8 & -\frac{13}{2} & -\frac{15}{2} \end{bmatrix}$ **15.** (a) $AB = \begin{bmatrix} 5 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 5 \end{bmatrix}$, $A^{-1} = \frac{1}{5} \begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 2 \\ 1 & 0 & 1 \end{bmatrix}$

(b) $AB = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$, $A^{-1} = \begin{bmatrix} 2 & 3 & 5 \\ 1 & 2 & 3 \\ 1 & -1 & 1 \end{bmatrix}$ (c) $AB = \begin{bmatrix} 3 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & 3 \end{bmatrix}$, $A^{-1} = \frac{1}{3} \begin{bmatrix} 1 & 1 & 1 \\ 2 & -1 & 2 \\ 1 & 3 & 2 \end{bmatrix}$

- 16.** (a) 0,1,3 (b) -2,0 **18.** (d) $\alpha = 14$, $\beta = 3$ (e) 1 (or 0, but we will assume that A is not singular). **21.** (a) -2 (b) $k = -1$


EXERCISE 11.3

- 1.** (i) (1,-1) (ii) (4,-3) (iii) (-3,-3) (iv) (-2,-1) (v) (2,5) (vi) (1,0) (vii) (0,3) (viii) (-2,4)
 (ix) (0.5,2) (x) (2,0.6) (xi) (-1,-3) (xii) (-2,2) (xiii) $\left(3, \frac{1}{3}\right)$ (xiv) (5,-2) (xv) (5,4)
- 2.** (i) $a = -2$ $b = -4$ (ii) $a = -2$ $b \neq -4$ **3.** ± 2 **4.** (a) (1,-3,2) (b) (5,-3,-1) (c) (-0.6,-4.2,-1.4)
5. (78,29,-47) **6.** $\left(\frac{4}{11}, \frac{9}{11}, \frac{7}{11}\right)$ **7.** (a) $m \neq -1, 2$ (b) $m = -1$ (c) $m = 2$ **8.** (a) $p \neq 1.2$
 (b) $p = 1.2$, $k \neq 6$ (c) $p = 1.2$, $k = 6$ **9.** (a) (4,0) (b) \emptyset (c) (2,-3) (d) (2,3,-2)
 (e) $(4 + 2\lambda, 3 - \lambda, \lambda)$ (f) (1,2,-2) (g) \emptyset (h) $(2\lambda - 1, \lambda, \lambda)$ (i) \emptyset
- 10.** $y = x^2 + 6x - 14$ **11.** $y = -\left(\frac{\lambda}{2} + 6\right)x^2 + \left(\frac{\lambda}{2} + 13\right)x + \lambda$ **12.** (a) i. $\left(-\frac{7\lambda}{11}, -\frac{\lambda}{11}, \lambda\right)$
 ii. $\left(\frac{7-7\lambda}{11}, \frac{1-\lambda}{11}, \lambda\right)$ (b) (0,0,0) **13.** (a) 1,-2 (b) i. 1,-2 ii. neither 1 nor -2 iii. \emptyset

EXERCISE 12.1


- 1.** vector **2.** scalar **3.** scalar **4.** vector **5.** vector **6.** vector **7.** scalar **8.** scalar

EXERCISE 12.2



- 3.** (a) {a, b, e, g, u} (b) {a, c}, {d, f}, {b, e} (c) {a,c}, {c, g} (d) {d, f}, {b, e}
 (e) {d, f}, {b, e}, {a, c}

4.




5. (a) AC (b) AB (c) AD (d) BA (e) 0 6. (a) Y (b) N (c) Y (d) Y (e) N

7.

(a) i.

(b) i.

(c) i.



ii. $\sqrt{325}$

ii. $20\sqrt{2}(1 - \cos 110^\circ)$

ii. $10\sqrt{5} - 4\cos 110^\circ$

8. 72.11 N, E 33°41' N 9. 2719 N along river 10. (b) i. 200 kph N ii. 213.6 kph, N 7°37' W
11. i. 200 ii. 369.32

EXERCISE 12.3

1. (a) $c - a$ (b) $b - c$ (c) $\frac{1}{2}(b + a)$ 2. (a) $b - a$ (b) $b - 2a$ (c) $2b - 3a$ (d) $\frac{1}{2}(b + 2a)$ 3. (a) 0 (b) PS (c) AY (d) 6OC 4. (a) $\frac{1}{2}(b + a)$ (b) $\frac{1}{3}(2b + a)$ (c) $\frac{1}{4}(a + b + 2c)$ 7. (a) $c - b$ (b) $c + a$ (c) $a + c - 2b$ 8. (a) $2\sqrt{21}$ (b) $2\sqrt{26}$ 15. $m = \frac{13}{23}, n = \frac{50}{23}$ 16. $m = \frac{4}{3}$

EXERCISE 12.4

1. (i) $4i + 28j - 4k$ (ii) $12i + 21j + 15k$ (iii) $-2i + 7j - 7k$ (iv) $-6i - 12k$ 2. (i) $3i - 4j + 2k$ (ii) $-8i + 24j + 13k$ (iii) $18i - 32j + k$ (iv) $-15i + 36j + 12k$

3. (i) $\begin{pmatrix} 11 \\ 0 \\ 8 \end{pmatrix}$ (ii) $\begin{pmatrix} -27 \\ 1 \\ -22 \end{pmatrix}$ (iii) $\begin{pmatrix} -3 \\ -6 \\ 12 \end{pmatrix}$ (iv) $\begin{pmatrix} 16 \\ -1 \\ 14 \end{pmatrix}$ 4. $\begin{pmatrix} -5 \\ 3 \end{pmatrix}$ 5. $\begin{pmatrix} -2 \\ 3 \end{pmatrix}, (-2, 3)$

6. (i) $8i - 4j - 28k$ (ii) $-19i - 7j - 16k$ (iii) $-17i + j + 22k$ (iv) $40i + 4j - 20k$

7. (i) $\begin{pmatrix} 20 \\ 1 \\ 25 \end{pmatrix}$ (ii) $\begin{pmatrix} 12 \\ 2 \\ 16 \end{pmatrix}$ (iii) $\begin{pmatrix} -4 \\ -38 \\ -32 \end{pmatrix}$ (iv) $\begin{pmatrix} -20 \\ -22 \\ -40 \end{pmatrix}$ 8. A = -4, B = -7

9. i. (2, -5) ii. (-4, 3) iii. (-6, -5) 10. Depends on basis used. Here we used: East as i , North j and vertically up k (b) $D = 600i - 800j + 60k$, $A = -1200i - 300j + 60k$ (c) $1800i - 500j$

EXERCISE 12.5

1. (i) $\sqrt{10}$ (ii) $5\sqrt{2}$ (iii) $\sqrt{30}$ (iv) 3 (v) $\sqrt{53}$ (vi) $\sqrt{41}$ (vii) $\sqrt{14}$ (viii) $\sqrt{17}$

2. (i) $\frac{1}{\sqrt{2}}(\mathbf{i} + \mathbf{j})$ (ii) $\frac{1}{\sqrt{41}}(4\mathbf{i} + 5\mathbf{j})$ (iii) $\frac{1}{\sqrt{5}}(-\mathbf{i} - 2\mathbf{j})$ (iv) $\frac{1}{\sqrt{46}}(\mathbf{i} + 6\mathbf{j} - 3\mathbf{k})$ (v) $\frac{1}{\sqrt{5}}(\mathbf{i} + 2\mathbf{k})$

(vi) $\frac{1}{\sqrt{17}}(2\mathbf{i} - 2\mathbf{j} - 3\mathbf{k})$ (vii) $\frac{1}{3} \begin{pmatrix} 2 \\ 1 \\ 2 \end{pmatrix}$ (viii) $\frac{1}{3\sqrt{3}} \begin{pmatrix} -1 \\ 5 \\ 1 \end{pmatrix}$ 3. i. Depends on the basis: $-3\mathbf{i} + 4\mathbf{j} + \mathbf{k}$

or $-4\mathbf{i} - 3\mathbf{j} + \mathbf{k}$ ii. $\sqrt{26}$ 4. (a) $\sqrt{3}(\mathbf{i} - \mathbf{j} + \mathbf{k})$ (b) $\frac{1}{4}(3\mathbf{i} - \mathbf{j} + \sqrt{2}\mathbf{k})$ 5. $\pm\sqrt{11}$ 6. $\sqrt{13}$

EXERCISE 12.6


1. (a) 4 (b) -11.49 (c) 25 2. (i) 12 (ii) 27 (iii) -8 (iv) -49 (v) 4 (vi) -21 (vii) 6 (viii) -4
(ix) -10 3. (i) 79° (ii) 108° (iii) 55° (iv) 50° (v) 74° (vi) 172° (vii) 80° (viii) 58° 4. (i) -8 (ii) 0.5

5. (a) -6 (b) 2 (c) not possible (d) 5 (e) not possible (f) 0 6. (a) $4 - 2\sqrt{3}$ (b) $2\sqrt{3} - 4$

(c) $14 - 2\sqrt{3}$ (d) not possible 7. 1 8. 105.2° 9. $x = -\frac{16}{7}, y = -\frac{44}{7}$ 10. $\pm\frac{1}{\sqrt{11}}(-\mathbf{i} + \mathbf{j} + 3\mathbf{k})$

12. (a) $\lambda(-16\mathbf{i} - 10\mathbf{j} + \mathbf{k})$ (b) e.g. $\mathbf{i} + \mathbf{j} + \frac{3}{7}\mathbf{k}$ 14. $\mathbf{a} \perp \mathbf{b} - \mathbf{c}$ if $\mathbf{b} \neq \mathbf{c}$ or $\mathbf{b} = \mathbf{c}$ 15. (a) $\left(\frac{3}{5}, \frac{4}{5}\right)$

(b) $\left(\frac{\sqrt{2}}{2}, \frac{1}{2}, -\frac{1}{2}\right)$ 16. (a) $\left(-\frac{2}{3}, \frac{2}{3}, \frac{1}{3}\right)$ (b) $131.8^\circ, 48.2^\circ, 70.5^\circ$ 18. (a) $\frac{1}{3}$ (b) $\frac{1}{\sqrt{3}}$



25. (a) Use \mathbf{i} as a 1 km eastward vector and \mathbf{j} as a 1 km northwards vector (b) $\overrightarrow{WD} = 4\mathbf{i} + 8\mathbf{j}$,
 $\overrightarrow{WS} = 13\mathbf{i} + \mathbf{j}$ and $\overrightarrow{DS} = 9\mathbf{i} - 7\mathbf{j}$ (c) $\frac{1}{\sqrt{80}}(4\mathbf{i} + 8\mathbf{j})$ (d) $\frac{d}{\sqrt{80}}(4\mathbf{i} + 8\mathbf{j})$ (e) $3\mathbf{i} + 6\mathbf{j}$

EXERCISE 12.7.1

1. (a) i. $r = \mathbf{i} + 2\mathbf{j}$ ii. $r = -5\mathbf{i} + 11\mathbf{j}$ iii. $r = 5\mathbf{i} - 4\mathbf{j}$ (b) line joins (1,2) & (5,-4)

2. (a) $r = 2\mathbf{i} + 5\mathbf{j} + \lambda(3\mathbf{i} - 4\mathbf{j})$ (b) $r = -3\mathbf{i} + 4\mathbf{j} + \lambda(-\mathbf{i} + 5\mathbf{j})$ (c) $r = \mathbf{j} + \lambda(7\mathbf{i} + 8\mathbf{j})$

(d) $r = \mathbf{i} - 6\mathbf{j} + \lambda(2\mathbf{i} + 3\mathbf{j})$ (e) $r = \begin{pmatrix} -1 \\ -1 \end{pmatrix} + \lambda \begin{pmatrix} -2 \\ 10 \end{pmatrix}$ or $r = -\mathbf{i} - \mathbf{j} + \lambda(-2\mathbf{i} + 10\mathbf{j})$

(f) $r = \begin{pmatrix} 1 \\ 2 \end{pmatrix} + \lambda \begin{pmatrix} 5 \\ 1 \end{pmatrix}$ or $r = \mathbf{i} + 2\mathbf{j} + \lambda(5\mathbf{i} + \mathbf{j})$

3. (a) $r = 2\mathbf{i} + 3\mathbf{j} + \lambda(2\mathbf{i} + 5\mathbf{j})$ (b) $r = \mathbf{i} + 5\mathbf{j} + \lambda(-3\mathbf{i} - 4\mathbf{j})$ (c) $r = 4\mathbf{i} - 3\mathbf{j} + \lambda(-5\mathbf{i} + \mathbf{j})$

4. (a) $r = 9\mathbf{i} + 5\mathbf{j} + \lambda(\mathbf{i} - 3\mathbf{j})$ (b) $r = 6\mathbf{i} - 6\mathbf{j} + t(-4\mathbf{i} - 2\mathbf{j})$ (c) $r = -\mathbf{i} + 3\mathbf{j} + \lambda(-4\mathbf{i} + 8\mathbf{j})$

(d) $r = \mathbf{i} + 2\mathbf{j} + \mu \left(\frac{1}{2}\mathbf{i} - \frac{1}{3}\mathbf{j} \right)$ 5. (a) $x = -8 + 2\mu$ (b) $x = 7 - 3\mu$ (c) $x = 5 + 2.5\mu$
 $y = 10 + \mu$ (d) $y = 4 - 2\mu$ (e) $y = 3 + 0.5\mu$

- (d) $x = 0.5 - 0.1t$ **6.** (a) $\frac{x-1}{3} = y-3$ (b) $\frac{x-2}{-7} = \frac{y-4}{-5}$ (c) $x+2 = \frac{y+4}{8}$
 (d) $x-0.5 = \frac{y-0.2}{-11}$ (e) $x = 7$ (f) $y = 6$ **7.** (a) $r = 2\mathbf{j} + t(3\mathbf{i} + \mathbf{j})$ (b) $r = 5\mathbf{i} + t(\mathbf{i} + \mathbf{j})$
 (c) $r = -6\mathbf{i} + t(2\mathbf{i} + \mathbf{j})$ **8.** (a) $6\mathbf{i} + 13\mathbf{j}$ (b) $-\frac{16}{3}\mathbf{i} - \frac{28}{3}\mathbf{j}$ **9.** $r = 2\mathbf{i} + 7\mathbf{j} + t(4\mathbf{i} + 3\mathbf{j})$
- 11.** (a) $(4, -2), (-1, 1), (9, -5)$ (b) -2 (d) $r = 4\mathbf{i} - 2\mathbf{j} + \lambda(-5\mathbf{i} + 3\mathbf{j})$ (e) i. $M \parallel L$ ii. $M = L$
12. $4x + 3y = 11$ **13.** (a) $\frac{-3}{\sqrt{13}}, \frac{2}{\sqrt{13}}$ (b) $\frac{4}{5}, \frac{3}{5}$ **14.** (b) ii. & iii. **15.** $(-83, -215)$
16. $r = \frac{k}{7}(19\mathbf{i} + 20\mathbf{j})$ **17.** (a) $\left(\frac{92}{11}, \frac{31}{11}\right)$ (b) \emptyset (c) Lines are coincident, all points are common.

EXERCISE 12.7.2

- 1.** (a) No (b) 52.5 mins after A **2.** (a) i. $\mathbf{r}_A = \begin{pmatrix} 5 \\ -1 \end{pmatrix} + t \begin{pmatrix} 3 \\ 4 \end{pmatrix}$ ii. $\mathbf{r}_B = \begin{pmatrix} 4 \\ 5 \end{pmatrix} + t \begin{pmatrix} 2 \\ -1 \end{pmatrix}$ (b) No
 (c) i. $\begin{pmatrix} 4 \\ 5 \end{pmatrix} + (t-1) \begin{pmatrix} 2 \\ -1 \end{pmatrix}$ ii. 11 am


EXERCISE 12.7.3

- 1.** (a) $r = 2\mathbf{i} + \mathbf{j} + 3\mathbf{k} + t(\mathbf{i} - 2\mathbf{j} + 3\mathbf{k})$ (b) $r = 2\mathbf{i} - 3\mathbf{j} - \mathbf{k} + t(-2\mathbf{i} + \mathbf{k})$
2. (a) $r = 2\mathbf{i} + 5\mathbf{k} + t(\mathbf{i} + 4\mathbf{j} + 3\mathbf{k})$ (b) $r = 3\mathbf{i} - 4\mathbf{j} + 7\mathbf{k} + t(4\mathbf{i} + 9\mathbf{j} - 5\mathbf{k})$
 (c) $r = 4\mathbf{i} + 4\mathbf{j} + 4\mathbf{k} + t(7\mathbf{i} + 7\mathbf{k})$ **3.** (a) $\frac{x}{3} = \frac{y-2}{4} = \frac{z-3}{5}$ (b) $\frac{x+2}{5} = \frac{z+1}{-2}, y=3$
 (c) $x = y = z$ **4.** $y = 2 + 2t$ $\mathbf{r} = \begin{pmatrix} 5 \\ 2 \\ 6 \end{pmatrix} + t \begin{pmatrix} -7 \\ 2 \\ -4 \end{pmatrix}$ $\frac{x-5}{-7} = \frac{y-2}{2} = \frac{z-6}{-4}$ **5.** $\left(\frac{13}{5}, \frac{23}{5}, 0\right)$
 $x = 2 + 3t$ $x = 1 + 1.5t$ $x = 3 - t$ $x = 1 + 2t$
6. (a) $y = 5 + t$ (b) $y = t$ (c) $y = 2 - 3t$ (d) $y = 3 + 2t$
 $z = 4 + 0.5t$ $z = 4 - 2t$ $z = 4 + 2t$ $z = 2 + 0.5t$
7. (a) $\frac{x-4}{3} = \frac{y-1}{-4} = \frac{z+2}{-2}$ (b) $x=2, y = \frac{z-1}{-3}$ **9.** (a) $\frac{x+1}{2} = y-3 = \frac{z-5}{-1}$
 (b) $\frac{x-2}{2} = \frac{z-1}{-2}, y=-1$ **10.** (a) $(1, -1, 0)$ (b) $a = 15, b = -11$

11. (a) $x = 1 + t$

$y = 4 - t$


$z = -2$



(b) $x = 2 + 2t$

$y = 1$

$z = 3$



12. $\mathbf{r} = \begin{pmatrix} 1 \\ 0.5 \\ 2 \end{pmatrix} + t \begin{pmatrix} 2 \\ -1.5 \\ 1 \end{pmatrix}$. Line passes through $(1, 0.5, 2)$ and is parallel to the vector $2\mathbf{i} - \frac{3}{2}\mathbf{j} + \mathbf{k}$

13. (a) 54.74° (b) 82.25° (c) 57.69° **14.** (a) $(4, 10.5, 15)$ (b) Does not intersect.

15. (a) L: $x = \frac{y-2}{2} = \frac{z}{5}$, M: $\frac{x+1}{2} = \frac{y+1}{3} = \frac{z-1}{-2}$ (b) \emptyset (c) 84.92° (d) i. $(0, 2, 0)$ ii. $\left(0, \frac{1}{2}, 0\right)$

18. $\frac{x}{4} = \frac{y}{9} = \frac{z}{3}$ **19.** $k = -\frac{7}{2}$ **20.** 64° **21.** 3 or -2 **22.** $12\mathbf{i} + 6\mathbf{j} - 7\mathbf{k}$ (or any multiple thereof) **23.** Not parallel. Do not intersect. Lines are skew.

EXERCISE 13.1

- 1.** (a) i. 14 500 ii. 2 000 (b) 305 (304.5) **2.** Sample size is large but may be biased by factors such as the location of the catch. Population estimate is 5 000. **3.** (a) i. 1500 ii. 120 (b) 100 (c) 1 000 **4.** (a), (c) numerical, (b), (d), (e) categorical **5.** (a), (d) discrete, (b), (c), (e) continuous

EXERCISE 13.2

1.


218-220	221-223	224-226	227-229	230-232	233-235	236-238	239-241	242-244	245-247
1	4	4	3	6	8	9	5	7	1

2.

1.1-1.2	1.2-1.3	1.3-1.4	1.4-1.5	1.5-1.6	1.6-1.7	1.7-1.8	1.8-1.9	1.9-2.0	2.0-2.1
5	1	2	2	7	6	1	12	7	5

3. Set A Mode = 29.1 Mean = 27.2 Median = 27.85

Set B Mode = 9 Mean = 26.6 Median = 9. Set B is much more spread out than set A and although the two sets have a similar mean, they have very different mode and median.



EXERCISE 13.3

- 1.** Mode = 236-238gms Mean = 234gms Median = 235gms **2.** Mode = 1.8-1.9gms Mean = 1.69gms Median = 1.80gms **3.** Set A Mode = 29.1 Mean = 27.2 Median = 27.85 Set B Mode = 9 Mean = 26.6 Median = 9. **4.** (a) \$27522 (b) \$21025 (c) Median **5.** i. \$233 300 ii. \$169 000 iii. Median **6.** (a) 14.375 (b) 14.354

EXERCISE 13.4

- 1.** (a) Sample A Mean = 1.99kg Sample B Mean = 2.00kg (b) Sample A Sample std = 0.0552kg Sample B Sample std = 0.1877kg (c) Sample A Population std = 0.0547kg Sample B Population std = 0.1858kg **2.** (a) 16.41 (b) 6.84 **3.** Mean = 49.97 Std = 1.365


EXERCISE 13.5

- 1.** (a) Med = 5, Q1 = 2, Q3 = 7, IQR = 5 (b) Med = 3.3, Q1 = 2.8, Q3 = 5.1, IQR = 2.3 (c) Med = 163.5, Q1 = 143, Q3 = 182, IQR = 39 (d) Med = 1.055, Q1 = 0.46, Q3 = 1.67, IQR = 1.21 (e) Med = 5143.5, Q1 = 2046, Q3 = 6252, IQR = 4206 **2.** (a) Med = 3, Q1 = 2, Q3 = 4, IQR = 2 (b) Med = 13, Q1 = 12, Q3 = 13, IQR = 1 (c) Med = 2, Q1 = 2, Q3 = 2.5, IQR = 0.5 (d) Med = 40, Q1 = 30, Q3 = 50, IQR = 20


(e) Med = 20, Q1 = 15, Q3 = 22.5, IQR = 7.5

3. (a) \$84.67 (b) \$147.85 (c) \$11 (d) Q1 = \$4.50, Q3 = \$65 IQR = \$60.50 (e) Median & IQR.

4. (a) 2.35 (b) 1.25 (c) 2 (d) Q1 = 1, Q3 = 3, IQR = 2 5. (a) \$232 (b) \$83




Med = \$220
Q1 = \$160
Q3 = \$310
IQR = \$150



Med = 14
Q1 = 10
Q3 = 19
IQR = 9

EXERCISE 13.6

1. (a) Sample – 100 randomly selected patients, population – all suffering from AIDS
(b) Sample – 1000 working aged people in N.S.W, population – all working aged people in N.S.W
(c) Sample – John's I.B Higher Maths class, population – all seniors at Nappa Valley High School.
2. Discrete: a, b, d; Continuous: c, e, f, g.
3. (b)



4. suggested answers only: (a) 200–224; 225–249; 250–274; ... 575–599
(b) 100–119; 120–139; ... 400–419 (c) 440–459; 460–479; ... 780–799.

5. Make use of your graphics calculator

6. (a) 16 (b) graphics calculator (c) 15.23
(d) 15.5 (e) Q1 = 14, Q3 = 17 (f) 15.87 (2dec.pl.)
7. (a) 30–34 (b) graphics calculator (c) 30.4
(d) 32 (approx)
8. (b) 215.5 (c) 216.2 9. 48.17
10. (a) Q1 ~ 35, Q3 ~ 95 (b) ~ 104 (c) 60% (d) 67.15
11. range = 19, s = 5.49 12. 5.8; 1.50 13. 17.4; $s_n = 3.12$ $s_{n-1} = 3.18$
14. (a) 6 (b) 7 (c) Q1 = 5, Q3 = 7 (d) 2 (e) 6.15 (f) 1.61
15. $s_n = 18.8$, $s_{n-1} = 19.1$ 16. 14.18

EXERCISE 14.1

1. 15 2. (a) 25 (b) 625 3. (a) 24 (b) 256 4. (a) 24 (b) 48 5. 15 6. 270 7. 120 8. 336 9. 60
10. (a) 362880 (b) 80640 (c) 1728 11. 20 12. (a) 10! (b) $2 \times 8!$ (c) i. $2 \times 9!$ ii. $8 \times 9!$ 13. 34650
14. 4200 15. 4

EXERCISE 14.2

- 1.** 792 **2.** (a) 1140 (b) 171 **3.** 1050 **4.** 70 **5.** 2688 **6.** (a) 210 (b) 420 **7.** 24000 **8.** 8 **9.** 155
10. 5

EXERCISE 14.3

- 1.** (a) 120 (b) 325 **2.** 5040 **3.** 5040; (a) 144 (b) 1440 **4.** (a) 720 (b) 240 **5.** 11760 **6.** 7056; 4606
7. (a) 840 (b) 1680 **8.** 190 **9.** 10080 **10.** 226800 **11.** (a) 715 (b) 315 (c) 665 **13.** nC_2 **14.** nC_4
15. (b) 92 **16.** 252 **17.** (a) 1287 (b) 560 **18.** 256 **19.** 288 **20.** (a) 10080 (b) 30240 (c) 14400
21. 10080, 1080 **22.** 3528000 **23.** 720; 240 **24.** 103680 **25.** (a) 12 (b) 128 **26.** 2880
27. (a) 30030 (b) 37310 **28.** 77055 **29.** (a) 48 (b) 72

EXERCISE 15.1


- 1.** (a) $\frac{2}{5}$ (b) $\frac{3}{5}$ (c) $\frac{2}{5}$ **2.** (a) $\frac{2}{7}$ (b) $\frac{5}{7}$ **3.** (a) $\frac{5}{26}$ (b) $\frac{21}{26}$ **4.** {HH, HT, TH, TT} (a) $\frac{1}{4}$ (b) $\frac{3}{4}$
5. {HHH, HHT, HTH, THH, TTT, TTH, THT, HTT} (a) $\frac{3}{8}$ (b) $\frac{1}{2}$ (c) $\frac{1}{4}$ **6.** (a) $\frac{2}{9}$ (b) $\frac{2}{9}$ (c) $\frac{2}{3}$ (d) $\frac{1}{3}$
7. (a) $\frac{1}{2}$ (b) $\frac{3}{10}$ (c) $\frac{9}{20}$ **8.** (a) $\frac{11}{36}$ (b) $\frac{1}{18}$ (c) $\frac{1}{6}$ (d) $\frac{5}{36}$ **9.** {GGG, GGB, GBG, BGG, BBB,
 BBG, GBB} (a) $\frac{1}{8}$ (b) $\frac{3}{8}$ (c) $\frac{1}{2}$ **10.** (a) $\frac{1}{2}$ (b) $\frac{1}{4}$ (c) $\frac{1}{4}$ **11.** (a) $\frac{3}{8}$ (b) $\frac{1}{4}$ (c) $\frac{3}{8}$ (d) $\frac{3}{4}$
12. (a) {(1, H), (2, H), (3, H), (4, H), (5, H), (6, H), (1, T), (2, T), (3, T), (4, T), (5, T), (6, T)}
 (b) $\frac{1}{4}$ **13.** (a) $\frac{1}{216}$ (b) $\frac{1}{8}$ (c) $\frac{3}{8}$

EXERCISE 15.2

- 1.** (a) $\frac{1}{4}$ (b) $\frac{5}{8}$ (c) $\frac{3}{4}$ **2.** (a) $\frac{1}{13}$ (b) $\frac{1}{2}$ (c) $\frac{1}{26}$ (d) $\frac{7}{13}$ **3.** $\frac{9}{26}$ **4.** (a) 1.0 (b) 0.3 (c) 0.5 **5.** (a) 0.65
 (b) 0.70 (c) 0.65 **6.** (a) 0.95 (b) 0.05 (c) 0.80 **7.** (a) {TTT, TTH, THT, HTT, HHH, HHT, HTH,
 THH} (b) $\frac{3}{8}$ (c) $\frac{1}{2}$ (d) $\frac{1}{4}$ (e) $\frac{3}{8}$ **8.** (a) $\frac{6}{25}$ (b) $\frac{6}{25}$ (c) $\frac{13}{25}$ **9.** (b) $\frac{3}{4}$ (c) $\frac{1}{2}$ (d) $\frac{1}{6}$ (e) $\frac{7}{13}$
10. (a) $\frac{1}{4}$ (b) $\frac{1}{2}$ (c) $\frac{8}{13}$ (d) $\frac{7}{13}$ **11.** (a) 0.1399 (b) 0.8797 (c) 0.6 **12.** (b) $\frac{4}{15}$ (c) $\frac{4}{15}$ (d) $\frac{11}{15}$

EXERCISE 15.3

- 1.** (a) 0.7 (b) 0.75 (c) 0.50 (d) 0.5 **2.** (a) 0.5 (b) 0.83 (c) 0.10 (d) 0.90



- (c) 0.8629 **12.** (a) 0.44 (b) 0.733 **14.** (a) 0.512 (b) 0.128 (c) 0.8571 **15.** (a) 0.2625 (b) 0.75
(c) 0.4875 (d) 0.7123 **16.** (a) 0.027 (b) 0.441 (c) 0.453

EXERCISE 15.4

- 1.** (a) 0.042 (b) 0.7143 **2.** (a) 0.4667 (b) 0.3868 **3.** (a) $\frac{5}{7}$ (b) $\frac{9}{13}$ **4.** $\frac{5}{9}$ **5.** (b) i. $\frac{1}{40}$ ii. 0.2
6. (a) i. $\frac{2N-m}{2N}$ ii. $\frac{2(N-m)}{2N-m}$ (b) $\frac{m}{m+(N-m)2^n}$ **7.** $\frac{9}{19}$ **8.** a. 0.07 b. 0.3429 c. 0.30
d. 0.0282 **9.** a. 0.8008 b. 0.9767 c. 0.0003 **10.** a. 0.0464 b. 0.5819 c. 0.9969
11. a. 0.2 b. 0.08 c. 0.72 d. $\begin{bmatrix} 0.8 & 0.2 \\ 0.4 & 0.6 \end{bmatrix}$; $\begin{bmatrix} 0.72 & 0.28 \\ 0.56 & 0.44 \end{bmatrix}$ g. 0.688


EXERCISE 15.5

- 1.** (a) $\frac{5}{126}$ (b) $\frac{5}{18}$ (c) $\frac{1}{126}$ **2.** (a) $\frac{1}{5}$ (b) $\frac{1}{10}$ (c) $\frac{2}{5}$ (d) $\frac{3}{5}$ **3.** (a) $\frac{72}{5525}$ (b) $\frac{1}{5525}$ (c) $\frac{1}{1201}$ **4.** $\frac{2}{5}$
5. (a) $\frac{63}{143}$ (b) $\frac{133}{143}$ **6.** (a) $\frac{5}{12}$ (b) $\frac{5}{33}$ (c) $\frac{5}{6}$ **7.** $\frac{3}{11}$ **8.** (a) $\frac{4}{13}$ (b) $\frac{9}{13}$ **9.** (a) $\frac{67}{91}$ (b) $\frac{22}{91}$
10. (a) $\frac{1}{4}$ (b) $\frac{1}{28}$ (c) $\frac{5}{14}$ **11.** (a) $\frac{5}{28}$ (b) $\frac{1}{28}$ **12.** $\frac{6}{13}$ **13.** (a) $\frac{1}{6}$ (b) $\frac{1}{4}$ **14.** (a) $\frac{1}{210}$ (b) $\frac{7}{9}$
15. (a) $\frac{7}{1938}$ (b) 0.6 **16.** $\frac{11}{21}$

EXERCISE 16.1

- 1.** 0.3 **2.** (a) 0.1 (b) i. 0.2 ii. 0.7

3. (a) $p(0) = \frac{6}{15}$, $p(1) = \frac{8}{15}$, $p(2) = \frac{1}{15}$ (b) $15 \cdot p(x)$



(c) $\frac{14}{15}$


- 4.** (a) $\{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\}$

(b)


x	2	3	4	5	6	7	8	9	10	11	12
$p(x)$	$\frac{1}{36}$	$\frac{2}{36}$	$\frac{3}{36}$	$\frac{4}{36}$	$\frac{5}{36}$	$\frac{6}{36}$	$\frac{5}{36}$	$\frac{4}{36}$	$\frac{3}{36}$	$\frac{2}{36}$	$\frac{1}{36}$

(c) $\frac{5}{36}$


(d) $\frac{6}{36}$



- 5.** (a)



- (b)



(c) $\frac{4}{7}$


$p(0) = \frac{1}{8}$

$p(1) = \frac{3}{8}$

$p(2) = \frac{3}{8}$

$p(3) = \frac{1}{8}$

- 6.** (a) $\frac{1}{35}$ (b) i. $p(0) = \frac{1}{35}, p(1) = \frac{4}{35}, p(2) = \frac{7}{35}$
ii. $p(3) = \frac{10}{35}, p(4) = \frac{13}{35}$
(c) $\frac{6}{7}$ **7.** (a) i. 0.9048 ii. 0.09048



- (b) 0.0002 **8.** 0.3712 **9.** $p(0) = \frac{11}{30}, p(-1) = \frac{1}{2}, p(3) = \frac{2}{15}$ (b) i. $\frac{11}{30}$ ii. $\frac{13}{15}$

n	0	1	2
$P(N = n)$	$\frac{6}{15}$	$\frac{8}{15}$	$\frac{1}{15}$

n	1	2	3	4
$P(N = n)$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$

s	2	3	4	5	6	7	8
$P(S = s)$	$\frac{1}{16}$	$\frac{2}{16}$	$\frac{3}{16}$	$\frac{4}{16}$	$\frac{3}{16}$	$\frac{2}{16}$	$\frac{1}{16}$

- 12.** (a) 0.81 (b) 0.2439

EXERCISE 16.2

- 1.** (a) 2.8 (b) 1.86 **2.** (a) 3 (b) i. 1 ii. 1 (c) i. 6 ii. 0.4 **3.** (a) i. 1.3 ii. 2.5 iii. -0.1 (b) i. 0.9 ii. 7.29 (c) i. $\frac{31}{60}$ ii. 0.3222 **4.** $\mu = \frac{2}{3}, \sigma^2 = 0.3556$ **5.** (a) 7 (b) 5.8333 **6.** $np = 3 \times \frac{1}{2} = 1.5$
7. (a) $\frac{1}{25}$ (b) 2.8 (c) 1.166 **8.** (a) 0.1 (b) i. 0.3 ii. 1 (c) i. 0 ii. 1 iii. 2 **9.** 5.56

- 10.** $p(0) = \frac{35}{120}, p(1) = \frac{63}{120}, p(2) = \frac{21}{120}, p(3) = \frac{1}{120}$ (b) i. 0.9 ii. 0.49 (c) $W = 3N - 3$

- $E(W) = -0.3$ **11.** (a) \$-1.00 (b) both the same **12.** (a) 50 (b) 18 (c) 2 **13.** (a) 11 (b) $\frac{\sqrt{3}}{3}$ (c) -4

- 14.** (a) 0.75 (b) 0.6339 **15.** (a) $E(X) = 1 - 2p, \text{Var}(X) = 4p(1-p)$ (b) i. $n(1 - 2p)$ ii. $4np(1-p)$

n	0	1	2
$P(N = n)$	$\frac{28}{45}$	$\frac{16}{45}$	$\frac{1}{45}$



$$W = 21.43$$

- 17.** (a) $a = \frac{2}{3}, 0 \leq b \leq 1$

- (b) $E(X) = \frac{b+1}{3}, \text{Var}(X) = \frac{1}{9}(2 + 7b - b^2)$ **18.** (a) $E(X) = 4, \text{Var}(X) = 20$

EXERCISE 16.3

- 1.** (a) 0.2322 (b) 0.1737 (c) 0.5941 **2.** (a) 0.3292 (b) 0.8683 (c) 0.2099 (d) 0.1317 **3.** (a) 0.1526
(b) 0.4812 (c) 0.5678 **4.** (a) 0.7738 (b) 3.125×10^{-7} (c) 0.9988 (d) 3×10^{-5} **5.** (a) 0.2787
(b) 0.4059 **6.** (a) 0.2610 (b) 0.9923 **7.** (a) 0.2786 (b) 0.7064 (c) 0.1061 **8.** (a) 0.1318
(b) 0.8484 (c) 0.0549 (d) 0.3296 **9.** (a) 0.2938 (b) 0.6531 (c) 0.0027 (d) 0.9726 (e) 12.86
10. (a) 0.0039 (b) 0.2734 (c) 0.6367 (d) 0.9648 **11.** (a) 0.3125 (b) 0.0156 (c) 0.3438 (d) 3
12. (a) 0.2785 (b) 0.3417 (c) 120 **13.** (a) 0.0331 (b) 0.5695 **14.** (a) 0.4305 (b) 0.9619 (c) \$720
(d) 0.2059 **15.** (a) i. 1.4 ii. 1 iii. 1.058 iv. 0.0795 v. 0.0047 (b) i. 3.04 ii. 3 iii. 1.373
iv. 0.2670 v. 0.1390 **16.** 38.23 **19.** (a) i. 0.1074 ii. 7.9×10^{-4} iii. 0.3758 (b) at least 6
20. (a) $\frac{4}{3}$ (b) $\frac{10}{9}$ (c) $\frac{1}{6}$ (d) $\frac{5}{288}$ **21.** (a) 20 (b) 3.4641 **22.** (a) 102.6 (b) 0.000254 **23.** (a) i. 6
ii. 2.4 (b) i. 6 ii. 3.6 **24.** 0.1797 **25.** 1.6, 1.472 **26.** (a) 0.1841 (b) \$11.93 **27.** (a) \$8 (b) \$160



EXERCISE 17.1

- 1.** (i) 0.6915 (ii) 0.9671 (iii) 0.9474 (iv) 0.9965 (v) 0.9756 (vi) 0.0054 (vii) 0.0287
 (viii) 0.0594 (ix) 0.0073 (x) 0.8289 (xi) 0.6443 (xii) 0.0823 **2.** (i) 0.0360 (ii) 0.3759
 (iii) 0.0623 (iv) 0.0564 (v) 0.0111 (vi) 0.2902 (vii) 0.7614 (viii) 0.0343 (ix) 0.6014 (x) 0.1450
 (xi) 0.9206 (xii) 0.2668 (xiii) 0.7020 (xiv) 0.9132 (xv) 0.5203 (xvi) 0.8160 (xvii) 0.9388
 (xviii) 0.7258


EXERCISE 17.2

- 1.** (a) 0.0228 (b) 0.9332 (c) 0.3085 (d) 0.8849 (e) 0.0668 (f) 0.9772 **2.** (a) 0.9772 (b) 0.0668
 (c) 0.6915 (d) 0.1151 (e) 0.9332 (f) 0.0228 **3.** (a) 0.3413 (b) 0.1359 (c) 0.0489 **4.** (a) 0.6827
 (b) 0.1359 (c) 0.3934 **5.** (a) 0.8413 (b) 0.4332 (c) 0.7734 **6.** (a) 0.1151 (b) 0.1039 (c) 0.1587
7. (a) 0.1587 (b) 0.6827 (c) 0.1359 **8.** (a) 0.1908 (b) 0.4754 (c) 16.88 **9.** (a) 0.1434 (b) 0.6595
10. (a) 0.2425 (b) 0.8413 (c) 0.5050 **11.** (a) -1.2816 (b) 0.2533 **12.** (a) 58.2243 (b) 41.7757
 (c) 59.80 **13.** 39.11 **14.** 9.1660 **15.** 42% **16.** 0.7021 **17.** (i) 0.2903 (ii) 0.4583 (iii) 0.2514
18. 23% **19.** 0.5 **20.** 11% **21.** 5% **22.** 14% **23.** 1.8 **24.** 252 **25.** 0.1517 **26.** 0.3821
27. 0.22 **28.** 322 **29.** 0.1545 **30.** 7 **31.** 87 **32.** (a) i. 0.0062 ii. 0.0478 iii. 0.9460 (b) 0.0585
33. (a) \$5.11 (b) \$7.39 **34.** (a) 0.0062 (b) i. 0.7887 ii. 0.0324 (c) \$1472
35. (a) $\mu = 66.86$, $\sigma = 10.25$ (b) \$0.38S **36.** (a) $\mu = 37.2$, $\sigma = 28.2$ (b) 20 (19.9)
37. (a) i. 0.3446 ii. 0.2347 (b) i. 0.3339 ii. 0.3852 (c) 0.9995

EXERCISE 18.1

- 1.** (a) $\frac{3}{4}$ (b) $\frac{3a}{4b}$ (c) -1 (d) 1 (e) $-\frac{15}{8}$ (f) 0 **2.** (a) 4 (b) 0.2 (c) 0.027 (d) 0.433 (e) -0.01 (f) -30
 (g) 6.2 (h) 1 **3.** (a) 6 m/s (b) 30 m/s (c) $11 + 6h + h^2$ m/s **4.** 12 m/s **5.** $8 + 2h$ **6.** -3.49 °C/sec
7. (a) $127\pi \text{ cm}^3/\text{cm}$ (b) i. $19.6667\pi \text{ cm}^3/\text{cm}$ ii. $1.9967\pi \text{ cm}^3/\text{cm}$ iii. $0.2000\pi \text{ cm}^3/\text{cm}$ **8.** 1.115
9. (a) -7.5 °C/min (b) $t = 2$ to $t = 6$ **10.** (a) 28 m (b) 14 m/s (c) average speed (d) 49 m
 (e) 49 m/s **11.** (a) \$1160, \$1345.6, \$1560.90, \$1810.64, \$2100.34 (b) \$220.07 per year


EXERCISE 18.2




EXERCISE 18.3

- 1.** (a) $h + 2$ (b) $4 + h$ (c) $\frac{-1}{1+h}$ (d) $3 - 3h + h^2$ **2.** (a) 2 (b) 4 (c) -1 (d) 3 **3.** (a) $2a + h$

- (b) $-(2a + h)$ (c) $(2a + 2) + h$ (d) $3a^2 + 1 + 3ah + h^2$ (e) $-(3a^2 + 3ah + h^2)$
 (f) $3a^2 - 2a + (3a - 1)h + h^2$ (g) $\frac{-2}{a(a+h)}$ (h) $-\frac{1}{(a-1)(a-1+h)}$ (i) $\frac{1}{\sqrt{a+h} + \sqrt{a}}$
- 4.** (a) 1 ; 1 (b) $2a + h$; $2a$ (c) $3a^2 + 3ah + h^2$; $3a^2$ (d) $4a^3 + 6a^2h + 4ah^2 + h^3$; $4a^3$
- 5.** (a) (b) i. 3 ms^{-1} ii. 2 ms^{-1} iii. 1.2 ms^{-1} **6.** (b) i. 20 cm^2 ii. 17.41 cm^2



- (d) $1 + 2h$
 (d) Find (limit) as $h \rightarrow 0$
 (e) $4t - 3$



- (a) iii. 2.59 cm^2 iv. $-1.29 \text{ cm}^2\text{day}^{-1}$


(c) $20(1 - 2^{-0.1h}) \text{ cm}^2\text{day}^{-1}$

(d) i. $-1.3863 \text{ cm}^2\text{day}^{-1}$

ii. $-1.2935 \text{ cm}^2\text{day}^{-1}$

EXERCISE 18.4

- 1.** (a) 3 (b) 8 (c) $-\frac{1}{9}$ (d) 1.39 (e) -1 (f) $\frac{17}{16}$ **2.** (a) 4.9 m (b) $4.9(h^2 + 2h)$ m (c) 9.8 m/s
3. (a) $8x$ (b) $10x$ (c) $12x^2$ (d) $15x^2$ (e) $16x^3$ (f) $20x^3$ **4.** (a) $4x$ (b) -1 (c) $-1 + 3x^2$ (d) $-x^{-2}$
 (e) $-2(x+1)^{-2}$ (f) $0.5x^{-1/2}$ **5.** (a) 1 ms^{-1} (b) $(2-a) \text{ ms}^{-1}$



- (b) i. 5 ms^{-1} ii. 4 ms^{-1} (c) $8t - 3t^2 \text{ ms}^{-1}$ (d) $\frac{8}{3} \text{ sec}$

EXERCISE 19.1

- 1.** (a) $5x^4$ (b) $9x^8$ (c) $25x^{24}$ (d) $27x^2$ (e) $-28x^6$ (f) $2x^7$ (g) $2x$ (h) $20x^3 + 2$ (i) $-15x^4 + 18x^2 - 1$
 (j) $-\frac{4}{3}x^3 + 10$ (k) $9x^2 - 12x$ (l) $3 + \frac{2}{5}x + 4x^3$ **2.** (a) $-\frac{3}{x^4}$ (b) $\frac{3}{2}\sqrt{x}$ (c) $\frac{5}{2}\sqrt{x^3}$ (d) $\frac{1}{3\sqrt[3]{x^2}}$ (e) $\frac{2}{\sqrt{x}}$
 (f) $9\sqrt{x}$ (g) $\frac{1}{\sqrt{x}} + \frac{3}{x^2}$ (h) $\frac{3}{2}\sqrt{x} - \frac{1}{2\sqrt{x^3}}$ (i) $\frac{10}{3\sqrt[3]{x}} - 9$ (j) $5 - \frac{1}{2\sqrt{x}} - \frac{8}{5x^3}$ (k) $\frac{4}{\sqrt{x}} - \frac{15}{x^6} + \frac{1}{2}$
 (l) $-\frac{1}{2\sqrt{x^3}} - \frac{1}{\sqrt{x}} + x^2$ **3.** (a) $\frac{3}{2}\sqrt{x} + \frac{1}{\sqrt{x}}$ (b) $4x^3 + 3x^2 - 1$ (c) $3x^2 + 1$ (d) $\frac{1}{x^2}$ (e) $\frac{1}{\sqrt{x^3}}$
 (f) $\frac{1}{2} - \frac{1}{4\sqrt{x^3}}$ (g) -7 (h) $2x - \frac{8}{x^3}$ (i) $2x - \frac{2}{x^2} - \frac{4}{x^5}$ (j) $\frac{1}{2}\sqrt[3]{x} + \frac{1}{6\sqrt[3]{x^3}}$ (k) $2x - \frac{12}{5}\sqrt[5]{x} + \frac{2}{5\sqrt[5]{x^3}}$
 (l) $-\frac{3}{2\sqrt{x}}\left(\frac{1}{x} + 1\right)\left(\frac{1}{\sqrt{x}} - \sqrt{x}\right)^2$

EXERCISE 19.2.1

- 1.** $m_{PQ} = 4 + h$; $\lim_{h \rightarrow 0} m_{PQ} = 4$ **2.** $P(1, 1)$, $Q\left(1 + h, \frac{2}{2+h}\right)$; $m_{PQ} = -\frac{1}{2+h}$; $\lim_{h \rightarrow 0} m_{PQ} = -\frac{1}{2}$
3. -12 **4.** (a) 3 (b) $-\frac{1}{4}$ (c) 12 (d) 4 (e) 4 (f) $\frac{7}{6}$ (g) $-\frac{1}{12}$ (h) $\frac{53}{16}$ **5.** $\pm \sqrt{\frac{8}{3}}$ **6.** (a) $2x - 12$ (b) -18


(c) $(8, -32)$ 7. (a) $-3x^2 + 3$ (b) 0 (c) $(\sqrt{2}, \sqrt{2}), (-\sqrt{2}, -\sqrt{2})$ 8. (a) $\left(\pm\frac{\sqrt{2}}{2}, -\frac{1}{16}\right), (0,0)$

(b) $\left\{x : \frac{-1}{\sqrt{2}} < x < 0\right\} \cup \left\{x : x > \frac{1}{\sqrt{2}}\right\}$ 9. $x = \frac{1}{3}, -1$ 10. (a) $-2, 6, 3$ (b) -2 11. $a = 1$ $b = -8$


12. $f'(a+b) = 2(a+b) = 2a+2b$ 13. (a) $4a^2 - 2a$, $a \geq 0$ (b) $4 - \frac{1}{a}$, $a > 0$ 14. -56

EXERCISE 19.2.2


1. (a)




(b)




(c)




(d)




(e)



2.



3.



EXERCISE 19.2.3

1. (a) $48t^3 - \frac{1}{2\sqrt{t}}$ (b) $2n - \frac{2}{n^2} - \frac{4}{n^5}$ (c) $\frac{3}{2}\sqrt{r} + \frac{5}{6\sqrt{r}} - \frac{1}{\sqrt{r}}$ (d) $2\theta - \frac{9}{2}\sqrt{\theta} + 3 - \frac{1}{2\sqrt{\theta}}$ (e) $40 - 3L^2$

(f) $-\frac{100}{v^3} - 1$ (g) $6l^2 + 5$ (h) $2\pi + 8h$ (i) $4n^3 - \frac{1}{3\sqrt[3]{n^2}} + \pi$

2. (a) $\frac{8}{3t^3}$ (b) $2\pi r - \frac{20}{r^2}$ (c) $\frac{5}{2}s^{3/2} + \frac{3}{s^2}$ (d) $-\frac{6}{t^4} + \frac{2}{t^3} - \frac{1}{t^2}$ (e) $-\frac{4}{b^2} + \frac{1}{2b^{3/2}}$ (f) $3m^2 - 4m - 4$

EXERCISE 19.3

1. (a) $3x^2 - 5x^4 + 2x + 2$ (b) $6x^5 + 10x^4 + 4x^3 - 3x^2 - 2x$ (c) $-\frac{4}{x^5}$ (d) $6x^5 + 8x^3 + 2x$

2. (a) $-\frac{2}{(x-1)^2}$ (b) $\frac{1}{(x+1)^2}$ (c) $\frac{1-x^2-2x}{(x^2+1)^2}$ (d) $\frac{-(x^4+3x^2+2x)}{(x^3-1)^2}$ (e) $\frac{2x^2+2x}{(2x+1)^2}$ (f) $\frac{1}{(1-2x)^2}$

3. (a) $(\sin x + \cos x)e^x$ (b) $\ln x + 1$ (c) $e^x(2x^3 + 6x^2 + 4x + 4)$ (d) $4x^3 \cos x - x^4 \sin x$

(e) $-\sin^2 x + \cos^2 x$ (f) $2x \tan x + (1+x^2) \sec^2 x$ (g) $\frac{4}{x^3}(x \cos x - 2 \sin x)$

(h) $e^x(x \cos x + x \sin x + \sin x)$ (i) $(\ln x + 1 + x \ln x)e^x$

4. (a) $\frac{\sin x - x \cos x}{\sin^2 x}$ (b) $\frac{-(\sin x(x+1) + \cos x)}{(x+1)^2}$ (c) $\frac{e^x}{(e^x+1)^2}$ (d) $\frac{2x \cos x - \sin x}{2x\sqrt{x}}$ (e) $\frac{\ln x - 1}{(\ln x)^2}$

- (f) $\frac{(x+1)-x\ln x}{x(x+1)^2}$ (g) $\frac{xe^x+1}{(x+1)^2}$ (h) $\frac{-2}{(\sin x - \cos x)^2}$ (i) $\frac{x^2-x+2x\ln x}{(x+\ln x)^2}$ **5.** (a) $-5e^{-5x} + 1$
- (b) $4\cos 4x + 3\sin 6x$ (c) $-\frac{1}{3}e^{-\frac{1}{3}x} - \frac{1}{x} + 18x$ (d) $25\cos 5x + 6e^{2x}$ (e) $4\sec^2 4x + 2e^{2x}$
- (f) $-4\sin(4x) + 3e^{-3x}$ (g) $\frac{4}{4x+1} - 1$ (h) 0 (i) $\frac{1}{2}\cos\left(\frac{x}{2}\right) - 2\sin 2x$ (j) $7\cos(7x-2)$ (k) $\frac{1}{2\sqrt{x}} - \frac{1}{x}$
- (l) $\frac{1}{x} + 6\sin 6x$ **6.** (a) $2x\cos x^2 + 2\sin x \cos x$ (b) $2\sec^2 2\theta - \frac{\cos \theta}{\sin^2 \theta}$ (c) $\frac{1}{2\sqrt{x}} \cos \sqrt{x}$ (d) $\frac{1}{x^2} \sin\left(\frac{1}{x}\right)$
- (e) $-3\sin \theta \cdot \cos^2 \theta$ (f) $e^x \cos(e^x)$ (g) $\frac{1}{x} \sec^2(\log_e x)$ (h) $\frac{-\sin 2x}{\sqrt{\cos 2x}}$ (i) $-\cos \theta \cdot \sin(\sin \theta)$
- (j) $4\sin \theta \cdot \sec^2 \theta$ (k) $-5\cos 5x \cdot \csc^2(5x)$ (l) $-6\csc^2(2x)$
- 7.** (a) $2e^{2x+1}$ (b) $-6e^{4-3x}$ (c) $-12xe^{4-3x^2}$ (d) $\frac{1}{2}\sqrt{e^x}$ (e) $\frac{1}{2\sqrt{x}} e^{\sqrt{x}}$ (f) e^{2x+4} (g) $2xe^{2x^2+4}$
- (h) $-\frac{6}{e^{3x+1}}$ (i) $(6x-6)e^{3x^2-6x+1}$ (j) $\cos(\theta)e^{\sin \theta}$ (k) $2\sin(2\theta)e^{-\cos 2\theta}$ (l) $2x$ (m) $\frac{2e^{-x}}{(e^{-x}+1)^2}$
- (n) $3(e^x + e^{-x})(e^x - e^{-x})^2$ (o) e^{x+2} (p) $(-2x+9)e^{-x^2+9x-2}$ **8.** (a) $\frac{2x}{x^2+1}$ (b) $\frac{\cos \theta + 1}{\sin \theta + \theta}$
- (c) $\frac{e^x + e^{-x}}{e^x - e^{-x}}$ (d) $-\frac{1}{x+1}$ (e) $\frac{3}{x}(\ln x)^2$ (f) $\frac{1}{2x\sqrt{\ln x}}$ (g) $\frac{1}{2(x-1)}$ (h) $\frac{-3x^2}{1-x^3}$ (i) $-\frac{1}{2(x+2)}$
- (j) $\frac{-2\sin x \cos x}{\cos^2 x + 1}$ (k) $\frac{1}{x} + \cot x$ (l) $\frac{1}{x} + \tan x$
- 9.** (a) $\ln(x^3+2) + \frac{3x^3}{x^3+2}$ (b) $\frac{\sin^2 x}{2\sqrt{x}} + 2\sqrt{x}\sin x \cos x$ (c) $-\frac{1}{\sqrt{\theta}} \sin \sqrt{\theta} \cdot \cos \sqrt{\theta}$
- (d) $(3x^2-4x^4)e^{-2x^2+3}$ (e) $-(\ln x + 1)\sin(x \ln x)$ (f) $\frac{1}{x \ln x}$
- (g) $\frac{(2x-4)\sin(x^2) - 2x\cos(x^2)(x^2-4x)}{(\sin x^2)^2}$ (h) $\frac{10[\ln(10x+1)-1]}{[\ln(10x+1)]^2}$ (i) $(\cos 2x - 2\sin 2x)e^{x-1}$
- (j) $2x\ln(\sin 4x) + 4x^2 \cot 4x$ (k) $(\cos \sqrt{x} - \sin \sqrt{x})\frac{1}{2\sqrt{x}} e^{-\sqrt{x}}$
- (l) $-(2\sin x + 2x\cos x) \cdot \sin(2x \sin x)$ (m) $\frac{e^{5x+2}(9-20x)}{(1-4x)^2}$ (n) $\frac{\cos^2 \theta + \sin^2 \theta \ln(\sin \theta)}{\sin \theta \cos^2 \theta}$
- (o) $\frac{x+2}{2(x+1)\sqrt{x+1}}$ (p) $\frac{2x^2+2}{\sqrt{x^2+2}}$ (q) $\frac{10x^3+9x^2+4x+3}{3(x+1)^{2/3}}$ (r) $\frac{3x^2(3x^3+1)}{2\sqrt{x^3+1}}$
- (s) $\frac{2}{x^2+1} - \frac{1}{x^2} \ln(x^2+1)$ (t) $\frac{2}{x(x+2)}$ (u) $\frac{2-x}{2x^2\sqrt{x-1}}$ (v) $\frac{-x^2+x-9}{\sqrt{x^2+9}} \cdot e^{-x}$ (w) $\frac{7x^3-12x^2-8}{2\sqrt{2-x}}$
- (x) $nx^{n-1}\ln(x^n-1) + \frac{nx^{2n-1}}{x^n-1}$ **10.** $x = 1$ **11.** 0 **12.** 0 **13.** 1 **14.** $-2e$ **15.** (a) $\cos^2 x - \sin^2 x$
- (b) $\frac{\pi}{180} \cos x^\circ$ (c) $-\frac{\pi}{180} \sin x^\circ$ **16.** (b) i. $2x\sin x \cos x + x^2 \cos^2 x - x^2 \sin^2 x$
- ii. $e^{-x^3}(2\cos 2x \ln \cos x - 3x^2 \sin 2x \ln \cos x - \sin 2x \tan x)$ **17.** (a) i. $-\frac{3}{x}(\ln x)^2$ ii. $-\frac{3x^2}{1-x^3}$

(b) i. $-2e^{-2x} \cdot \cos(e^{-2x})$ ii. $-2x\cos x^2 \cdot e^{-\sin x^2}$ 18. $-\frac{1}{5}k$ 19. $x = a, b, \frac{mb+na}{m+n}$

20. $\{\theta : n \tan \theta^m \cdot \tan \theta^n = m \theta^{m-n}\}$ 21. (a) $-4 \csc(4x)$ (b) $2 \sec(2x) \tan(2x)$

(c) $3 \cot(3x) \csc(3x)$ (d) $-3 \sin(3x)$ (e) $\csc^2\left(\frac{\pi}{4} - x\right)$ (f) $-2 \sec(2x) \tan(2x)$

22. (a) $2x \sec(x^2) \tan(x^2)$ (b) $\sec^2 x$ (c) $\tan x$ (d) $-3 \cot^2 x \csc^2 x$ (e) $x \cos x + \sin x$

(f) $-2 \cot x \csc^2 x$ (g) $4x^3 \csc(4x) - 4x^4 \cot(4x) \csc(4x)$ (h) $2 \cot x \sec^2(2x) - \csc^2 x \tan(2x)$

(i) $\frac{\sec x \tan x - \sin x}{2\sqrt{\cos x + \sec x}}$ 23. (a) $e^{\sec x} \sec x \tan x$ (b) $e^x \sec(e^x) \tan(e^x)$

(c) $e^x \sec(x) + e^x \sec(x) \tan(x)$ (d) $\frac{-\csc^2(\log x)}{x}$ (e) $-5 \csc(5x) \sec(5x)$

(f) $\frac{\cot(x)}{x} - \csc^2(x) \log x$ (g) $-\cos x \cot(\sin x) \csc(\sin x)$ (h) $-\cos(\csc x) \cot x \csc x$ (i) 0

EXERCISE 19.4

1. i. $20x^3$ ii. $48(1+2x)^2$ iii. $\frac{2}{x^3}$ iv. $\frac{2}{(1+x)^3}$ v. 2 vi. $\frac{6}{(x-2)^3}$ vii. $\frac{42}{x^8}$

viii. $24(1-2x)$ ix. $-\frac{1}{x^2}$ x. $\frac{-2(x^2+1)}{(1-x^2)^2}$ xi. $-16 \sin 4\theta$ xii. $2 \cos x - x \sin x$

xiii. $6x^2 \cos x + 6x \sin x - x^3 \sin x$ xiv. $\frac{1}{x}$ xv. $\frac{10}{(2x+3)^3}$ xvi. $6xe^{2x} + 12x^2e^{2x} + 4x^3e^{2x}$

xvii. $\frac{8 \sin 4x - 15 \cos 4x}{e^x}$ xviii. $2 \cos x^2 - 4x^2 \sin x^2$ xix. $\frac{-48(x^2+2x^5)}{(4x^3-1)^3}$ xx. $\frac{10}{(x-3)^3}$

2. $\frac{6 \ln x - 5}{x^4}, \frac{n^2 \ln x + n \ln x - 2n - 1}{x^{n+2}}$ 3. $f(x) = \left(\frac{x+1}{x-1}\right)^n \Rightarrow f''(x) = \frac{4n(n+x)}{(x^2-1)^2} \left(\frac{x+1}{x-1}\right)^n$

4. $2 + \frac{1}{8\sqrt{2}}$ 5. -1 6. $[0, 1.0768] \cup [3.6436, 2\pi]$

EXERCISE 20.1

1. (a) $y = 7x - 10$ (b) $y = -4x + 4$ (c) $4y = x + 5$ (d) $16y = -x + 21$ (e) $4y = x + 1$ (f) $4y = x + 2$
 (g) $y = 28x - 48$ (h) $y = 4$ 2. (a) $7y = -x + 30$ (b) $4y = x - 1$ (c) $y = -4x + 14$ (d) $y = 16x - 79$
 (e) $2y = 9 - 8x$ (f) $y = -4x + 9$ (g) $28y = -x + 226$ (h) $x = 2$ 3. (a) $y = 2ex - e$ (b) $y = e$ (c) $y = \pi$
 (d) $y = -x$ (e) $y = x$ (f) $ey = (2e-1)x - e^2 + 2e - 1$ (g) $y = ex$ (h) $y = 2x + 1$

4. (a) $2ey = -x + 2e^2 + 1$ (b) $x = 1$ (c) $x = \pi$ (d) $y = x - 2\pi$ (e) $y = -x + \pi$

(f) $(2e-1)y = -ex + 3e^2 - 4e + 1$ (g) $ey = -x$ (h) $2y = -x + 2$ 5. A: $y = 28x - 44$,

B: $y = -28x - 44$, Isosceles. $z \equiv (0, a^2 - 3a^4)$ 6. 2 sq. units, $y = 2x = 1$ 7. $4y = 3x$

8. $by = \sqrt{a^2 - b^2}x$ 9. $y = 4x - 9$ 10. $y = \log_e 4$ 11. $8y = 4(\pi + 2)x - \pi^2$;


$4(\pi + 2)y = -8x + 4\pi + \pi^2$ 12. A: $y = -8x + 32$, B: $y = 6x + 25, \left(\frac{1}{2}, 28\right)$ 13. $y = -x$, Tangents:

$y = \frac{1}{2}, y = -\frac{1}{2} \left(-\frac{1}{2}, \frac{1}{2}\right), \left(\frac{1}{2}, -\frac{1}{2}\right)$ tangent and normal meet at $(0.5, -0.5)$


14. (a) $y = 3x - 7$ (b) $Q \equiv (2, -1)$ 15. $m = -2, n = 5$

EXERCISE 20.2


1. (a)




(b)



(c)



(d)



2. (a) max at $(1, 4)$ (b) min at $\left(-\frac{9}{2}, -\frac{81}{4}\right)$ (c) min at $(3, -45)$ max $(-3, 63)$ (d) max at $(0, 8)$,


min at $(4, -24)$ (e) max at $(1, 8)$, min at $(-3, -24)$ (f) min at $\left(\frac{1+\sqrt{13}}{3}, \frac{70-26\sqrt{13}}{27}\right)$,

max at $\left(\frac{1-\sqrt{13}}{3}, \frac{70+26\sqrt{13}}{27}\right)$ (g) min at $(1, -1)$ (h) max at $(0, 16)$, min at $(2, 0)$,


min at $(-2, 0)$ (i) min at $(1, 0)$ max at $\left(-\frac{1}{3}, \frac{32}{27}\right)$ (j) min at $\left(\frac{4}{9}, -\frac{4}{27}\right)$ (k) min at $(2, 4)$,

max at $(-2, -4)$ (l) min at $(1, 2)$, min at $(-1, 2)$


3.



4. min at $(1, -3)$, max at $(-3, 29)$, non-stationary infl $(-1, 13)$ 5.




6. (a) i. $(\cos x - \sin x)e^{-x}$ ii. $-2\cos x \cdot e^{-x}$ (b) i. $\frac{\pi}{4}, \frac{5\pi}{4}$ ii. $\frac{\pi}{2}, \frac{3\pi}{2}$ (c) Inf. $\left(\frac{\pi}{2}, e^{-\frac{\pi}{2}}\right) \left(\frac{3\pi}{2}, -e^{-\frac{3\pi}{2}}\right)$




7. (a) i. $e^x(\sin x + \cos x)$ ii. $2e^x \cos x$ (b) i. $x = \frac{3\pi}{4}, \frac{7\pi}{4}$

ii. $x = \frac{\pi}{2}, \frac{3\pi}{2}$ (c) st.pnts. $\left(\frac{3\pi}{4}, \frac{1}{\sqrt{2}}e^{\frac{3\pi}{4}}\right), \left(\frac{7\pi}{4}, -\frac{1}{\sqrt{2}}e^{\frac{7\pi}{4}}\right)$ Infl. pts. $\left(\frac{\pi}{2}, e^{\frac{\pi}{2}}\right), \left(\frac{3\pi}{2}, -e^{\frac{3\pi}{2}}\right)$



8. (a) i. $e^x(\cos x - \sin x)$ ii. $-2\sin x \cdot e^x$ (b) i. $\frac{\pi}{4}, \frac{5\pi}{4}$


ii. $0, \pi, 2\pi$ (c) st.pnts. $\left(\frac{\pi}{4}, \frac{1}{\sqrt{2}}e^{\frac{\pi}{4}}\right), \left(\frac{5\pi}{4}, -\frac{1}{\sqrt{2}}e^{\frac{5\pi}{4}}\right)$ Inf. pts. $(0,1), (\pi, -e^\pi), (2\pi, e^{2\pi})$



9. (a) i. $(1-x)e^{-x}$ ii. $(x-2)e^{-x}$

(b) i. $x=1$ ii. $x=2$

(c) st. pt. $(1, e^{-1})$ Inf. pt. $(2, 2e^{-2})$



10. (a) 8 (b) 0 (c) 4 (d) $27\sqrt[3]{9} \approx 56.16$

11. i. min value -82 . ii. max value 26

12. (a) A i. Yes ii. non-stationary pt of inflect. B. i. Yes ii. Stationary point (local/global min) C. i. Yes ii. non-stationary pt of inflect.

(b) A. i. No ii. Local/global max B. i. No. ii. Local/global min C. i. Yes ii. Stationary point (local max)

(c) A. i. Yes ii. Stationary point (local/global max) B. i. Yes ii. Stationary point (local min) C. i. Yes ii. non-stationary pt of inflect.

(d) A. i. Yes ii. Stationary pt (local/global max) B. i. No ii. Local min


C. i. Yes ii. Stationary point (local max)

(e) A. i. No ii. Cusp (local min) B. i. Yes ii. Stationary pt of inflect C. i. Yes ii. Stationary point (local max)


(f) A. i. Yes ii. Stationary point (local/global max) B. i. Yes ii. Stationary point (local/global min) C. i. No ii. Tangent parallel to y-axis.

13. (a) i. A ii. B iii. C (b) i. C ii. B iii. A


14. i.




ii.








iii.







15. $y = x^3 + 6x^2 + 9x + 4$



16. $f(x) = \frac{1}{3}x^3 - x^2 - 3x - 6$ **17.** $f(x) = 3x^5 - 20x^3$

18.**19.** $m = -0.5, n = 1.5$ **21.** $a = 2, b = -3, c = 0$ **22.** Stationary points: local min at $(-1, 0)$ and local max at $(1, 4e^{-1})$.inflection pts are: $(1 + \sqrt{2}, (6 + 4\sqrt{2})e^{-(1 + \sqrt{2})})$ and $(1 - \sqrt{2}, (6 - 4\sqrt{2})e^{-(1 - \sqrt{2})})$ **23.** Absolute min at $\sim \left(\frac{-3 + \sqrt{13}}{2}, -2.1733\right)$, Local max at $\sim \left(\frac{-3 - \sqrt{13}}{2}, 0.2062\right)$ Inflection pts at $\sim (-0.4384, -1.4489)$ and $(-4.5615, 0.1488)$ **24. – 27.** are left as questions for classroom discussion.**28.** $a = 1, b = -12,$
 $c = 45, d = -34$ **29. (b)** $b = 1$ **(c)** $a = \frac{1}{\sqrt{2}}$ **(d)** $f(x) = \frac{1}{\sqrt{2}}xe^{-x^2}$ **30. (a)** 2.7983, 6.1212, 9.3179 **(b)** Make use of Graphics calculator to verify your sketch.

EXERCISE 20.3

1. (a) L.min at $x = \frac{4}{\sqrt{3}}$. L.max at $x = -\frac{4}{\sqrt{3}}$ **(b)** L.max at $x = 0$, L.min at $x = \pm 1$ **(c)** L.max at $x = 0.25$ **(d)** L.max at $x = 1$ **(e)** none **(f)** L.max at $x = 0.5$, L.min at $x = 1$ and $x = 0$ **(g)** L.max at $x = 1$, L.min at $x = -1$ **(h)** none **2. (a)** max = 120, min = $-\frac{128}{3\sqrt{3}}$ **(b)** max = 224,min = -1 **(c)** max = 0.5, min = 0 **(d)** max = 1, min = 0.**3.****4.****5.** stationary points occur where $\tan x = x$ **6. (a)** L.min at $(1, 2)$; Infl. pt at $(3, \sqrt{3} + \frac{1}{3}\sqrt{3})$ **(b)** L.min at $(1, 2)$; L.max at $(-3, -6)$ **(c)** none**7.**For **Q.8. – Q.11** verify your graphs with graphics calculator**8. (a)** Global. min at $(0, 0)$; local max at $(2, 4e^{-2})$ Infl. pts $(2 - \sqrt{2}, (6 - 4\sqrt{2})e^{-(2 - \sqrt{2})})$ $(2 + \sqrt{2}, (6 + 4\sqrt{2})e^{-(2 + \sqrt{2})})$ **(b)** Global. max: $(0, e^4)$. Infl. pt: $(\pm \frac{1}{\sqrt{2}}, e^{3.5})$ **(c)** L.max: $(-2, -\frac{1}{2}e)$

9. (a) Global max at (e, e^{-1}) . Infl. pt at $(e^{1.5}, 1.5e^{-1.5})$ (b) Global min at $\left(\frac{1}{\sqrt{2}}, 2 + \frac{1}{2}\ln 2\right)$



(c) Global min at $(2, 1 + \ln 2)$; Infl. pt at $(4, 2 + \ln 4)$ (d) none

10. (a) $f'(x) = (x-2)^{a-1}(x+2)^{b-1}((a+b)x+2(a-b))$

(b) i. $f(x) = \frac{x-2}{x+2}$; none ii. $f(x) = (x-2)^2(x+2)$ local max at $\left(-\frac{2}{3}, \frac{256}{27}\right)$; local min at $(2, 0)$

iii. $f(x) = (x-2)^2(x+2)^2$; local min at $(\pm 2, 0)$, local max at $(0, 16)$.

11. (a) Global. min at $(1, c-1)$ **12.**




13. Global max at $(e^{0.5}, 0.5e^{-1})$; Infl. pt at $(e^{5/6}, (5/6)e^{-5/3})$.

EXERCISE 20.4


1. (a) $y = 2, x = -1$ (b) $y = 1, x = -\frac{1}{3}$ (c) $y = \frac{1}{2}, x = -\frac{1}{4}$ (d) $y = -1, x = -3$ (e) $y = 3, x = 0$

(f) $y = 5, x = 2$


3. (a)






(b)





(c)




(d)



4. $a = 2, c = 4$





6. (a) i. $(0, 1), (2, 0)$ ii. $y = -1, x = -2$
iii. $d = \mathbb{R} \setminus \{-2\}$



(b) $f^{-1}: \mathbb{R} \setminus \{-1\} \mapsto \mathbb{R}$, where $f^{-1}(x) = \frac{2(1-x)}{(1+x)}$

- 7.** (a) $y = 8, x = 3$



EXERCISE 21.1


- 1.** (a) i. $x < 0$ ii. $x > 4$ iii. $0 \leq x \leq 4$ (b) i. $-1 < x < 2$ ii. $x < -1, 2 < x < 5$ iii. \emptyset
 (c) i. $-1 < x < 1$ ii. $x < -1$ iii. $x \geq 1$ (d) i. $0 < x < 1$ ii. $2 < x < 3$ iii. $x < 0, 1 \leq x < 2$
 (e) i. \emptyset ii. $-2 < x < 4$ iii. \emptyset (f) i. $-4 < x < -1, 2 < x < 5$ ii. $-1 < x < 2, 5 < x < 8$ iii. \emptyset

EXERCISE 21.2

- 1.** 4.4 (4 deer per year, to nearest integer) **2.** (a) 200 cm^3 (b) $73.5 \text{ cm}^3 \text{ day}^{-1}$ **3.** (a) 75 (b) No
4. (a) \$207.66 (b) \$40.79 per year (c) \$41.54 per year **5.** i. 2.50 ii. 3.33 iii. 2.50
6. (a) $1230 < x < 48770$ (approx) (b) i. $0 \leq x < 25000$ ii. $25000 < x \leq 50000$ **7.** 66667 (to nearest integer), 1446992 (to nearest integer) **8.** (b) 133.33 (d) 46.67 (e) $0 < x < 5700$
9. (a) $D'(x) = \frac{-40000(2x+12)}{(x^2+12x+20)^2}, 5 \leq x \leq 18$ (b) 22.22 (22 items/dollar) **10.** (a) $\frac{3000}{(x+32)^2}$
 (b) i. $x \geq 0$ ii. $x \in \emptyset$ **11.** (a) i. 0 mm/s ii. $\sim 90.69 \text{ mm/s}$ (b) 0.6 sec **12.** (a) 8.53 cm/s (b) (c) never
13. $-e^{-1} \text{ ms}^{-2}$


EXERCISE 21.3

- 1.** (a) i. $v = -\frac{1}{(t-1)^2}, t > 1$ ii. $a = \frac{2}{(t-1)^3}, t > 1$ (b) i. $v = 2(e^{2t} - e^{-2t}), t \geq 0$
 ii. $a = 4(e^{2t} + e^{-2t}), t \geq 0$ (c) i. $v = a - 2bte^{-t^2}, t \geq 0$ ii. $a = 2be^{-t^2}(2t^2 - 1), t \geq 0$
2. (a) 8 ms^{-1} (b) never at rest (c) i. 5m from O in negative direction ii. 4 ms^{-1} (d) 40 m




- 3.** (a) 1 ms^{-1} (b) never (c) $t = \frac{1}{3}$ or $t = 1$ (d) 20 ms^{-2}
4. (a) $v = -6t^2 + 12; a = -12t$ (b) $\sim 1.41 \text{ sec}$ (c) once (d) use graphics calculator
5. (a) 3 m in positive direction (b) i. 5 m ii. 2 m (c) 5 ms^{-1} (e) oscillation about origin with amplitude 5 m and period $2\pi \text{ sec}$ **7.** (a) 100 m, in negative direction (b) 3 times (c) i. 80 ms^{-1}
 ii. -34 ms^{-2} (d) 14.81m **8.** (a) max = 5 units, min = -1 unit (b) $\frac{\pi}{2} \text{ sec}$ (c) i. $a = -12\cos(2t - \pi)$
 ii. $a = -4(x-2)$ **9.** (a) 0.318 m above (b) i. $v = 3.75e^{-0.25t} - 3$ ii. $a = -0.9375e^{-0.25t}$
 (c) 0.322 m (d) $a = -0.25(v+3)$ **10.** (a) $0 < t < 0.5$ or $t > 1$ (b) $t > 0.5$ (c) $t = 1$ or $1.68 \leq t \leq 5$.

- 11.** (a) This question is best done using a graphics calculator:
 (b) From the graph the particles pass each other three times.
 (c) 0.45 sec; 2.85 sec; 3.87 sec
 (d) i. $v_A = -0.3e^{0.3t} \text{ ms}^{-1}$ ii. $v_B = 10e^{-t}(1-t) \text{ ms}^{-1}$
 (e) Yes. On two occasions



12. (a) 2m in positive direction (b) i. 2 sec ii. never (c) 0.026 ms^{-2}

13. (a) (b) 0.295




EXERCISES 21.4

1. 22.6 m **2.** (a) 1.5 kmh^{-1} (b) \$19.55 \text{ per km} **3.** (a) 400 (b) \$46,400,000 **4.** \$273.86

5. \$0.40 **6.** 1.97 m **7.** 0.45 m^3 **8.** 5m by 5m **9.** 128


10. $r = \frac{50}{4+\pi} \approx 7.00$, dim of rect. $\frac{50}{4+\pi} \times \frac{50}{4+\pi}$ i.e., approx 7.00 m by 7.00 m **11.** $\theta = \frac{\pi}{6}$



13. 648 m^2 **14.** (a) 10.5 (b) 5.25 **15.** 72 **16.** (a) $y = 100 - 2x$ (b) $A = x(100 - 2x)$, $0 < x < 50$

(c) $x = 25$, $y = 50$ **17.** (a) $\frac{100}{x} - \frac{1}{2}x$, $0 < x < 10\sqrt{2}$ (b) $\frac{2000}{9}\sqrt{6} \approx 544.3 \text{ cm}^3$

18. (a) 400 ml s^{-1} (b) 40 sec (c)



19. (a)

(b) 8.38, 71.62 (c) $9 \leq x \leq 71$ (d) $80x - x^2 - 600$, \$1000 **20.** $\left(\sqrt{\frac{11}{2}}, \frac{7}{2}\right)$ & $\left(-\sqrt{\frac{11}{2}}, \frac{7}{2}\right)$

21. $5\sqrt{2}$ by $\frac{5}{2}\sqrt{2}$ **22.** 4 by $\frac{8}{3}$ **23.** $348 - 8\sqrt{170} \sim 243.7 \text{ cm}^2$ **24.** 2 **25.** radius = $\sqrt{\frac{10}{3}}$ cm,

height = $2\sqrt{\frac{10}{3}}$ cm **26.** $\sqrt[3]{\frac{15}{\pi}}$ **27.** 5 cm **28.** (a) $h = \frac{24r^2}{r^2 - 144}$ (b) $\frac{8\pi r^4}{r^2 - 144}$ (c) $r = 12\sqrt{2}$,

$h = 48$ **29.** $r : h = 1 : 2$ **30.** $\sim (0.55, 1.31)$ **31.** (b) 2.5 m **32.** altitude = $\frac{1}{3}$ height of cone

33. $\sim 1.640 \text{ m wide and } 1.040 \text{ m high}$ **34.** $\frac{2\sqrt{2}}{\sqrt{3}}\pi$ **35.** where $XP : PY = b : a$ **36.** 5 km

37. $r : h = 1 : 1$ **38.** $\frac{4}{3}$ cm **39.** 2 : 1 **40.** $\frac{10}{\sqrt{3}\pi}$ **41.** 0.873 km from P

42. (b) $r = 3\sqrt{2}$, $h = 6\sqrt{2}$ **43.** (b) when $\theta = \arcsin\left(\frac{5}{6}\right)$, i.e., approx. 6.030 km from P.

44. (a) $\tan \theta = \frac{xl}{x^2 + k(l+k)}$ (b) $x = \sqrt{k^2 + kl}$

45. (c) if $k < c$, swimmer should row directly to Q. **46.** (a) i. $\pi r^2 h + \frac{2}{3}\pi r^3$ ii. $3\pi r^2 + 2\pi rh$

(c) $r : h = 1:1$ **47.** $(a^{2/3} + b^{2/3})^{3/2}$ **48.** (b) 4 km along the beach (c) row directly to destination

EXERCISE 22.1

1. (a) $\frac{1}{4}x^4 + c$ (b) $\frac{1}{8}x^8 + c$ (c) $\frac{1}{6}x^6 + c$ (d) $\frac{1}{9}x^9 + c$ (e) $\frac{4}{3}x^3 + c$ (f) $\frac{7}{6}x^6 + c$ (g) $x^9 + c$

(h) $\frac{1}{8}x^4 + c$ **2.** (a) $5x + c$ (b) $3x + c$ (c) $10x + c$ (d) $\frac{2}{3}x + c$ (e) $-4x + c$ (f) $-6x + c$

(g) $-\frac{3}{2}x + c$ (h) $-x + c$ **3.** (a) $x - \frac{1}{2}x^2 + c$ (b) $2x + \frac{1}{3}x^3 + c$ (c) $\frac{1}{4}x^4 - 9x + c$

(d) $\frac{2}{5}x + \frac{1}{9}x^3 + c$ (e) $\frac{1}{3}x^{3/2} + \frac{1}{x} + c$ (f) $x^{5/2} + 4x^2 + c$ (g) $\frac{1}{3}x^3 + x^2 + c$ (h) $x^3 - x^2 + c$

(i) $x - \frac{1}{3}x^3 + c$ **4.** (a) $\frac{1}{3}x^3 - \frac{1}{2}x^2 - 6x + c$ (b) $\frac{1}{4}x^4 - \frac{2}{3}x^3 - \frac{3}{2}x^2 + c$ (c) $\frac{1}{4}(x-3)^4 + c$

(d) $\frac{2}{5}x^5 + \frac{1}{2}x^4 + \frac{1}{3}x^3 + \frac{1}{2}x^2 + c$ (e) $x + \frac{1}{2}x^2 - \frac{2}{3}x^{3/2} - \frac{2}{5}x^{5/2} + c$

(f) $\frac{2}{7}x^{7/2} + \frac{4}{5}x^{5/2} + \frac{2}{3}x^{3/2} - 2x + c$ **5.** (a) $\frac{1}{2}x^2 - 3x + c$ (b) $2u^2 + 5u + \frac{1}{u} + c$

(c) $-\frac{1}{x} - \frac{2}{x^2} - \frac{4}{3x^3} + c$ (d) $\frac{1}{2}x^2 + 3x + c$ (e) $\frac{1}{2}x^2 - 4x + c$ (f) $\frac{1}{3}t^3 + 2t - \frac{1}{t} + c$

6. (a) $\frac{4}{7}\sqrt[4]{x^7} + 2\sqrt{x} - 5x + c$ (b) $\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{4}{7}x^{7/2} - \frac{4}{5}x^{5/2} + c$ (c) $-\frac{1}{2z^2} + \frac{2}{z} + 2z^2 + z + c$

(d) $\frac{1}{2}t^4 + t + c$ (e) $\frac{2}{5}\sqrt{t^5} - 2\sqrt{t^3} + c$ (f) $\frac{1}{3}u^3 + 2u^2 + 4u + c$ **8.** (a) $\frac{1}{8}(2x+3)^4 + c$

(b) $3\sqrt{x^2 + 4} + c$

EXERCISE 22.2

1. (a) $x^2 + x + 3$ (b) $2x - \frac{1}{3}x^3 + 1$ (c) $\frac{8}{3}\sqrt{x^3} - \frac{1}{2}x^2 - \frac{40}{3}$ (d) $\frac{1}{2}x^2 + \frac{1}{x} + 2x - \frac{3}{2}$ (e) $(x+2)^3$

(f) $\frac{3}{4}\sqrt[3]{x^4} + \frac{1}{4}x^4 + x$ (g) $\frac{1}{3}x^3 + 1$ (h) $x^4 - x^3 + 2x + 3$ **2.** $\frac{1}{2}x^2 + \frac{1}{x} + \frac{5}{2}$ **3.** \$3835.03

4. 9.5 **5.** $\frac{251\pi}{3}$ cm³ **6.** 292 **7.** $\frac{5}{7}\sqrt{x^3} + \frac{23}{7}$ **8.** (1, -8) **9.** $P(x) = 25 - 5x + \frac{1}{3}x^2$

10. $N = \frac{20000}{201}t^{2.01} + 500, t \geq 0$ **11.** (a) $y = -\frac{2}{5}x^2 + 4x$ (b) $y = \frac{1}{6}x^3 + \frac{5}{4}x^2 + 2x$

12. $y = 2(x^3 + x^2 + x)$ **13.** $f(x) = -\frac{3}{10}x^3 + \frac{49}{10}x - \frac{13}{5}$ **14.** Vol ~ 43202 cm³ **15.** 110 cm²

EXERCISE 22.3

1. (a) $\frac{1}{5}e^{5x} + c$ (b) $\frac{1}{3}e^{3x} + c$ (c) $\frac{1}{2}e^{2x} + c$ (d) $10e^{0.1x} + c$ (e) $-\frac{1}{4}e^{-4x} + c$ (f) $-e^{-x} + c$

(g) $-0.2e^{-0.5x} + c$ (h) $-2e^{1-x} + c$ (i) $5e^{x+1} + c$ (j) $e^{2-2x} + c$ (k) $3e^{x/3} + c$ (l) $2\sqrt{e^x} + c$

2. (a) $4\log_e x + c, x > 0$ (b) $-3\log_e x + c, x > 0$ (c) $\frac{2}{5}\log_e x + c, x > 0$ (d) $\log_e(x+1) + c, x > -1$

(e) $\frac{1}{2}\log_e x + c, x > 0$ (f) $x - 2\log_e x - \frac{1}{x} + c, x > 0$ (g) $\frac{1}{2}x^2 - 2x + \log_e x + c, x > 0$

(h) $3\ln(x+2) + c$ **3.** (a) $-\frac{1}{3}\cos(3x) + c$ (b) $\frac{1}{2}\sin(2x) + c$ (c) $\frac{1}{5}\tan(5x) + c$ (d) $\cos(x) + c$

4. (a) $-\frac{1}{2}\cos(2x) + \frac{1}{2}x^2 + c$ (b) $2x^3 - \frac{1}{4}\sin(4x) + c$ (c) $\frac{1}{5}e^{5x} + c$ (d) $-\frac{4}{3}e^{-3x} - 2\cos\left(\frac{1}{2}x\right) + c$

(e) $3\sin\left(\frac{x}{3}\right) + \frac{1}{3}\cos(3x) + c$ (f) $\frac{1}{2}e^{2x} + 4\log_e x - x + c, x > 0$ (g) $\frac{1}{2}e^{2x} + 2e^x + x + c$

(h) $\frac{5}{4}\cos(4x) + x - \log_e x + c, x > 0$ (i) $\frac{1}{3}\tan(3x) - 2\log_e x + 2e^{x/2} + c, x > 0$

(j) $\frac{1}{2}e^{2x} - 2x - \frac{1}{2}e^{-2x} + c$ (k) $\frac{1}{2}e^{2x+3} + c$ (l) $-\frac{1}{2}\cos(2x+\pi) + c$ (m) $\sin(x-\pi) + c$

(n) $-4\cos\left(\frac{1}{4}x + \frac{\pi}{2}\right) + c$ (o) $2e^{x/2} + 4e^{-x/2} + c$ **5.** (a) $\frac{1}{16}(4x-1)^4 + c$ (b) $\frac{1}{21}(3x+5)^7 + c$

(c) $-\frac{1}{5}(2-x)^5 + c$ (d) $\frac{1}{12}(2x+3)^6 + c$ (e) $-\frac{1}{27}(7-3x)^9 + c$ (f) $\frac{1}{5}\left(\frac{1}{2}x-2\right)^{10} + c$

(g) $-\frac{1}{25}(5x+2)^{-5} + c$ (h) $\frac{1}{4}(9-4x)^{-1} + c$ (i) $-\frac{1}{2}(x+3)^{-2} + c$ (j) $\ln(x+1) + c, x > -1$

(k) $\ln(2x+1) + c, x > -\frac{1}{2}$ (l) $-2\ln(3-2x) + c, x < \frac{3}{2}$ (m) $3\ln(5-x) + c, x < 5$

(n) $-\frac{3}{2}\ln(3-6x) + c, x < \frac{1}{2}$ (o) $\frac{5}{3}\ln(3x+2) + c, x > -\frac{2}{3}$ **6.** (a) $-\frac{1}{2}\cos(2x-3) - x^2 + c$

(b) $6\sin\left(2 + \frac{1}{2}x\right) + 5x + c$ (c) $\frac{3}{2}\sin\left(\frac{1}{3}x-2\right) - \ln(2x+1) + c$ (d) $10\tan(0.1x-5) - 2x + c$

(e) $2\ln(2x+3) + 2e^{-\frac{1}{2}x+2} + c$ (f) $-\frac{2}{2x+3} - \frac{1}{2}e^{2x-\frac{1}{2}} + c$ (g) $x + \ln(x+1) - 4\ln(x+2) + c$

(h) $2x - \ln(x+2) + \frac{1}{2}\ln(2x+1) + c$ (i) $-\frac{1}{2x+1} + \ln(2x+1) + c$ **7.** (a) $f(x) = \frac{1}{6}(4x+5)^{3/2}$

(b) $f(x) = 2\ln(4x-3) + 2$ (c) $f(x) = \frac{1}{2}\sin(2x+3) + 1$ (d) $f(x) = 2x + \frac{1}{2}e^{-2x+1} + \frac{1}{2}e$



8. 14334 **9.** 13.19m/sec or 1.19m/sec **10.** 2.66cm **11.** $2e^{x/2} - \frac{1}{2}\sin(2x) - 2$

12. (a) $p = \frac{a}{a^2+b^2}, q = -\frac{b}{a^2+b^2}$ (b) $\frac{1}{13}e^{2x}(2\sin 3x - 3\cos 3x) + c$ **13.** (a) 0.25a

(b) $a \times \left(\frac{1}{2}\right)^{8/3} \approx 0.1575a$ **14.** (b) 666 gm

15. (a) (b) 73.23% (c) ~25.24 litres

16. (a) (b) 7000 (c) 1.16 day (d) 2 days



EXERCISES 22.4

- 1.** (a) $\frac{15}{2}$ (b) $\frac{38}{3}$ (c) $\frac{5}{36}$ (d) -8 **2.** (a) $\frac{35}{24}$ (b) $\frac{8}{5}\sqrt{2} - 2$ (c) -2 (d) 0 (e) $\frac{1}{20}$ (f) $-\frac{4}{3}$ (g) $\frac{7}{6}$
 (h) $\frac{5}{6}$ (i) $\frac{20}{3}$ (j) 0 (k) $\frac{20}{3}$ (l) $-\frac{\sqrt{2}}{3}$ **4.** (a) e (b) $2(e^{-2} - e^{-4})$ (c) 0 (d) $2(e - e^{-1})$
 (e) $e^2 + 4 - e^{-2}$ (f) $\frac{1}{2}(e - e^5)$ (g) $2\sqrt{e} - 3$ (h) $\frac{1}{4}(16e^{1/4} - e^4 - 15)$ (i) $\frac{1}{2}(e^{-1} - e^3)$
6. (a) $3\ln 2$ (b) $2\ln 5$ (c) $4 + 4\ln 3$ (d) $\frac{1717}{4}$ (e) $\frac{3}{2}\ln 3$ (f) $2\ln 2$ (g) $\frac{3}{4}$ (h) $4\ln 2 - 2$ (i) $\ln 2$
8. (a) 1 (b) $\frac{3\sqrt{3}}{2}$ (c) $\frac{\sqrt{3}}{2}$ (d) -2 (e) $\frac{\pi^2}{32} - 1$ (f) 0 (g) 0 (h) $\frac{\sqrt{3}}{2} - \frac{1}{2}$ (i) 0 **9.** (a) $\frac{31}{5}$
 (b) $\frac{7\sqrt{7}}{3} - \sqrt{3}$ (c) 0 (d) $\frac{5}{72}$ (e) $3\sqrt[3]{2} - \frac{3}{2}$ (f) $1 - \ln 2$
10. $\ln\left(\frac{21}{5}\right)$ **11.** $\sin 2x + 2x \cos 2x; 0$ **12.** (a) $2m - n$ (b) $m + a - b$ (c) $-3n$ (d) $m(2a - b)$
 (e) na^2 **13.** (a) $e^{0.1x} + 0.1xe^{0.1x}; 10xe^{0.1x} - 100e^{0.1x} + c$ (b) i. 99 accidents
 ii. $N = 12t + 10te^{0.1t} - 100e^{0.1t} + 978$ **14.** (a) 1612 subscribers (b) 46220 **15.** (b) ~524 flies

EXERCISES 22.5

- 1.** (a) 4 sq.units. (b) $\frac{32}{3}$ sq.units. (c) 4 sq.units. (d) 36 sq.units. (e) $\frac{1}{6}$ sq.units. **2.** (a) e sq.units.
 (b) $\frac{1}{2}(e^4 - 2 - e^2)$ sq.units. (c) $2(e + e^{-1} - 2)$ sq.units. (d) $2(e^2 - 2 - e)$ sq.units.
3. (a) $\ln\left(\frac{5}{4}\right)$ sq.units. (b) $2\ln 5$ sq.units. (c) $3\ln 3$ sq.units. (d) 0.5 sq.units. **4.** (a) 2 sq.units.
 (b) $\frac{\pi}{2}$ sq.units. (c) $\frac{3}{8}\pi^2 + \sqrt{2} - 2$ sq.units. (d) $\sqrt{2}$ sq.units. (e) $4\sqrt{3}$ sq.units. **6.** 12 sq.units.
7. $4\left(\sqrt{3} - \frac{1}{3}\right)$ sq.units. **8.** $\ln 2 + 1.5$ sq.units. **9.** 2 sq.units. **10.** $\frac{37}{12}$ sq.units. **11.** (a) 0.5 sq.units.
 (b) 1 sq.unit. (c) $2(\sqrt{6} - \sqrt{2})$ sq.units. **12.** $\frac{8}{3}$ **13.** $-2\tan 2x; \frac{1}{4}\ln 2$ sq.units. **14.** (a) $\frac{9}{2}$ sq.units.
 (b) 3 sq.units. **15.** (a) 1 sq.unit. (b) 10 sq.units or 2 sq.units **16.** (a) $x\ln x - x + c$
 (b) 1 sq.unit. **17.** $\frac{14}{3}$ sq.units **18.** (a) $\frac{7}{6}$ sq.units (b) $\frac{9}{2}$ sq.units **19.** i. $\frac{15}{4}$ sq.units ii. $\frac{45}{4}$ sq.units
20. $\frac{22}{3}$ sq.units. **21.** (b) i. $e^{-1} + e - 2$ sq. units ii. 1 sq. unit iii. $2\ln(2)$ sq. units

22. (b) 3.05 sq. units **23.** (a) $2y = 3ax - a^3$ (b) $\frac{1}{15}a^5$ sq. units **24.** (a) $1 - e^{-1}$ sq. units

(b) e^{-1} sq. units (c) $1 - e^{-e^{-1}-1} - e^{-1} \approx 0.10066$ sq. units **25.** $a = 16$

EXERCISES 22.6

1. (a) $x = t^3 + 3t + 10, t \geq 0$ (b) $x = 4 \sin t + 3 \cos t - 1, t \geq 0$

(c) $x = t^2 - 4e^{-\frac{1}{2}t} + 2t + 4, t \geq 0$ **2.** (a) $x = t^3 - t^2, t \geq 0$ (b) 100 (c) $100\frac{8}{27}$ m

3. (a) $x = -\frac{2}{3}(4+t)^{3/2} + 2t + 8$ (b) 6.92 m **4.** $\frac{125}{6}$ m **5.** $\frac{125}{49}$ sec; 63.8 m **6.** (a) $\frac{\pi}{6}$ sec

(b) $\frac{\pi}{2} - 1$ m **7.** 80.37 m **8.** (a) $s(t) = \frac{160}{\pi} \left[1 - \cos\left(\frac{\pi}{16}t\right) \right], t \geq 0$ (b) 86.94 m (c) -6.33 m

(d) 116.78 m **9.** (a) $v = 4 + k - \frac{k}{t^2}, t > 0$ (b) $k = 2$ (c) 52.2 m **10.** (b) 0.0893 m

EXERCISES 22.7

All values are in cubic units

1. 21π **2.** $\pi \ln 5$ **3.** $\frac{\pi}{2}(e^{10} - e^2)$ **4.** π^2 **5.** $\frac{\pi}{2}$ **6.** $\pi\left(\frac{8}{3} - 2\ln 3\right)$ **9.** $\frac{\pi}{5}(5 - 5\sin 1)$

10. $\frac{251}{30}\pi$ **11.** $\frac{242}{5}\pi$ **12.** $\frac{\pi}{4}$ **13.** $\frac{88}{5}\sqrt{3}\pi$ **14.** $\frac{3\pi}{4}$ **15.** $k = 1$


16. $4\pi^2 a^2$ **17.** $k = \frac{\pi}{2}$ **18.** $\frac{8\pi}{15} \sqrt{\frac{a}{1+a^2}} \left(\frac{3a^2+2}{1+a^2} \right)$ **19.** (a) two possible solutions: solving

$a^3 - 6a^2 - 36a + 204 = 0$, $a = 4.95331$; solving $a^3 - 6a^2 - 36a - 28 = 0$, then $a = -0.95331$.


20. $\frac{28}{15}\pi$ **21.** 64π

REVISION EXERCISES – SET A

1. -84 **2.** (a)




(b) i. $-1, \infty[$ ii. $f^{-1}(x) = \ln(x+1)$ (c)



3. 840 **4.** (a) i. 0 ii. 2 (b) $-2 \leq x \leq 2$ (c) $x \geq 0$ **5.** (a) $(1, -2), (-1, 4)$ and $(3, 0)$


(b)




6. (a) 2 (b) $S = [0, \infty[, \text{ range} = [1, \infty[$

(c) $f^{-1} : [1, \infty[\rightarrow \mathbb{R}, f^{-1}(x) = (\ln x)^2$


7. (a)




(b)



(c)



(d)



8. (a) i. 512 ii. 2 (b) i. $3x^2h + 3xh^2 + h^3$ ii. $3x^2 + 3xh + h^2$

9. (a) i. -1 or 6 ii. $\frac{3}{e-1}$ (b) i. $\mathbb{R} \setminus \{3\}$ ii. 0.2 iii. 0


10. (a) i. 2 or 6 ii. $\frac{1}{3}(e^2 - 4)$ (b) i. $0 < x < 1$ ii. \mathbb{R} iii. $\log_e 4 \approx 0.72$ iv. $\frac{e^{0.8}}{1 + e^{0.8}} \approx 0.69$

11. (a) $g(f(x)) = -\frac{2x}{1-x}$, $x \in \mathbb{R} \setminus \{\pm 1\}$ (b) $P = (2, 4)$


12. (a) i. $x = \frac{\ln 6}{\ln 3}$ ii. $\frac{15}{7}$ (b) $1 + \sqrt{3}$ (c) i. $f(g(x)) = \sqrt{\frac{1}{x^2} - 1}$, $g(f(x)) = \frac{1}{x-1}$ ii. $[-1, 1] \setminus \{0\}$

13. 0.5


14. (a)



(b)



(c)




15. (a) $k = 0$ or 1 (b) $0 < x < 3$ **16.** (a) $0 < x < 5$ (b) 70 **17.** i. 9 ii. -4 **18.** ± 3

19. (a) $y = -2x$ (b) $\frac{x-y}{x+y}$ **20.** (b) $x = -\frac{4}{9}, y = \frac{1}{9}$ **21.** (b) ii. $p^5 = 3 + 5p$, $p^4 = 2 + 3p$

22. (a) $\frac{2}{9}$ (b) 59136 **23.** $a = -\frac{3}{5}, b = -\frac{648}{25}, n = 10$ **24.** (a) ii. $\{\pm 1\}$ (b) i. $y = \sqrt{6(x-3)}$

ii. $x = 9, y = 6$ **25.** $1792x^5$ **26.** (a) $\frac{5}{2}, -\frac{3}{2}$ (b) $\frac{3}{2}, -\frac{1}{2}$ (c) $\frac{17}{2}$ **27.** (a) \mathbb{R} (b) $]-\infty, 4]$ (c) $]-\infty, 4[$

28. (b) $\frac{5}{8}$ sq. units



REVISION EXERCISES – SET B

- 1.** (a) 189 (b) 99 (c) -96 (d) 36 **2.** (b) -65 **3.** (b) 23.9 km (c) 26.4° (d) 15.3 km (e) 107.5
4. (a) i. A: \$49000; B: \$52400; C: \$19200 ii. A: \$502400; B: \$506100; C: \$379400 (b) 4.6%
(c) i. 14 months ii. C never reaches its target **5.** (a) $r = 0.5$ (b) 62.5 cm **6.** (b) $26^\circ 34'$ or 135°
7. (b) $\frac{7\pi}{6}, \frac{11\pi}{6}, \frac{\pi}{2}$ **8.** 28 **9.** (a) $\frac{\pi}{3}, \frac{2\pi}{3}, \frac{4\pi}{3}, \frac{5\pi}{3}$ (b) $0, \frac{\pi}{2}, \pi, 2\pi$ **10.** (a) max value is $\frac{17}{2}$ for
 $x = \frac{\pi}{2} + 2k\pi$ or $x = \frac{3\pi}{2} + 2k\pi$, where k is an integer; min value is $\frac{17}{5}$ for $x = k\pi$, where k is
an integer (b) $\frac{\pi}{3}, \frac{5\pi}{3}$ **11.** (a) $u_n = 74 - 6n$ (b) $n = \frac{1}{6}(74 - p)$ (c) $\frac{1}{12}(74 - p)(68 + p), 420$
12. $\frac{24(4\sqrt{3} - 3)}{39}$ **14.** (a) $60^\circ, 109^\circ 28', 250^\circ 32', 300^\circ$ (b) i. 2cosecθ ii. $\frac{\pi}{3}, \frac{2\pi}{3}$ **15.** (a) ~ 342
(b) 20 terms (c) $0 < x < 2$ (d) $\{1, 3, 8, 18, \dots\}$ (e) $u_n = 23 - 3n$ (f) \$4131.45 **16.** (a) $-\frac{1}{2}$
(b) 4 **17.** (a) 120° (b) $14\sqrt{3}$ cm² **18.** (a) i. $0.3\sqrt{3}$ m ii. $0.2\sqrt{3}$ m (b) ~ 1.15 m (c) $73^\circ 13'$
19. (a) $\frac{\pi}{3}, \frac{4\pi}{3}$ (b) $\left\{x \mid \frac{\pi}{3} < x < \frac{4\pi}{3}\right\}$ **20.** (a) 8 cm (b) $28^\circ 4'$ **21.** 3 **22.** (a) $\left\{\frac{\pi}{12}, \frac{7\pi}{12}, \frac{13\pi}{12}, \frac{19\pi}{12}\right\}$
(b) $\frac{\pi}{3}$ **23.** (a) \$77156.10 (b) $u_1 = -\sqrt{3}, u_3 = -3\sqrt{3}$ **24.** (a) $f(x) = 3\cos(2x)$ (b) $\left\{\frac{7\pi}{6}\right\}$
(c) 3 **25.** (b) i. BP = 660 m, PQ = 688 m **26.** 216° **27.** (b) 906 m **28.** (a) $38^\circ 40'$
(b) 0.08004 m² (c) \$493.71 **29.** (a) $\tan \alpha = -\frac{1+\sqrt{5}}{2}$ (b) range = [3, 3.5] (c) i. 3 ii. 2
30. (a) i. $W(4) = 19.38, P(4) = 14.82$ ii. $W(20) = 10.95, P(20) = 27.02$
iii. $W(35) = 13.45, P(35) = 23.25$ (b) Amp = 5, period = 50 weeks
(c)
- (d) \$27.07 (e) during 7th & 46th week **31.** (a) \$49000, \$47900, \$46690 (b) \$34062.58
(c) 18.8 yrs (d) $\sim \$248564$ **32.** (a) ii. 26 cards (b) 26, 40, 57, 77
(c) $a = 3, b = -1$ (d) 155 cards
(e) $t_n = \frac{n}{2}(3n + 1)$ **33.** (a) ~ 2.77 m (b) i. 3.0 m ii. 2.0 m (c) 4.15 pm
(d) use g.c. (e) $2\frac{1}{6} < t < 6\frac{1}{3}$

- 34.** 1.262 ha **35.** $\left\{\frac{\pi}{4}, \frac{3\pi}{4}\right\}$ **36.** (a) $x = -\frac{2\pi}{3}, \frac{2\pi}{3}$ (b)

- (c) $-\frac{2\pi}{3} < x < \frac{2\pi}{3}$ **37.** 1623 m **38.** (a) 19.5°C (b) $D(t) = -1 + 2\cos\left(\frac{\pi}{12}t\right)$ (d) use g.c (e) 8 am to midnight
39. 1939 m **40.** (a) ii. $N_0 = 2000, \alpha = 10$ (b) 2000, 2200, 2420, 2662, 2988.2 (c) 52 hrs
(d) 176995

41. (a) $(4 - \pi)$ cm² (b) $\frac{(4 - \pi)}{2}$ cm² (c) ii. $r = \frac{1}{2}$ iii. $A_n = (4 - \pi) \times \left(\frac{1}{2}\right)^{n-1}$, $n = 1, 2, \dots$

(d) i. $\frac{31}{16}(4 - \pi)$ cm² ii. $2(4 - \pi)$ cm² (e) geometric

REVISION EXERCISES – SET C

1. (a) $-7\mathbf{i} + 6\mathbf{j} + \mathbf{k}$ (b) -8 (c) $a = \frac{1}{\sqrt{3}}(\mathbf{i} + \mathbf{j} + \mathbf{k})$ **2.** i. $x = \frac{7}{2} + \lambda$, $y = \lambda$, $z = \frac{9}{2} + 5\lambda$

ii. $\frac{x - 3.5}{1} = \frac{y}{1} = \frac{z - 4.5}{5}$ **3.** 0 **4.** $k = 1$ or 3 **5.** $t = 2, (16, -8, 4)$ **6.** $A^2 = I_{3 \times 3}; (-1, -3, 4)$

7. $BX = \frac{1}{2}A$, $X = \frac{1}{18}BA$, $AX = \frac{1}{18}ABA$ **8.** (a) $3\mathbf{i} - \mathbf{j} - 2\mathbf{k}$ (b) 100° (c) $4\mathbf{i} - 3\mathbf{j} - 3\mathbf{k}$

9. (b) $A^{-1} = \frac{1}{3}(A - 2I)$ **10.** (a) $|r_B|_{min} = 2\sqrt{2}$ (b) $t = 5$, $b = \frac{2}{5}$ **11.** (a) $\frac{1}{a-2} \begin{bmatrix} -3 \\ 2a-1 \end{bmatrix}$

(b) $a = 2$ (c) $x = -3, y = 5$ **12.** (a) i. 90° ii. $\frac{7}{2}\sqrt{26}$ unit² (b) i. $s + 3p$ ii. $s + 2p$ iii. $\frac{1}{2}s + 2p$

iv. $-\frac{1}{2}s + 2p$ **13.** (a) 1 (b) $A^n = \begin{bmatrix} 2^n & (2^n - 1)a \\ 0 & 1 \end{bmatrix}$ (c) $a = -\frac{2}{9}$ **14.** (a) 27° (b) $\frac{1}{2}\sqrt{17}$ unit²

15. (a) i. $\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 2 \\ -3 \\ 7 \end{pmatrix} + \lambda \begin{pmatrix} 3 \\ 7 \\ 1 \end{pmatrix}$, $\lambda \in \mathbb{R}$ ii. $x = 2 + 3\lambda$, $y = -3 + 7\lambda$, $\lambda \in \mathbb{R}$ iii. $\frac{x-2}{3} = \frac{y+3}{7}$

(b) $-\mathbf{i} + 11\mathbf{j}$ (c) i. no ii. lines are skew **16.** $28^\circ 35'$ **17.** (a) $a = \frac{3}{2}$ (b) $b = \frac{3}{2}$, $c = \frac{1}{3}$

18. $\frac{4}{\sqrt{77}} \left(-\frac{5}{4}\mathbf{i} + \mathbf{j} + \frac{3}{2}\mathbf{k} \right)$ or $-\frac{4}{\sqrt{77}} \left(-\frac{5}{4}\mathbf{i} + \mathbf{j} + \frac{3}{2}\mathbf{k} \right)$ **19.** $k = -1, 1$ or 2 **20.** (a) i. $\begin{bmatrix} 2 \\ 5 \end{bmatrix}$ ii. $\frac{1}{2} \begin{bmatrix} 1 & 0 \\ 2 & 2 \end{bmatrix}$

(b) $x + y - z = 1$, $3x + 4y + 6z = 7$ (c) $\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} -3 \\ 4 \\ 0 \end{pmatrix} + \lambda \begin{pmatrix} 10 \\ -9 \\ 1 \end{pmatrix}$ **21.** (a) 5 (b) $\frac{5}{3}\sqrt{5}$

22. $OA = 2\mathbf{i} - 2\mathbf{j} + \mathbf{k}$, $OB = 4\mathbf{i} - 3\mathbf{k}$; $70^\circ 32'$ **23.** $AB = I$; $x = 3, y = 0, z = -1$

24. (a) [11] (b) $\begin{bmatrix} 3 & 6 \\ 4 & 8 \end{bmatrix}$ (c) $\begin{bmatrix} 2 & 4 \\ 5 & 8 \end{bmatrix}$ (d) does not exist **25.** Yes **26.** (a) i. $(1, -1, 2)$; $\left(\frac{1}{\sqrt{6}}, -\frac{1}{\sqrt{6}}, \frac{2}{\sqrt{6}}\right)$


ii. $(3, 6, 2)$; $\left(\frac{3}{7}, \frac{6}{7}, \frac{2}{7}\right)$ (b) lines do not meet **27.** $\frac{x-1}{3} = \frac{y-2}{2} = \frac{z+3}{1}$ **28.** $\left(\frac{2}{5}, \frac{23}{5}\right)$


29. $\frac{2}{3}$ or 2 **30.** (a) $\mathbf{r}_A = \begin{pmatrix} 0 \\ 80000 \end{pmatrix} + t \begin{pmatrix} 3 \\ -2 \end{pmatrix}$ (b) $\begin{pmatrix} 21600 \\ 65600 \end{pmatrix}$ (units in metres) (c) They do not

collide **31.** (a) $\mathbf{r} = \begin{pmatrix} 4 \\ 2 \end{pmatrix} + t \begin{pmatrix} 2 \\ 3 \end{pmatrix}$ (b) $\mathbf{LP} = \begin{pmatrix} -21 \\ -11 \end{pmatrix} + t \begin{pmatrix} 2 \\ 3 \end{pmatrix}$ (c) ~ 129.31 km

REVISION EXERCISES – SET D

- 1.** (a) $\frac{1}{4}$ (b) $\frac{3}{8}$ (c) 0.3169 **2.** 0.0228 **3.** (a) 0.12 (b) 0.6087 **4.** (a) 0.89 (b) $\frac{21}{40}$ (c) $\frac{40}{89}$
- 5.** (a) 0.46 (b) $\frac{9}{23}$ **6.** (a) 3326400 (b) i. $\frac{2}{11}$ ii. $\frac{2}{77}$ **7.** (a) 0.9772 (b) 0.3413 **8.** (a) 0.936 (b) 5
- 9.** (a) 792 (b) 35 **10.** (a) 151200 (b) 0.1512 **11.** 0.2852 **12.** $\frac{128}{850} \approx 0.1506$ **13.** (a) 0.10 (b) 0.40
(c) $(x, P(X = x))$ values are: (0, 0.40), (1, 0.50), (2, 0.10) (d) $E(X) = 0.70$, $var(X) = 0.41$
- 14.** (a) 0.8664 (b) 0.7210 (c) 0.9034 (d) $9.8855 < Y < 10.2145$ (e) 79.3350
- 15.** (a) 315 (b) 17280 **16.** $\frac{193}{512}$ **17.** (a) $\frac{2}{3}$ (b) $\frac{1}{2}$ **18.** (a) $P(X = x) = \frac{1}{6} \times \left(\frac{5}{6}\right)^x$, $x = 0, 1, \dots$
(i.e., Geometric) (b) i. 0.0670 ii. 0.4019 iii. $\frac{1}{6}$ **19.** (a) $\frac{13}{44}$ (b) $\frac{9}{44}$
- 20.** (b) $(x, P(X = x))$ values are: $\left(1, \frac{9}{25}\right)$, $\left(3, \frac{7}{25}\right)$, $\left(5, \frac{5}{25}\right)$, $\left(10, \frac{3}{25}\right)$, $\left(20, \frac{1}{25}\right)$
(c) $E(X) = \frac{105}{25} \approx 4.2$, $var(X) = \frac{11400}{625} \approx 18.24$ (d) 0.00064 **21.** (a) 0.3085 (b) 0.0091 (c) 0.1587
- 22.** 100 **23.** (a) $\frac{1}{2}$ (b) $\frac{1}{7}$ (c) $\frac{2}{7}$ **24.** (b) $(x, P(X = x))$ values are: (1, 0.4), (2, 0.3), (3, 0.2), (4, 0.1)
(c) i. 2 ii. 5 iii. 3 **25.** i. 0.8186 ii. 0.1585
- 26.** (a) $(x, P(X = x))$ values are: $\left(0, \frac{3}{16}\right)$, $\left(1, \frac{7}{16}\right)$, $\left(2, \frac{5}{16}\right)$, $\left(3, \frac{1}{16}\right)$ (b) ii. 0.0064 iii. 0.7705
- 27.** $\mu = 0.9586$, $\sigma = 0.0252$ **28.** (a) $\frac{10}{21}$ (b) i. 0.3085 ii. 0.1747 **29.** (a) i. 0.8 ii. 0.25
(b) i. 0.4 ii. $E(X) = 0.8$, $var(X) = \frac{14}{25}$ **30.** (a) i. $\frac{1}{8}$ ii. $\frac{47}{72}$ iii. $\frac{1}{8}$ iv. $\frac{47}{72}$ v. $\frac{9}{47}$ **31.** $\frac{189}{8192}$
- 32.** $\frac{43}{60} \approx 0.7167$ **33.** $\frac{117}{145} \approx 0.8069$ **34.** i. $(x, P(X = x))$ values are: $\left(0, \frac{1}{6}\right)$, $\left(1, \frac{1}{3}\right)$, $\left(2, \frac{1}{2}\right)$;
 $E(X) = \frac{4}{3}$, $var(X) = \frac{5}{9}$ ii. $\frac{2}{3}$ iii. $\frac{5}{24}$ **35.** i. 0.4 ii. 0.096 iii. 0.225 iv. 0.635 **36.** (a) $\frac{3}{5}$
(b) $(x, P(X = x))$ values are: $\left(0, \frac{4}{25}\right)$, $\left(1, \frac{12}{25}\right)$, $\left(2, \frac{9}{25}\right)$ (c) $E(X) = 1.2$, $var(X) = 0.48$
(d) $\frac{3}{7}$ **37.** (a) i. $\frac{8}{15}$ ii. $\frac{7}{15}$ iii. $\frac{1}{5}$ iv. $\frac{4}{5}$ v. $\frac{4}{7}$ (b) $\frac{x(p-q) + 100q}{100}$ **38.** $\frac{2}{3}$ **39.** (a) 0.1359
(b) 137.22 (c) $137\frac{1}{3}$ (d) $a = 141.21$ **40.** i. $\frac{2}{3}$ ii. $\frac{2}{9}$ iii. not independent
- 41.** i. $b + 6a$ ii. $0 \leq b \leq \frac{1}{3}$ **42.** i. 0.081 ii. $\frac{4}{13}$ **43.** (a) 0.0169 (b) i. 0.9342 ii. 127 iii. 0.008






46. (a) i. 0.24 ii. 0.36 (b) $172 + 0.96Q$ (c) $Q > 29.17$

47. (a) use g.c (b) i. $\bar{x}_A = 37.35$, $\bar{x}_B = 37.31$ ii. A: $s_n = 8.801$, B: $s_n = 9.025$

(c) i. Class A: $x_{min} = 23$, $x_{max} = 56$, med = 36, $Q_3 = 43$, $Q_1 = 31$

Class B: $x_{min} = 22$, $x_{max} = 57$, med = 37, $Q_3 = 44$, $Q_1 = 31$



ii. Class A: med = 36; multimodal – 34, 35, 39, 43, 48

Class B: med = 37; multimodal – 27, 34, 38, 42, 49

iii. Class A: IQR = 12, Class B: IQR = 13 (d) Results from both classes are very close, however, Class B does slightly better as it has a larger median as well as the larger maximum value.

REVISION EXERCISES – SET E

1. (a) $\frac{x}{\sqrt{x^2 + 4}}$ (b) $2\cos 2x - 2(2x-1)\sin 2x$ 2. $30\frac{1}{3} + \log_e 4$ 3. (a) $\frac{\pi}{3}, \frac{4\pi}{3}$

(b) $\left\{ x \mid \frac{\pi}{3} < x < \frac{4\pi}{3} \right\}$ (c) 4 sq. units 4. (a) 19.8°C (b) 1.6°C per minute (c) 17.3 min

5. (a) $x \in [-1, 0[\cup]0, \infty[$ (b) $x \in]-\infty, 0[\cup [2, \infty[$ 6. 10 m 7. (a) $\frac{4x}{(x^2 + 1)^2}$


(b) $-4\sin 2x \cos 2x$ (or $-2\sin 4x$) 8. (a) i. 0 ii. 2 (b) $x \in [-2, 2]$ (c) $x \geq 0$

(d) $-\frac{x}{\sqrt{4-x^2}}, -2 < x < 2$ 9. (a) $-\frac{2+h}{(1+h)^2}, h \neq 0$ (b) -2 10. (a) 74 (b) 0.69 11. 1.455 ms^{-1}

12. (a) Absolute maximum at $\left(\pm\frac{1}{\sqrt{2}}, 1\right)$; local min at $(0, 0)$; x-intercept at $(\pm 1, 0)$


(b) Local min at $\left(\pm\frac{1}{\sqrt{2}}, 1\right)$; asymptotes at $x = \pm 1$, $y = 0$. 13. i. $6\cos 2x \sin^2 2x$ ii. $\frac{x+3}{(2x+3)^{3/2}}$

14. $\frac{1}{2}(e^{2x} - 4x + e^{-2x}) + c$ 15. 720 m^3 16. (a)



(b) 98°

17. (b) i. 2 ii. 72 cm^3 **18.** (a) Area = $A = \frac{8}{15}h^{3/2}$, Volume = $V = 0.48h^{3/2}$ (b) $\frac{5}{144} \text{ m/min}$



19. (a) $(-1, 4), (1, -2), (3, 0)$ (b) use g.c (c) $\frac{16}{3} - 3\log_e 3$ sq. units **20.**

21. (a) $h = \frac{1000}{\pi r^2}$ (b) radius = 5 cm, height = 12.7 cm **22.** i. $-\frac{3x}{\sqrt{1-3x^2}}$ ii. $\frac{e^x}{(1+e^x)^2}$

23. (a) $3x^2h + 3xh^2 + h^3$ (b) $3x^2 + 3xh + h^2$ (c) $3x^2$ **24.** (a) $2 - \frac{3}{4}\sqrt{3}$ (b) $\log_e 3$

25. (a) $p'(t) = 0.8(1 - 0.02t)e^{-0.02t}$ (b) ~ 38.3 million (c) i. decreasing ii. ~ 0.1 million/year
(d) 50 years time, i.e., 2030; 42.2 million **26.** 76222 cm^3


27. (a) $A \equiv (-1, 5), B \equiv (1, 3), C \equiv (4, 0)$ (b) use g.c (c) $12 - 4\log_e 4$ sq. units

28. i. $\frac{1 + \cos x + x \sin x}{(1 + \cos x)^2}$ ii. $\frac{x}{x^2 + 1}$ **29.** (a) $12 + 6h + h^2, h \neq 0$ (b) 12 **30.** (a) $A \equiv (2, 2e^{-1})$


(b) i. $y = x$ ii. $\frac{d}{dx}(xe^{-x/k}) = \left(1 - \frac{x}{2}\right)e^{-x/2}$ iii. $4 - 2(2+a)e^{-a/2} - \frac{1}{2}a^2$ (c) i. $(2x - x^2)e^{-x}$

ii. $\pi(2 - 10e^{-2})$ cubic units **31.** (a) $\log_e x$ (b) $2(\log_e 2 - 1)$ **32.** (a) i. 283 sec ii. 250 sec

(c) 244 sec **33.** (a) $A \equiv \left(\frac{1}{2}\ln 2, 2(1 - \ln 2)\right)$ (b) $\frac{1}{2}(e^2 - 5)$ sq. units (c) i. At $(0,1)$: $y = -2x + 1$




(d) ii. $\frac{\pi}{12}(3e^4 - 24e^2 + 37)$ cubic units **34.** (b) i. $0 < x < 0.5$ ii. $x = 0.5$ iii. $x < 0$ or $x > 0.5$



(c) $\left(\frac{1}{2}, 1 - \ln 2\right)$ (d) **35.** (a) 4.20 (b) i. $\frac{1}{2}\cos\frac{1}{4}t$ ii. -0.40 **36.** $\pi\log_e 3$ cubic units

37. $a = -1, b = 6, c = -9$ **38.** (a) $\frac{4\sqrt{3}}{3}$ (b) i. $-6\sin 3x \cos 3x$ ii. $\frac{x}{2} + \frac{1}{12}\sin 6x + c$


- 39.** $A = 0, B = 0.5$ **40.** (a) $\frac{7}{12}$ sq. units (b) $\frac{7}{15}\pi$ cubic units **41.** (a) $V = \pi r^2 h + \frac{4}{3}\pi r^3$
 (b) $P = 2\pi krh + 6\pi kr^2$ (c) $P = \frac{2kV}{r} + \frac{10\pi}{3}kr^2$ (d) $0 < r < \left(\frac{3V}{4\pi}\right)^{1/3}$ (e) $r = \left(\frac{3V}{10\pi}\right)^{1/3}$
42. (b) $\left[\frac{a}{4}, \frac{a}{2}\right]$ (c) $\frac{\sqrt{3}}{36}a^3$ cubic units **43.** (a) $2x \log_e x + x ; 2 \log_e 2 - \frac{3}{4}$ (c) $(1, e); y = ex$
 (d) $\left(\frac{1}{2}e - 1\right)$ sq. units **44.** $x_1 = \frac{\pi}{6}, x_2 = \frac{\pi}{4}, x_3 = \frac{\pi}{3}$ **45.** (a) $a = 2$; $f^{-1}(x) = 2 + \sqrt{x}, x \geq 0$



- (b) $\frac{136}{3}\pi$ cubic units **46.** (a) i. \mathbb{R} ii. $[0, \infty[$ (b) 0.5 (c) $\{0, 4\}$ (d) i.

- ii. $\{x \mid x > 4\}$ (e) i. 4 sq. units ii. $\frac{\pi}{2}(e^4 + 3)$ cubic units **48.** i. $-6 \sin 2x \cos^2 2x$ ii. $\frac{1 - 2x^2}{\sqrt{1 - x^2}}$

- 49.** (a) $\sin x + x \cos x$ (b) $x \sin x + \cos x$ **50.** (a) $y = -ex + e + e^{-1}$ (b)



- (c) $\frac{1}{2}e + e^{-2}$ sq. units **51.** (a) $\frac{4}{3}$ sq. units (b) $\frac{64}{15}\pi$ cubic units **52.** (a) $[0, 5]$ (b) use g.c (c) 0.625
 (d) $a = \frac{1}{2} - \frac{1}{5}t, 0 \leq t \leq 5$ **53.** (c) Minimum, $3\pi a^2 \left(\frac{5}{3}\right)^{1/3}$; Maximum $3\pi a^2 \left(\frac{9}{4}\right)^{1/3}$

- 54.** (a)
 (b) 30 seconds (c) $116\frac{2}{3}$ metres **55.** (a) $-e^{-x}(\cos x + \sin x)$
 (b) 1 **56.** (a) $-\frac{1}{t^2} + 1$ (b) $\ln t + 2t + \frac{1}{2}t^2 + c$ **57.** (a) use g.c (b) $A(x) = 2x \cos x, 0 < x < \frac{\pi}{2}$
 (d) 1.12 sq. units

Note: A Solutions Manual – which includes fully worked solutions to almost every question in the textbook is available. Check the ibid press website for details as well as further updates on answers and solutions.