



Computer science
Standard level
Paper 2

5 May 2025

Zone A morning | Zone B morning | Zone C morning

1 hour

Instructions to candidates

- Do not open this examination paper until instructed to do so.
- Answer all of the questions from one of the options.
- The maximum mark for this examination paper is **[45 marks]**.

Option	Questions
Option A — Databases	1 – 3
Option B — Modelling and simulation	4 – 6
Option C — Web science	7 – 9
Option D — Object-oriented programming	10 – 12



Option A — Databases

1. Alpha Hospital is situated in a large city and has over 1000 staff. It stores its data in a relational database.

Some of the tables in this relational database contain data about the hospital staff, their roles, and the hospital departments.

Staff roles include doctor, nurse, pharmacist, radiologist, and support staff. Staff can only hold one role.

Departments include Accident and Emergency, Critical Care, Medical, General Surgery, Orthopaedics, and Ophthalmology. Staff can work in several departments.

The ROLE table, STAFF table, and DEPARTMENT table are shown in **Figure 1**.

Figure 1: Diagrammatic relationship for the ROLE table, STAFF table and DEPARTMENT table

ROLE	STAFF	DEPARTMENT
RoleID	StaffID	DepartmentID
PayGrade	RoleID	ManagerID
	DepartmentID	Building
	FirstName	
	Surname	
	DateOfBirth	

- (a) (i) State the primary key in the STAFF table. [1]
- (ii) State a foreign key in the STAFF table. [1]
- (b) Describe the relationships between the three tables in **Figure 1**. [2]
- (c) Outline what a query is used for in a database. [2]
- (d) Identify the steps to create a query to list the staff with the surname Waters who are on pay grade 17. The query must display **only** FirstName, Surname, and PayGrade. [4]
- (e) Outline why an integer is an appropriate data type for the PayGrade field. [2]
- (f) Explain **two** ways in which the database administrator can ensure the privacy of the hospital's staff data. [6]

(Option A continues on the following page)

(Option A continued)

2. Database design is a complex process that takes place in a range of phases. Different phases of database design use different schema.
- (a) Describe the difference between a conceptual schema and a logical schema. [2]
 - (b) Explain the importance of a data definition language in implementing a data model. [2]
 - (c) Explain why data modelling is used during the development of a database. [4]
 - (d) Explain why both data validation and data verification are required to ensure the correctness of the data within a database. [3]
 - (e) Outline how data integrity is maintained during a database transaction. [2]
 - (f) Outline the role of relational integrity in maintaining data consistency within a database. [2]

(Option A continues on page 5)

(Option A continued)

3. Alpha Hospital uses a database application to book appointments. Information can be shown in different formats.

Figure 2 shows an example of a patient's appointments displayed in the application.

Figure 2: A patient's appointments

Back [Search Bar] + ↺

Patient appointments

Patient number

First name

Preferred name

Surname

Date of birth

Age

Form List

Select the appointment for details and directions to the building and room.

24 Jan 2024 09:30 Dr L. Ross
General Surgery

26 Jan 2024 10:00 Dr N. Friend
Radiology

28 Jan 2024 09:30 Dr L. Ross
General Surgery

[Person Icon] [Location Pin Icon] [Briefcase Icon] [Calendar Icon] [Back Arrow Icon]

The Age field is a derived field.

- (a) (i) Outline **one** reason why a derived field would be used in a database. [2]
- (ii) Describe how the derived field Age would be calculated. [2]

Patient information can be represented in the following format:

PATIENT (PatientID, FirstName, Surname, PreferredName, DateOfBirth)

- (b) Outline the difference between first normal form (1NF) and second normal form (2NF). [2]
- (c) Construct a database in third normal form (3NF) for all of the data shown in **Figure 2**. You should use database notation as shown in the PATIENT table. [6]


End of Option A

Turn over

Option B — Modelling and simulation

4. Global warming can be measured over time using mean temperatures. **Figure 3** shows the mean daily maximum temperatures from 1970 to 2020 for Nauru, an island in the Pacific Ocean.

Figure 3: Mean daily maximum temperatures for Nauru, 1970–2020



- (a) State **two** variables that are necessary for the mean daily maximum temperature to be calculated. [1]
- (b) Identify the steps that would be used to create the diagram exactly as shown in **Figure 3** using the data in a spreadsheet. [3]
- (c) Identify **two** reasons why the mean daily maximum temperature data is presented in graphical form. [2]

An automated system is used to collect the temperature data for Nauru once an hour for one year.

- (d) Outline **one** reason why the temperature data is collected once an hour rather than at shorter intervals, such as once a minute. [2]
- (e) Describe the steps that should be used to store the data collected for one day (24 hours) in suitable parallel one-dimensional (1D) arrays.

The time the data was collected must be easy to identify. **Do not** write a pseudocode algorithm.

(Option B continues on the following page)

[5]

(Option B, question 4 continued)

The temperature data is downloaded every day and collated into a master file.

The data from the master file is loaded into a suitable array for that 24-hour period.

The following statistics are calculated:

- Maximum temperature
- Minimum temperature
- Mean temperature

As Nauru is very close to the equator, the length of the day changes very little throughout the year. For the purposes of part (f), the lengths of its day and night are:

- Day: 07:00 to 18:59 inclusive (12 hours)
- Night: 19:00 to 06:59 inclusive (12 hours)

- (f) Construct a pseudocode algorithm to calculate the:
- maximum temperature
 - minimum temperature
 - mean temperature
 - mean night-time temperature.

Assume the arrays for the time of day of the reading and hourly temperature readings have already been set up and populated as parallel 1D arrays.

[8]

(Option B continues on the following page)


(Option B continued)

5. The global increase in mean temperatures is causing concern, and governments are using computer models to determine potential future changes.

Many islands in the Pacific Ocean are close to or below sea level and have observed an increased incidence of coastal flooding. This suggests there is a relationship between the increase in mean temperatures and the increase in mean sea levels.

Figure 4 shows the mean sea level of Nauru from 1994 to 2015.

Figure 4: Mean sea level of Nauru, 1994–2015



If the mean sea level rises, the probability of coastal flooding will also increase. This will put many of the inhabitants of Nauru at risk.

It has been proposed that a simulation be developed to show the effects of rising temperatures on the extent and frequency of coastal flooding.

- (a) Distinguish between a model and a simulation. [2]
- (b) Describe how to identify the rules required to create a simulation from the mean temperature and mean sea level data. [3]
- (c) Evaluate how test cases could be used to effectively validate the accuracy of this proposed simulation. [6]
- (d) Discuss the advantages **and** disadvantages of using a simulation for decision making in the coastal areas of islands in the Pacific Ocean. [5]


(Option B continues on the following page)

(Option B continued)

6. Organizations such as Earth.Org have raised concerns about the rate of sea level increase for Nauru. They stated, "Sea level rise is 2 to 3 times faster around Nauru than the global average, putting its freshwater supplies and crops at risk of saltwater contamination. Already reliant on economic aid, Nauru's basic resource needs may have to be acquired externally for life to be sustained on the island."

The 2D visualisation in **Figure 5** shows the projected impact of mild and extreme sea level increases on Nauru by 2100.

Figure 5: Projected impact of mild and extreme sea level increases on Nauru by 2100



- (a) Define the term *visualization*. [1]
- There are proposals to develop a 3D visualization of the impact of rising sea levels on Nauru.
- (b) Outline the relationship between images stored in memory and 3D visualizations. [2]
- (c) Discuss the time and memory considerations of 3D animation in the proposed 3D visualization for Nauru. [5]

End of Option B

Option C — Web science

7. Alexia and Jay are discussing their use of online resources to prepare for their IB examinations. They often visit websites such as BBC Bitesize.

Alexia refers to accessing the websites as "surfing the internet" and Jay refers to the resources as being "on the web".

- (a) Distinguish between the internet and the World Wide Web. [2]

The uniform resource locator (URL) for the BBC Bitesize website is as follows:

<https://www.bbc.co.uk/bytesize/index.htm>

- (b) Identify **two** characteristics of a URL. [2]

Jay wants to transfer a file to Alexia and suggests they use file transfer protocol (FTP).

- (c) Identify **two** characteristics of file transfer protocol. [2]

- (d) Explain how a web browser functions. [3]


(Option C continues on the following page)

(Option C continued)

8. Alexia and Jay are researching the web development language PHP.

They type the phrase "PHP" directly into a web browser (see **Figure 6**).

Figure 6: "PHP" typed into a web browser and redirected to a search engine




The web browser redirects them to a popular search engine, which executes a search.

- (a) Define the term *search engine*.

[1]

The operation of a search engine can be divided into three steps (see **Figure 7**).

Figure 7: The three steps in the operation of a search engine



- (b) Describe how a web crawler functions. [2]
- (c) Outline why keywords are important for web indexing. [2]
- (d) Discuss whether an organization should use black hat search engine optimization (SEO) techniques to improve the ranking of its website. [6]

Search engines return a very large number of results, but many of the web pages are not useful. The search needs to be refined.

Alexia and Jay's teacher recommended that they use an online database that accesses the deep web.

- (e) Distinguish between the surface web and the deep web.

[2]

(Option C continues on the following page)

(Option C, question 8 continued)

One of the online databases provides Alexia and Jay with the following code:

```
<?php
    if(isset($_FILES['CV'])) {
        $errors= array();
        $file_name = $_FILES['CV']['name'];
        $file_size = $_FILES['CV']['size'];
        $file_tmp = $_FILES['CV']['tmp_name'];
        $file_type=$_FILES['CV']['type'];

        $file_ext=strtolower(end(explode('.',$_FILES['CV']['name'])));

        $extensions= array("pdf","doc","docx");

        if(in_array($file_ext,$extensions)=== false){
            $errors[]="This file extension not allowed";
        }

        if($file_size > 2097152){
            $errors[]="File size must be under 2 Mb";
        }

        if(empty($errors)==true){
            move_uploaded_file($file_tmp,"CV/".$file_name);
            echo "Success";
        }else{
            print_r($errors);
        }
    }
?>
<html>
<body>
    <h1>Curriculum Vitae</h1>
    <form action="" method="POST" enctype="multipart/form-data">
        <input type="file" name="CV" />
        <input type="submit"/>
    </form>
</body>
</html>
```

- (f) Identify **four** steps that take place during the processing of this PHP code.

[4]

The PHP code is processed on the server.

- (g) Explain why an organization would choose to use server-side processing rather than client-side processing when delivering content to the client.

[3]

(Option C continues on page 15)

(Option C continued)

9. A social media file-sharing website allows users to upload their original video content. The site provides an upload module that uses lossless compression.

(a) Outline how lossless compression maintains the quality of a media file.

[2]

When a file is decompressed, the content is rendered to fit a standard set of sizes, aspect ratios, and frame rates. Standard video formats, such as MP4, are used for the output of media.

The file format MP4 or MPEG-4 is an open standard for media files.

(b) Identify **two** characteristics of an open standard.

[2]

Social media sites use a distributed system where the data is stored in many countries.

In the European Union, Argentina, and the Philippines the right to be forgotten has been established as law. The right to be forgotten means a person has the right to have private information removed from databases and applications so it cannot be found in an internet search.

(c) Discuss the impact of the decentralized web on an individual's right to privacy.

[6]

Xero, a small software company, was established in 2006 in Wellington, New Zealand. It produced an easy-to-use accountancy service for small to medium enterprises. This product was based on the software-as-a-service (SaaS) model and is sold in a subscription format all over the world. Customer data is securely stored online as part of the subscription cost.

(d) Explain how developments in the web have enabled small companies such as Xero to have a global reach.

[6]

End of Option C

Option D — Object-oriented programming

10. A company sells healthcare products. Each product type is associated with a particular brand and brand price.

A system is designed to manage product sales, customers, and suppliers.

The `Product` class keeps details of a product. The following shows part of the code for this class:

```
public class Product {  
  
    private String prodCode; // eg X123  
    private String prodType; // eg Sunscreen  
    private String prodDescription; // about the product  
    private Brand prodBrand; // an object of type Brand  
    private int prodSale; // number of units sold  
  
    // Constructor  
    // code missing for constructor method  
  
    public int getProdSale(){  
        return prodSale;  
    }  
  
    public Brand getProdBrand(){  
        return prodBrand;  
    }  
  
    // all accessor and mutator methods are present but not shown  
} // end of Product class
```

The `Brand` class keeps details of a particular brand. The following shows part of the code for this class:

```
public class Brand {  
  
    private String brandName; // eg Safesun  
    private float brandPrice; // price of the product of this brand  
  
    public Brand(String brandName, float brandPrice) {  
        this.brandName = brandName;  
        this.brandPrice = brandPrice;  
    }  
  
    public float getBrandPrice() {  
        return brandPrice;  
    }  
  
    // all accessor and mutator methods are present but not shown  
} // end of Brand class
```

(Option D continues on the following page)

(Option D, question 10 continued)

- (a) (i) Define the term *private*. [1]
- (ii) Define the term *accessor method*. [1]
- (iii) Construct an accessor method in the `Product` class that returns the description for a product. [2]
- (b) (i) Construct a UML diagram for the given `Product` class. [3]
- (ii) Construct the code for the constructor method for the `Product` class that initializes all attributes for a new product. [3]
- (c) (i) Construct the code to create an instance of the `Brand` class that has the brand name `Safesun` and a brand price of `2.17`. [3]
- (ii) Describe the difference between a class and an instance of a class. [2]
- (d) Identify **two** features of modern programming languages. [2]
11. (a) (i) Define the term *primitive data type*. [1]
- (ii) Outline **one** advantage of using a primitive data type, such as `int`. [2]

The `ProductManagement` class has the main method and other methods to generate the information required:

```
public class ProductManagement {  
  
    private Product[] allProducts = new Product[25];  
  
    public void sortProducts() // sort in descending order of prodSale {  
        // code missing  
    }  
  
} // end of ProductManagement class
```

- (b) Construct code for the method `sortProducts()` to sort the `allProducts[]` array in descending order of `prodSale`.

You must make use of the selection sort algorithm.

[6]

(Option D continues on the following page)

(Option D continued)

12. (a) (i) Outline **one** advantage of polymorphism. [2]
- (ii) Outline **one** advantage of encapsulation. [2]
- (iii) Outline **one** disadvantage of inheritance. [2]

An invoice is created every time a customer purchases one or more products.

The `Invoice` class keeps details of each invoice. The following shows part of the code for this class:

```
public class Invoice {  
  
    private String invoiceID; // identifies a unique invoice  
    private static Product[] products = new Product[20]; // list of  
products purchased  
    private static int[] prodQuantity = new int[20]; // number of items  
of a particular product purchased  
    private boolean qualifiesForDiscount; // default value is false  
    private int numOfProducts; // how many products in this invoice  
  
    // constructor is defined, code not shown  
  
    public String getInvoiceID() {  
        return invoiceID;  
    }  
  
    // all accessor and mutator methods are present but not shown  
  
    public void addProduct(Product product, int quantity) {  
        // code missing  
    }  
  
    public void setQualifiesForDiscount() {  
        // if total value of purchases is more than 3000,  
        // qualifiesForDiscount value is set to true  
        // code missing  
    }  
  
} // end of Invoice class
```

- (b) Describe how encapsulation has been used in this code. [2]

(Option D continues on the following page)

(Option D, question 12 continued)

- (c) Construct the method `addProduct(Product product, int quantity)` that will update an invoice.

The method should:

- Update the `products` array
- Update the `prodQuantity` array
- Increment the `numOfProducts`.

[3]

If the total value of the purchases is greater than 3000, the invoice qualifies for a discount.

- (d) Construct code for the method `setQualifiesForDiscount()` to change the status of an invoice.

The method should:

- calculate the total value of an invoice
- change the value of `qualifiesForDiscount` if needed.

[6]

- (e) Outline **one** advantage of using modularity in program development.

[2]

End of Option D
